THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Road expansion and persistence in forests of the Congo Basin

Citation for published version:

Kleinschroth, F, Laporte, N, Laurance, WF, Goetz, SJ & Ghazoul, J 2019, 'Road expansion and persistence in forests of the Congo Basin', *Nature Sustainability*, vol. 2, no. 7, pp. 628-634.
<https://doi.org/10.1038/s41893-019-0310-6>

Digital Object Identifier (DOI):

[10.1038/s41893-019-0310-6](https://doi.org/10.1038/s41893-019-0310-6)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

Nature Sustainability

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Road expansion and persistence in forests of the Congo Basin

Fritz Kleinschroth^{*1}, Nadine Laporte², William F. Laurance³, Scott Goetz⁴, Jaboury Ghazoul^{1,5,6}

¹Department of Environmental Systems Science, ETH Zurich, Universitätsstr. 16, 8092 Zurich, Switzerland

²School of Forestry, Northern Arizona University, Flagstaff AZ, USA

³Centre for Tropical Environmental and Sustainability Science, College of Science and Engineering, James Cook University, Cairns, Queensland 4878, Australia

⁴School of Informatics, Computing and Cyber Systems, Northern Arizona University, Flagstaff AZ, USA

⁵Prince Bernhard Chair for International Nature Conservation, Ecology and Biodiversity group, Utrecht University, Utrecht, the Netherlands

⁶Centre for Sustainable Forests and Landscapes, University of Edinburgh, Edinburgh, Scotland, UK

^{*}corresponding author. Email: fritz.kln@gmail.com

Abstract

Roads facilitate development in remote forest regions, often with detrimental consequences for ecosystems. In the Congo Basin, unpaved logging roads used by timber firms, as well as paved and unpaved public roads, have expanded greatly. Comparing older (before 2003) and newer (2003-2018) road datasets derived from LandSat imagery, we show that road networks inside logging concessions in Central Africa have doubled in length since 2003, whereas roads outside concessions increased by 40%. We estimate that 44% of all roads within concessions were abandoned by 2018, following logging operations, whereas just 12% of roads outside concessions were abandoned. Yearly deforestation rates (2000-2017) near (<1 km) roads rose dramatically during the course of this study, and were highest for older roads, lowest for

abandoned roads, and generally higher outside logging concessions. The impact of logging on deforestation is partially ameliorated by the nearly four-fold higher rate of road abandonment inside concessions, but the dramatic overall expansion of logging roads in the Congo Basin is of broad concern for forest ecosystems, carbon storage, and wildlife vulnerable to hunting. Road decommissioning after logging could play a crucial role in reducing the negative impacts of timber extraction on forest ecosystems.

Rapid global road development is currently underway¹. The expanding global road network is threatening many intact natural habitats of high conservation value, especially in tropical regions²⁻⁴. Additional road development is planned for the Central African region, driven by national developmental priorities and foreign investments, especially by China and other nations promoting logging and extractive industries^{5,6}. Continued logging is also leading to the incursion of logging roads into many intact-forest landscapes^{7,8}. By providing access to remote regions, new roads cutting through intact forests are detrimental to the continued integrity of extensive forest areas, frequently opening a ‘Pandora’s box’ of additional and often illicit activities such as mining, poaching, land colonization, and deforestation⁹⁻¹¹.

The Congo Basin sustains the second largest tropical forest in the world after Amazonia. In contrast to high rates of deforestation in other tropical forest regions, the extent of Central African forests has been moderately stable since 1900¹², at least with respect to forest-carbon stocks¹³. The single most important driver of forest loss across Africa is shifting agriculture¹⁴. Millions of people in rural communities depend on shifting agriculture and the direct use of forest products for their livelihoods¹⁵. Shifting agriculture is extending into many forest areas that have been opened up by logging activities, which also leaves behind large areas of disturbed forest to potentially regenerate^{16,17}. Forest roads, especially those that link urban populations and forests¹⁸, can also lead to sharp increases in bushmeat hunting and steep declines in wildlife populations^{19,20}.

Currently, large parts of the Congo Basin are being used for selective logging, requiring extensive road networks to access and transport timber²¹. Most of the Congo Basin forest is owned by nation states that grant concessions (long-term leases, up to 99 years) to logging companies²². Despite the extensive expansion of road networks into the Congo, many unpaved logging roads are subsequently abandoned after a few years of use, allowing forests to regenerate²³. At local scales, temporary logging roads are associated with relatively low deforestation rates compared to more permanent roads, both paved and unpaved²⁴. Logging provides a key economic impetus for initial road building in forests. However, the rate of road expansion inside and outside logging concessions is unknown, as is the fate of such roads after initial construction.

Rapid changes in Congo Basin forests

Logging roads and public roads are used and managed in different ways, and associated impacts on surrounding forests vary substantially. While some regions of the world have access to reliable road maps both digitally and on paper, a complete map of all roads in Central Africa is still unavailable. Within the Congo Basin, few roads are paved and the vast majority consist of a linear openings in the forest canopy with compacted soil where forest-vehicles drive, often surfaced with a layer of weathered clay (laterite). Without regular maintenance, such roads rapidly deteriorate due to heavy rains and are overgrown by recovering vegetation. It is therefore common for roads to be abandoned, especially if they were built only for selective logging activities that progressively shift to different cutting areas every year²³. Because of these dynamics, no road map of the Congo Basin is available that differentiates these various types of roads^{3,25}.

In 2004, for the first time in history, it was possible to travel along a road from Brazzaville, capital of the Republic of Congo, to Bangui in the Central African Republic. Prior to this, extensive wetlands and dense humid tropical forests separated the two countries²⁶. For many years there has been an aspiration to construct a Trans-African Highways system and this has slowly taken shape over the past two decades (Figure 1)²⁷. Among the last missing elements of this network is the connection between the Republic of Congo and Central African Republic. Logging companies in the Republic of Congo, financed by the African Development Bank, have been contracted by the government to upgrade

77 existing logging roads as a relatively inexpensive way to extend the public road network towards the
78 Central African Republic^{28,29}; although maintenance costs for roads in high-rainfall environments can
79 be surprisingly high, on the order of 20% of the initial road cost per year²⁵. LandSat images from
80 2018 show clearing of forests for construction of the Congo-Central African Republic road (Figure 1).
81 As of yet, however, the major Brazzaville-Bangui road segment was not included in any of the data
82 sets recently used to analyze road impacts on either global or African scales^{2,4,30,31}, despite being one
83 of the very few north-south connections that transect the Congo Basin forests.

Figure 1. African road planning and construction from the continental to local levels. a, Overview of planned trans-African highways²⁷ with underlying country borders and ecoregions³². b, State of construction of the Ouesso-Bangui-Ndjamena road axis, with protected areas indicated³³. c, Setting of the road corridor in the northern Republic of Congo with logging concessions³⁴ and logging-road networks showing the extent of forest exploitation. d, Forest clearing (90 m wide) as a corridor for

road construction, linking existing logging road networks, as seen on a LANDSAT 8 image (dated 18 January 2018; courtesy US Geological Survey). e, Newly paved road south of Ouésso. f, A former logging road, upgraded to a major road corridor at location marked f in image d. g, Abandoned logging road with excavation and a log-barrier placed to help avoid unauthorized access.

Road expansion in Central Africa urgently needs a full accounting of development over time to understand its impacts on forest cover. To address this need we compared two road datasets for Congo Basin forests derived from LandSat images at points in time: (1) before 2003²¹ and (2) between 2003 and 2016³⁵, which we updated in 2018. Here we provide the first inventory of road expansion, road types, and road persistence across Congo Basin forests. We also assess how different road types affected rates of nearby forest loss from 2000 to 2017³⁶.

Logging concessions boost road expansion but limit road persistence

Across the Congo Basin, we found that total road networks increased in length by 61% since 2003, from 143,700 to 230,800 km. Considering an average road width of 28 m, 14,000 km² or 0.8% of Congo Basin moist forests have been cleared for road construction detectable since the first LandSat images became available in the 1970s. Before 2003, 11% of forest was within 1 km of a road, and this increased to 15% by 2017. Three percent of wetlands were within 1 km of a road before 2003, increasing to 6% by 2017 (Figure 2). Road expansion was most pronounced inside logging concessions, where total road length doubled from 50,300 km to 100,300 km. Outside logging concessions, road length increased by 40%, from 93,300 to 130,500 km (Supplementary Table 1).

Our analysis also identified roads built before 2003 (older) versus after 2003 (newer), and which of these roads remained open until 2018, or were abandoned. Inside logging concessions, 28% of all roads were older and remained open until 2018. Outside concessions, more than twice as many roads (63%) remained open through 2018 (black lines in Figure 2b). Conversely, 44% of all roads inside logging concessions and 12% outside concessions were abandoned by 2018. Overall, there was a net expansion of roads by 13% inside and 23% outside logging concessions since 2003 (Supplementary

116 Table 1). This suggests logging companies tend to limit the lifespan of their road network, relative to
117 areas outside concessions.

118

Figure 2. Congo Basin (CB) road networks. (a) Full road network overlaid on the above-ground biomass³⁷, water, wetland, and forest conversion to agriculture between 1992 and 2015 (ESACCI land cover map). (b) Road classification, showing expansion and persistence of the full road network within the Congo Basin forest as detected on Landsat. Old = Roads from Laporte et al. (2007)²¹, detected before 2003; New = Roads from Open Street Map (<http://www.openstreetmap.org>) detected since 2003; Open = bare soil visible on Landsat images in 2017/2018; Abandoned = bare soil visible on older Landsat images but not in 2017/2018. (c) Location of the Congo Basin forest on the African continent. (d) Length summary of the different road types shown in (b).

Deforestation rates increase, except around abandoned roads

Deforestation within 1 km of roads was highest for older roads, followed by newer roads, and was lowest for abandoned roads. From 2000 to 2017, yearly rates of forest loss around old, continuously open roads increased dramatically over time, from 0.3% to 1.2% inside concessions, and from 0.5% to 1.9% outside concessions. For new, continuously open roads, forest-loss rates increased from 0.1% to 0.7% inside and from 0.3% to 1.3% outside concessions. Abandoned roads had annual deforestation rates of less than 0.1% inside concessions and less than 0.4% outside concessions (Figure 3). This means deforestation rates depend mostly on the type of road (abandoned or active) and secondarily on whether they were inside versus outside concessions.

Logging concessions have been described as potential buffer zones for conservation purposes, such as in the vicinity of protected areas³⁸. While selective logging does not maintain forest intactness, it provides economic value from forests while maintaining much higher carbon stocks and wildlife habitat than cleared areas outside of concessions³⁹. It is now generally accepted that selectively logged forests retain important conservation values so long as they remain forested^{40,41}.

Our study reveals that, outside the vast Democratic Republic of Congo (DRC), road building within logging concessions has not yet markedly advanced the deforestation frontier, and many roads seem to be effectively closed — which is a positive outcome for forests. However, given fragile or even failed statehood and poor governance in many countries of the region, mechanisms to maintain long-

term sustainable uses of forests remain far from certain, particularly given rapid population growth, heavy foreign investment and new development schemes³¹, and an associated expansion of shifting agriculture^{14,42}. Logging concessions are major drivers of road construction and neither the national origin of the logging companies⁴³, nor the use of forest-management plans, guarantees avoidance of deforestation^{44,45}.

Figure 3: Three-year moving average of annual forest loss 2000-2017³⁶ for different road classifications, relative to percent forest cover in 2000 (within a buffer of 1 km from roads). Old = roads detected before 2003 and open through 2018; new= roads detected after 2003 and open through 2018; abandoned= old and new roads detected as abandoned in 2018.

Regional differences in the Congo Basin

We identified distinct regions with contrasting types of road networks in the Congo Basin (Figure 2). The first is dense terra firme forests under concessionary logging regimes, where in the past 15 years the development of the road network has been most extensive. The second is the carbon-rich wetlands of the Cuvette Centrale, which remain mostly free of roads and deforestation, but are surrounded by increasingly dense road networks extending to the wetland edge. Finally, there are forests that are already degraded or have naturally lower biomass, mostly located in the DRC and western Cameroon,

which are often outside designated forest concessions and are accessible to the public via older road networks. This latter region has experienced the highest deforestation rates (Supplementary Figure 1), partially associated with improvements in the road network⁴⁶.

We documented the highest forest loss around roads in the DRC, with annual deforestation rates of 2.6% near older roads and 1.6% near newer roads inside concessions, and 2.5% and 2.2%, respectively, near old and new roads outside concessions. Abandoned roads had substantially lower mean annual deforestation rates of 0.3% inside concessions and 0.6% outside concessions. For all other countries in the Congo Basin, mean annual deforestation rates inside concessions were <1% for old and new roads and <0.3% for abandoned roads (Supplementary Figure 1). Hence, the DRC had 2-3 times higher rates of deforestation and forest degradation inside concessions than did other Congo Basin countries¹⁶.

The DRC has been the only country in the region with a moratorium on new logging concessions, which has been in place since 2002⁴⁷. However, this policy was dramatically altered in early 2018 by 6,500 km² of new concessions awarded to Chinese logging corporations⁴⁸. Concessions in the DRC still cover a lower proportion of the overall forest area than in other Congo Basin countries, but this situation could change rapidly. At present, informal (and often illegal) logging activities and chainsaw milling account for up to 90% of all logging operations in the DRC⁴⁹. The remaining concessions have been criticized for illegal and unsustainable forestry practices⁵⁰. Compared to other Congo Basin countries, a smaller proportion of roads inside concessions have been abandoned in the DRC (see Supplementary Figure 2). If the aim of DRC's moratorium was to reduce deforestation and forest degradation, it has been marginally successful at best. Prevailing corruption, lack of law enforcement, and tenure conflicts⁵¹ all exacerbate the damaging effects of roads by facilitating forest conversion.

Pathways to limit road impacts

Road management needs to become an integral part of the cycle of sustainable forest management. We show that inside well-managed concessions, the impact of logging roads on forest loss is ameliorated by the nearly four-fold higher rate of road abandonment than areas outside concessions.

This process could be aided and scaled up by a wider application of road decommissioning. Depending on the local context, a combination of physical barriers, removal of stream crossings, road surface decompaction, and active forest restoration may be the most effective measures for avoiding unauthorized vehicle access to forest resources (however, it is considerably more challenging to halt access for people on foot or motorcycles²³). In the larger picture, reducing the overall spatial footprint of roads in the Congo's many areas of high conservation value can only be achieved by strategic planning and long-term spatial prioritization. This includes optimal geographical distribution and territorial confinement of new concessions as well as mitigating the effects of large-scale road building schemes currently under way across Africa³¹. Within the tropical forest domain, this process often begins as logging roads that are subsequently converted to public roads. Despite substantial road abandonment, we found that 28% of Congo logging roads remained open over the long term (for more than 15 years after concessions commenced). Even if these roads have measures in place to restrict access, the effectiveness of such measures is limited. Such 'permanent' roads are more likely to lead to fragmentation and conversion of forests via advancing shifting agriculture, mining, and other forms of encroachment¹⁰. The most powerful impact-mitigation efforts should therefore focus on carefully planning and, where possible, limiting the expansion of permanent roads. Among other factors, the high expense of maintaining roads in wet tropical environments provides a potent incentive for tropical nations to be conservative and minimalist in expanding their road networks^{3,25}.

We conclude that the most vulnerable areas where the greatest negative impacts might occur are the dense, slow-growing forests⁵² of the border region between the Republic of Congo and Central African Republic, and the carbon-rich wetlands of the Cuvette Centrale⁵³. Rapid expansion of logging road networks, and their subsequent transformation to a new trans-African highway, will create substantial threats to the integrity of these unique and biologically rich forests. Of particular conservation concern are the gorillas and chimpanzees that are still relatively abundant in this region⁵⁴. Logging-concession holders together with governments, local communities, and international funders need to engage in proactive environmental planning, especially focusing on road

projects³ and identifying economically marginal projects that should be discouraged from a conservation standpoint⁵⁵.

Effective road planning spans the interests of different stakeholders and decision makers and clearly has the potential to determine the fate of forested ecosystems for the benefit of people, biodiversity, and carbon storage. On the landscape scale, forest-certification systems offer an important platform for guiding standards and practices; for instance, regarding effective road decommissioning after logging. A key challenge is scaling up regional planning that encompasses several nation states and a variety of conservation and development interests. An organization such as the Commission of Central African Forests (COMIFAC) can play a key role in this regard. In the Congo region, forests and natural resources are being rapidly exploited, but there is much scope to improve the social equitability and environmental sustainability of projects via greater transparency and rule of law, all of which is in the immediate interests of these sovereign nations.

Methods

Study area

We defined the Congo Basin forests as the tropical moist forests of >75% tree cover within the Central African countries Cameroon, Gabon, Equatorial Guinea, Central African Republic, Republic of Congo and Democratic Republic of Congo.

Road data

We compared two large road data sets for Central Africa that are mostly based on LANDSAT satellite imagery. The old logging roads and public roads dataset is from Laporte et al. (2007)²¹, who manually digitized roads on over 300 LANDSAT images from the 1970's to 2003.

The new logging roads dataset is based on crowd-sourced data from Open Street Map (OSM). The quality of Open Street Map data has increased greatly over recent years, and has been successfully used to estimate global road coverage². Open Street Map data in the Central African Region results from a collective effort of research institutions and a citizen science initiative, where logging roads

were digitized manually from LANDSAT images (www.loggingroads.org). For one of the hotspot regions of logging in Cameroon, Republic of Congo and Central African Republic, data were used from Kleinschroth et al. (2017)⁷. Overall, the OSM data covers roads built from the 1980s to 2016. We downloaded the full country data sets from six Central African countries provided by Geofabrik (<http://download.geofabrik.de/africa.html>). To filter all roads from the full dataset, we used the Osmosis command line application for processing OSM data⁵⁶ using the following tag filters: “accept-ways highway=*” and “accept-ways abandoned:highway=*” to capture both open and abandoned roads. We excluded urban roads from the OSM dataset based on the following tags: 'residential', 'cycleway', 'living_street', 'pedestrian'. The Laporte et al. (2007) dataset is limited to the road network within the forested region of Central Africa with >75 % tree cover (updated in Hansen et al., 2013)³⁶. We therefore clipped the OSM map to the same extent. We kept roads from OSM outside this area only for illustration purposes in Figure 2. We manually updated OSM data to 2018 based on most recent LandSat images.

Road age classification

Due to the temporal overlap in the two data sets, we used the year 2003 as the cut-off, and defined any road that existed before that as old and any road built after that as new. To make the two manually digitized data sets coincident, we used the “integrate” tool in ArcGIS with a tolerance level of 300 m. We then removed all parts from the OSM dataset that coincided with the Laporte dataset. As an attribute, we added to each road segment the information on which of the two original data sets it appeared. Roads that appeared on both data sets were labelled “old, open”, those that only appeared on the old dataset “old, abandoned” and those only on the new dataset “new, open”. Especially in the densely populated regions of Cameroon, the OSM dataset appeared to be more detailed than the Laporte (2007) data. The length of “new, open” roads outside logging concessions might therefore be overestimated and the length of “old, open” underestimated.

The location of roads inside and outside of formally designated logging concessions was identified based on data from WRI (<http://www.wri.org/our-work/project/congo-basin-forest-atlases>)^{34,57,58}. We

intersected the merged road dataset with concessions and split lines at the point of intersection. We could then select all roads depending on their locations inside and outside of concessions.

Road abandonment

To improve the identification of road abandonment, we used the red bands of 135 LandSat 8 images from the years 2017 and 2018 covering the Congo Basin. Following the approach of Kleinschroth et al. (2015)⁵⁹, this allowed us to distinguish open and abandoned roads. While the road surface itself is on average 7 m wide, actively used roads in the Congo Basin are typically maintained with 10 m wide cleared strips on both sides of the actual track¹⁰. The main purpose of this is to open the canopy to allow the sun dry the surface of the road after the frequent rains⁶⁰. The contrast between the bare soil of the road surface and the surrounding forest allows relatively straightforward visual detection of open road networks mainly due to their strong signal on the red band of the LandSat satellite. Abandoned roads typically get overgrown within a year, both due to vegetation establishment on the road track and from lateral ingrowth²³. This vegetation recovery leads to a gradual disappearance of the road signal from the red band of Landsat. Abandoned roads can still be used by people on foot or motorbikes and remain detectable for 20 years on the infra-red bands of Landsat, indicating higher photosynthetic activity⁵⁹.

Due to abundant cloud cover in Gabon and Southern Republic of Congo, an estimated 10% of the forest area was not clearly visible on any image in 2017/2018 and road abandonment could not be identified. Overall abandonment is therefore a conservative estimate.

We calculated the sum of the length of different types of roads (old, new, abandoned, open, inside and outside of concessions) using QGIS⁶¹. We used field-based maps and photographs collected during three phases of fieldwork in 2014, 2015 and 2017 to correct the remotely sensed maps.

Forest loss data

We calculated forest loss within a buffer of 1 km around roads. While road-related impacts may well spread beyond this distance, we followed the approach of Ibisch et al. (2016)², who consider 1 km as a minimum value for road-effect zones that is applicable globally. This corresponds with the typical

maximum distance that loggers in the Congo Basin use for skidding, i.e. where they enter the forest with bulldozers to drag tree logs to a road²¹. In logging road layouts that systematically cover a forest area, using a buffer that is wider than 1 km would capture several parallel roads at once and confound the forest loss effect of each individual road.

We used QGIS to create a 1 km-buffer around the different types and locations of roads (old, new and abandoned roads in six countries, inside and outside of concessions). This resulted in 36 polygons that we uploaded to Google Earth Engine⁶². Within each polygon we quantified forest cover loss based on “Hansen Global Forest Change v1.5” annual forest loss data from 2000 to 2017³⁶. To correct for the different size of the road networks (e.g. in countries of different size) we calculated the percentage of the annually lost forest area compared to the forest area in 2000 (according to the “Hansen Global Forest Change” dataset) within the road buffer. The Hansen et al. (2013) annual forest loss products contain map errors of unknown directions (bias towards omission or commission) and magnitude. Therefore, we calculated three-year moving averages of annual tree cover loss to show a general trend from map pixel counts over time, following the approach of Tyukavina (2018)⁶³. The resulting temporal trend needs to be interpreted with caution as the Hansen et al. (2013) map tends to underestimate forest loss area at the beginning of the 2000s, and overestimate loss after 2010⁶³.

Additionally, Hansen et al. (2013) only covers gross forest loss and does not take into account forest regrowth. Both selective logging and shifting agriculture are highly dynamic processes and forest loss is often followed by long periods of vegetation recovery⁶⁴. Between 2000 and 2005, net deforestation in the overall Congo Basin was 35% lower than gross deforestation. This “reforestation” ratio varied strongly between different countries: in Gabon 100% of lost forest were regained, in Cameroon 82%, Republic of Congo 50%, Central African Republic 40% and DRC 31%.¹⁶ We assume net deforestation respectively lower than the gross forest loss values reported by us. To illustrate the location of permanent conversion of forest to agriculture in Figure 2A, we used land cover change data from 1992 to 2015 from the ESA CCI land cover change dataset (<https://maps.elie.ucl.ac.be/CCI/viewer/>)⁶⁵. To a certain extent, forest loss can be seen as an indicator for other - less visible - impacts on the forest, such as forest degradation and defaunation. Forest edges

next to new canopy openings are typically most prone to degradation due to climatic effects and the presence of people who use the forest e.g. for hunting⁶⁶.

All further analyses were done in R⁶⁷, using packages “raster”, “rgdal”, “rgeos”, “zoo” and “ggplot2”.

Acknowledgments

FK is funded by the DAFNE project of the European Union H2020 programme (Grant Number 690268). WFL is funded by the Arcus Foundation. SJG acknowledges support of the NASA Applied Sciences Ecological Forecasting Program (grant NNX17AG51G). We thank Babak Naimi for help with coding and Itto Kornecki with road digitization. Eric Forni, Sylvie-Gourlet-Fleury, John Healey and Alain Karsenty provided useful background discussions. We are grateful to all OpenStreetMap contributors who digitized road data, particularly the loggingroads.org initiative led by Moabi, the Joint Research Center of the European Commission and Global Forest Watch.

Author contributions

FK and WFL conceived the ideas, FK and NL collected and analyzed the data. All authors contributed to the writing.

Data availability statement

The spatial datasets generated and analysed during the current study will be made available on the ORNL DAAC (<https://daac.ornl.gov>) upon acceptance of the manuscript.

Code availability statement

Google Earth Engine codes used during the current study are publicly available under :
<https://code.earthengine.google.com/9758a45a0a19a1d48f7453b406b8cb66>

R-codes used during the current study are available from the corresponding author on reasonable request.

Competing interests

The authors declare no competing interests.

References

1. Laurance, W. F. *et al.* Reducing the global environmental impacts of rapid infrastructure expansion. *Curr. Biol.* **25**, 1–5 (2015).
2. Ibisch, P. L. *et al.* A global map of roadless areas and their conservation status. *Science* (80-.). **354**, 1423–1427 (2016).
3. Laurance, W. F. & Arrea, I. B. Roads to riches or ruin? *Science* (80-.). **358**, 442–444 (2017).
4. Laurance, W. F. *et al.* A global strategy for road building. *Nature* **513**, 229–232 (2014).
5. Galford, G. L., Soares-Filho, B. S., Sonter, L. J. & Laporte, N. Will passive protection save Congo forests? *PLoS One* **10**, 1–19 (2015).
6. Edwards, D. P. *et al.* Mining and the African environment. *Conserv. Lett.* **7**, 302–311 (2014).
7. Kleinschroth, F., Healey, J. R., Gourlet-Fleury, S., Mortier, F. & Stoica, R. S. Effects of logging on roadless space in intact forest landscapes of the Congo Basin. *Conserv. Biol.* **31**, 469–480 (2017).
8. Potapov, P. *et al.* The last frontiers of wilderness: Tracking loss of intact forest landscapes from 2000 to 2013. *Sci. Adv.* **3**, 1–13 (2017).
9. Laurance, W. F., Goosem, M. & Laurance, S. G. W. Impacts of roads and linear clearings on tropical forests. *Trends Ecol. Evol.* **24**, 659–69 (2009).
10. Kleinschroth, F. & Healey, J. R. Impacts of logging roads on tropical forests. *Biotropica* **49**, 620–635 (2017).
11. Barber, C. P., Cochrane, M. a., Souza, C. M. & Laurance, W. F. Roads, deforestation, and the mitigating effect of protected areas in the Amazon. *Biol. Conserv.* **177**, 203–209 (2014).
12. Aleman, J. C., Jarzyna, M. A. & Staver, A. C. Forest extent and deforestation in tropical Africa since 1900. *Nat. Ecol. Evol.* **2**, 26–33 (2018).
13. Lewis, S. L. *et al.* Increasing carbon storage in intact African tropical forests. *Nature* **457**, 1003–6 (2009).
14. Curtis, P. G., Slay, C. M., Harris, N. L., Tyukavina, A. & Hansen, M. C. Classifying drivers of global forest loss. *Science* (80-.). **361**, 1108–1111 (2018).
15. Pelletier, J., Horning, N., Laporte, N., Samndong, R. A. & Goetz, S. Anticipating social equity impacts in REDD+ policy design: An example from the Democratic Republic of Congo. *Land use policy* **75**, 102–115 (2018).
16. Céline, E. *et al.* National forest cover change in Congo Basin: deforestation, reforestation, degradation and regeneration for the years 1990, 2000 and 2005. *Glob. Chang. Biol.* **19**, 1173–87 (2013).
17. Molinario, G. *et al.* Quantification of land cover and land use within the rural complex of the Democratic Republic of Congo. *Environ. Res. Lett* **12**, (2017).
18. Wilkie, D., Shaw, E., Rotberg, F., Morelli, G. & Auzel, P. Roads, development, and conservation in the Congo Basin. *Conserv. Biol.* **14**, 1614–1622 (2000).
19. Redford, K. The empty forest. *Bioscience* **42**, 412–422 (1992).
20. Nasi, R., Taber, a. & Van Vliet, N. Empty forests, empty stomachs? Bushmeat and livelihoods in the Congo and Amazon Basins. *Int. For. Rev.* **13**, 355–368 (2011).

- 382 21. Laporte, N. T., Stabach, J. a, Grosch, R., Lin, T. S. & Goetz, S. J. Expansion of industrial
383 logging in Central Africa. *Science* (80-.). **316**, 1451 (2007).
- 384 22. Karsenty, A. & Ferron, C. Recent evolutions of forest concessions status and dynamics in
385 Central Africa. *Int. For. Rev.* **19**, 10–26 (2017).
- 386 23. Kleinschroth, F., Healey, J. R., Sist, P., Mortier, F. & Gourlet-Fleury, S. How persistent are the
387 impacts of logging roads on Central African forest vegetation? *J. Appl. Ecol.* **53**, 1127–1137
388 (2016).
- 389 24. Cordero-Sancho, S. & Bergen, K. M. Relationships of agricultural land use to an expanded
390 road network within tropical forest landscapes of Cameroon and Republic of the Congo. *Prof.*
391 *Geogr.* **70**, 60–72 (2018).
- 392 25. Alamgir, M. *et al.* Economic, socio-political and environmental risks of road development in
393 the tropics. *Curr. Biol.* **27**, R1130–R1140 (2017).
- 394 26. Gond, V. *et al.* Vegetation structure and greenness in Central Africa from Modis multi-
395 temporal data. *Philos. Trans. R. Soc. Lond. B. Biol. Sci.* **368**, 20120309 (2013).
- 396 27. African Development Bank. *Review of the implementation status of the Trans-African*
397 *Highways and the missing links.* (2003).
- 398 28. PIDA. Ouesso-Bangui-Ndjamena Road. *Programme for Infrastructure Development in Africa*
399 (2016). Available at: <http://www.au-pida.org/view-project/2016/>. (Accessed: 21st January
400 2019)
- 401 29. Johnston, L. Ouesso-Bangui-N’Djamena road and navigation of the Congo, Oubangui and
402 Sangha rivers – The Republic of Congo. (2011). Available at:
403 https://ecd.usaid.gov/repository/titlexiii/2011/Trip_Report_13.pdf. (Accessed: 21st January
404 2019)
- 405 30. Meijer, J. R., Huijbregts, M. A. J., Schotten, K. C. G. J. & Schipper, A. M. Global patterns of
406 current and future road infrastructure. *Environ. Res. Lett.* **13**, (2018).
- 407 31. Laurance, W. F. *et al.* Estimating the environmental costs of Africa’s massive ‘Development
408 Corridors’. *Curr. Biol.* **25**, 1–7 (2015).
- 409 32. Olson, D. M. & Dinerstein, E. The Global 200: Priority ecoregions for global conservation.
410 *Ann. Missouri Bot. Gard.* **89**, 199 (2002).
- 411 33. UNEP-WCMC & IUCN. The World Database on Protected Areas (WDPA).
412 www.protectedplanet.net (2018). Available at: www.protectedplanet.net. (Accessed: 1st
413 August 2018)
- 414 34. WRI & MDDEF. *Atlas forestier interactif du Congo. Version 3.0. Document de Synthèse.*
415 (World Resources Institute & République du Congo Ministère de l’économie forestière et du
416 développement durable, 2012).
- 417 35. OpenStreetMap contributors. Planet dump retrieved from <https://planet.osm.org>. (2018).
- 418 36. Hansen, M. C. *et al.* High-Resolution Global Maps of 21st-Century Forest Cover Change.
419 *Science* (80-.). **342**, 850–853 (2013).
- 420 37. Avitabile, V. *et al.* An integrated pan-tropical biomass map using multiple reference datasets.
421 *Glob. Chang. Biol.* **22**, 1406–1420 (2016).
- 422 38. Clark, C. J., Poulsen, J. R., Malonga, R. & Elkan, P. W. Logging concessions can extend the
423 conservation estate for Central African tropical forests. *Conserv. Biol.* **23**, 1281–93 (2009).
- 424 39. Goetz, S. J. *et al.* Measurement and monitoring needs, capabilities and potential for addressing

425 reduced emissions from deforestation and forest degradation under REDD+. *Environ. Res.*
426 *Lett.* **10**, 123001 (2015).

427 40. Edwards, D. P., Tobias, J. a, Sheil, D., Meijaard, E. & Laurance, W. F. Maintaining ecosystem
428 function and services in logged tropical forests. *Trends Ecol. Evol.* **29**, 511–520 (2014).

429 41. Putz, F. E. *et al.* Sustaining conservation values in selectively logged tropical forests: the
430 attained and the attainable. *Conserv. Lett.* **5**, 296–303 (2012).

431 42. Karsenty, A. & Ongolo, S. Can ‘fragile states’ decide to reduce their deforestation? The
432 inappropriate use of the theory of incentives with respect to the REDD mechanism. *For. Policy*
433 *Econ.* **18**, 38–45 (2012).

434 43. Brandt, J. S., Nolte, C., Steinberg, J. & Agrawal, A. Foreign capital, forest change and
435 regulatory compliance in Congo Basin forests. *Environ. Res. Lett.* **9**, 044007 (2014).

436 44. Brandt, J. S., Nolte, C. & Agrawal, A. Deforestation and timber production in Congo after
437 implementation of sustainable forest management policy. *Land use policy* **52**, 15–22 (2016).

438 45. Karsenty, A. *et al.* Deforestation and timber production in Congo after implementation of
439 sustainable management policy: A reaction to the article by J.S. Brandt, C. Nolte and A.
440 Agrawal (Land Use Policy 52:15–22). *Land use policy* **65**, 62–65 (2017).

441 46. Barra, A. F., Burnouf, M., Damania, R. & Russ, J. *Economic boom or ecologic doom? Using*
442 *spatial analysis to reconcile road development with forest conservation*. (International Bank
443 for Reconstruction and Development / The World Bank, 2016).

444 47. Debroux, L., Hart, T., Kaimowitz, D., Karsenty, A. & Topa, G. *Forests in post-conflict*
445 *Democratic Republic of Congo*. CIFOR, the World Bank (2007).

446 48. Mongabay.com. DRC breaches logging moratorium for Chinese companies. (2018). Available
447 at: [https://news.mongabay.com/2018/02/drc-breaches-logging-moratorium-for-chinese-owned-](https://news.mongabay.com/2018/02/drc-breaches-logging-moratorium-for-chinese-owned-companies/)
448 [companies/](https://news.mongabay.com/2018/02/drc-breaches-logging-moratorium-for-chinese-owned-companies/). (Accessed: 22nd January 2018)

449 49. Lescuyer, G., Cerutti, P. O. & Robiglio, V. Artisanal chainsaw milling to support decentralized
450 management of timber in Central Africa? An analysis through the theory of access. *For. Policy*
451 *Econ.* **32**, 68–77 (2013).

452 50. Global Witness. *Total systems failure. Exposing the global secrecy destroying forests in the*
453 *Democratic Republic of Congo*. (Global Witness, 2018).

454 51. Lescuyer, G. *et al.* *The domestic market for small-scale chainsaw milling in the Democratic*
455 *Republic of Congo: Present situation, opportunities and challenges*. *Occasional Paper* **61**,
456 (CIFOR, 2014).

457 52. Gourlet-Fleury, S. *et al.* Environmental filtering of dense-wooded species controls above-
458 ground biomass stored in African moist forests. *J. Ecol.* **99**, 981–990 (2011).

459 53. Dargie, G. C. *et al.* Age, extent and carbon storage of the central Congo Basin peatland
460 complex. *Nature* **542**, 86–90 (2017).

461 54. Morgan, D. *et al.* African apes coexisting with logging: Comparing chimpanzee (Pan
462 troglodytes troglodytes) and gorilla (Gorilla gorilla gorilla) resource needs and responses to
463 forestry activities. *Biol. Conserv.* **218**, 277–286 (2017).

464 55. Laurance, W. F. If you can’t build well, then build nothing at all. *Nature* **563**, 295 (2018).

465 56. Open Street Map. Osmosis. (2013). Available at: <https://wiki.openstreetmap.org/wiki/Osmosis>.

466 57. WRI & MINFOF. *Interactive forest atlas of Cameroon. Version 3.0. Overview Report*. (World
467 Resources Institute & Ministère des Forêts et de la Faune Cameroun, 2012).

58. WRI & MEFCP. *Atlas forestier interactif de la République centrafricaine - version 1.0: Document de synthèse*. (World Resources Institute & Ministère des eaux forêts chasse et pêche de la République centrafricaine, 2010).
59. Kleinschroth, F., Gourlet-Fleury, S., Sist, P., Mortier, F. & Healey, J. R. Legacy of logging roads in the Congo Basin: How persistent are the scars in forest cover? *Ecosphere* **6**, 64 (2015).
60. Sessions, J. *Forest road operations in the tropics*. (Springer, 2007).
61. QGIS Development Team. QGIS Geographic Information System. (2018).
62. Gorelick, N. *et al.* Google Earth Engine: Planetary-scale geospatial analysis for everyone. *Remote Sens. Environ.* (2017). doi:10.1016/j.rse.2017.06.031
63. Tyukavina, A. *et al.* Congo Basin forest loss dominated by increasing smallholder clearing. *Sci. Adv.* (2018).
64. Akkermans, T., Van Rompaey, A., Van Lipzig, N., Moonen, P. & Verbist, B. Quantifying successional land cover after clearing of tropical rainforest along forest frontiers in the Congo Basin. *Phys. Geogr.* **34**, 417–440 (2013).
65. Li, W. *et al.* Gross and net land cover changes based on plant functional types derived from the annual ESA CCI land cover maps. *Earth Syst. Sci. Data* 1–23 (2017). doi:https://doi.org/10.5194/essd-2017-74
66. Shapiro, A. C., Aguilar-Amuchastegui, N., Hostert, P. & Bastin, J.-F. Using fragmentation to assess degradation of forest edges in Democratic Republic of Congo. *Carbon Balance Manag.* **11**, 11 (2016).
67. R Core Team. *R: A language and environment for statistical computing*. R Foundation for Statistical Computing (R Foundation for Statistical Computing, 2018).