THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Algorithms for some infinite-state MDPs and stochastic games (invited talk)

Citation for published version:

Etessami, K 2017, Algorithms for some infinite-state MDPs and stochastic games (invited talk). in *2017 32nd Annual ACM/IEEE Symposium on Logic in Computer Science (LICS)*. Institute of Electrical and Electronics Engineers (IEEE), 2017 32nd Annual ACM/IEEE Symposium on Logic in Computer Science, Reykjavik, Iceland, 20/06/17. <https://doi.org/10.1109/LICS.2017.8005063>

Digital Object Identifier (DOI):

[10.1109/LICS.2017.8005063](https://doi.org/10.1109/LICS.2017.8005063)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

2017 32nd Annual ACM/IEEE Symposium on Logic in Computer Science (LICS)

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Algorithms for some infinite-state MDPs and stochastic games

(Invited Talk)

Kousha Etessami
School of Informatics
University Edinburgh

Abstract—I will survey a body of work, developed over the past decade or so, on algorithms for, and the computational complexity of, analyzing and model checking some important families of countably infinite-state Markov chains, Markov decision processes (MDPs), and stochastic games. These models arise by adding natural forms of recursion, branching, or a counter, to finite-state models, and they correspond to probabilistic/control/game extensions of classic automata-theoretic models like pushdown automata, context-free grammars, and one-counter automata. They subsume some classic stochastic processes such as multi-type branching processes and quasi-birth-death processes. They also provide a natural model for probabilistic procedural programs with recursion.

Some of the key algorithmic advances for analyzing these models have come from algorithms for computing the least fixed point (and greatest fixed point) solution for corresponding monotone systems of nonlinear (min/max)-polynomial equations. Such equations provide, for example, the Bellman optimality equations for optimal extinction and reachability probabilities for branching MDPs (BMDPs). A key role in these algorithms is played by Newton's method, and by a generalization of Newton's method which is applicable to the Bellman equations for BMDPs, and which uses linear programming in each iteration.

By now, polynomial time algorithms have been developed for some of the key problems in this domain, while other problems have been shown to have high complexity, or to even be undecidable. Yet many algorithmic questions about these models remain open. I will highlight some of the open questions.

(This talk partly describes joint work with Alistair Stewart and Mihalis Yannakakis.)