THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Continuous video recording in the emergency department

Citation for published version:

Lloyd, A, Lowe, DJ, Edgar, S, Caesar, D, Dewar, A & Clegg, G 2017, 'Continuous video recording in the emergency department', *Emergency Medicine Journal*. <https://doi.org/10.1136/emmermed-2017-206731>

Digital Object Identifier (DOI):

[10.1136/emmermed-2017-206731](https://doi.org/10.1136/emmermed-2017-206731)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

Emergency Medicine Journal

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Emergency Medicine Journal

Continuous video recording in the emergency department

Journal:	<i>Emergency Medicine Journal</i>
Manuscript ID	emermed-2017-206731.R1
Article Type:	The view from here
Date Submitted by the Author:	26-Apr-2017
Complete List of Authors:	Lloyd, Adam; University of Edinburgh, Nursing Studies & Resuscitation Research Group; NHS Lothian, Department of Emergency Medicine Lowe, David; University of Glasgow, MVLS; Emergency Department, Glasgow Royal Infirmary Edgar, Simon; NHS Lothian, Directorate of Medical Education and Department of Anaesthesia; University of Edinburgh Caesar, David; NHS Lothian, Department of Emergency Medicine; Scottish Government, Office of the Chief Medical Officer Dewar, Alistair; NHS Lothian, Department of Emergency Medicine; University of Edinburgh, Resuscitation Research Group Clegg, Gareth; NHS Lothian, Department of Emergency Medicine; University of Edinburgh, Resuscitation Research Group
Keywords:	performance improvement, audit, emergency departments

SCHOLARONE™
Manuscripts

Title Page

Title

Continuous video recording in the emergency department

Corresponding author

Adam Lloyd

University of Edinburgh, Nursing Studies & Resuscitation Research Group, Edinburgh, Scotland
Department of Emergency Medicine, NHS Lothian, Edinburgh, Scotland

Nursing Studies
Doorway 6
Medical School
Teviot Place
Edinburgh
EH8 9AG
A.Lloyd@sms.ed.ac.uk
07761400666

Co-authors

David J. Lowe

University of Glasgow, MVLS. New Lister Building. Glasgow Royal Infirmary, UK
Emergency Department, Glasgow Royal Infirmary, Glasgow, UK

Simon Edgar

Directorate of Medical Education and Department of Anaesthesia, NHS Lothian, Edinburgh, Scotland
University of Edinburgh, Edinburgh, Scotland

Dave Caesar

Department of Emergency Medicine, NHS Lothian, Edinburgh, Scotland
Office of the Chief Medical Officer, Scottish Government, Edinburgh, Scotland

Alistair Dewar

University of Edinburgh, Resuscitation Research Group, Edinburgh, Scotland
Department of Emergency Medicine, NHS Lothian, Edinburgh, Scotland

Gareth R. Clegg

University of Edinburgh, Resuscitation Research Group, Edinburgh, Scotland
Department of Emergency Medicine, NHS Lothian, Edinburgh, Scotland

Keywords

performance improvement; audit; emergency department

Word count

1298

Confidential: For Review Only

At the Royal Infirmary of Edinburgh in Scotland, we video record all patients who are admitted into the emergency department (ED) resuscitation rooms as part of our continuous video audit system. Since installation in late-2015, numerous EDs from across the UK and abroad have repeatedly asked us the same questions: how did you do this; how did you 'get past ethics'; how do you get consent.

The consistent problem for EDs wishing to integrate video is not the lack of supportive studies reporting video use; video-based studies have assessed the full spectrum of ED care, including communication during consultations,¹ family-staff interactions² and time-critical resuscitations.³ The problem is that there is scarce guidance on how EDs can navigate the processes that will allow them to progress with their own programme of work.⁴

Here, we report on our experience of the practical issues associated with video implementation, such as legality, ethics, data protection and staff acceptance, as these are the issues that are regularly cited as reasons why video is not utilised.^{5 6} By focussing on these, we can start to answer the questions above that are pertinent to all EDs which pursue video audit and move towards video becoming an essential part of care delivery.

Why video?

Video assessment has consistently shown to be a precise method of improving in clinical practice,^{7 8} as well as offering a level of analytical detail that is difficult to achieve with traditional observational techniques. For example, a study measuring the standard of paediatric trauma resuscitations found that compared with video assessment, routine medical record review only detected 20% of errors.⁹ Similarly, whilst video review of airway management in 48 patients identified 28 performance deficiencies, standard anaesthetic

records coupled with an anaesthesia quality assurance report only identified 2.¹⁰ Video is the next step in measuring how we deliver care.¹¹

Managing staff concerns

The prospect of video recording clinical care in a busy ED is daunting for most staff. Prior to implementation, we found that staff initially reported that they would feel exposed, particularly in challenging resuscitation situations. Video recording will only be supported by staff and approval groups if its intended use, implementation and governance frameworks ensure its focus is departmental learning as opposed to individual or punitive assessment.

To ensure this we organised a series of presentations to the clinical teams in the department, covering all clinical and non-clinical staff. Furthermore, we reached out to other specialities that visit the department, such as critical care, cardiology and stroke. Drop-in sessions gave staff the opportunity to voice any concerns in private. If the views of staff are thoroughly canvassed and their concerns addressed, video is generally accepted as a useful tool.^{12 13}

We set out a video policy that aligned with our department's ongoing quality improvement work, whereby a small group of ED staff would form a Video Audit Group (4 – 6 people) and review cases of interest, either individually or as a team. These were defined as cases where specific learning points could be fed back into department meetings or training days, informed by national and local priorities, such as the standard of stroke, cardiac arrest and trauma care. Each clinician initially set aside approximately 2 hours per week for video review.

How to manage video data

In the UK, video systems and the data they collect are subject to the same comprehensive provisions of the Data Protection Act (DPA)¹⁴ as other non-video sources, broadly set out in Schedule 1 of the Act. In short, data should be processed for specific lawful purposes, it should not be kept for longer than necessary and appropriate technical and organisational measures should be taken to ensure it is secure.

We proposed a fixed camera installation from Scotia UK PLC called smots™ that would satisfy the provisions of the DPA (Figure 1).¹⁵ Video data is transmitted to a secure server behind 2 card-entry door systems within the ED which feeds footage into a locked viewing room. As this is on an isolated 'offline' network, only members of the department's Video Audit Group can access footage through a password protected viewing terminal. An automatic deletion loop is set for 7 days, with a secondary deletion loop set for 180 days to allow specific learning cases to be analysed within smots™. This formed part of a governance framework which was provided to the Caldicott Guardian and Data Protection Officer who were satisfied that an appropriate data handling system was in place.

Outside the UK, other countries have equivalent data protection laws that require the same degree of careful consideration, otherwise video implementation will fail. For example, after the passing of stricter privacy legislation in the USA, combined survey data reveal that the number of EDs and trauma centres which were video recording dropped from 45% to 13%.¹⁶

¹⁷ This, however, should not be viewed as a permanent barrier to video; 98% of centres that reported video recording traumas in the USA obtained no form of patient or family consent, yet no site had any subsequent patient confidentiality, consent or medico-legal problems.⁵

Similarly, in Australia, 96% of parents were satisfied with the provisions put in place to video record challenging neonatal resuscitation.¹⁸ If a robust data system is put in place, approval committees, staff and patients are supportive.

Ethico-legal issues

A common theme that we have heard from across the UK is that when presented with a proposal for a live video system, ethico-legal services respond negatively. We found it helpful to have sensitising conversations with the ethico-legal departments long before we set out any documentation. We asked our approval groups for their input and amended our governance documents accordingly. We attended executive level meetings to share our vision and hear their thoughts. These conversations lasted about 12 months, however at the end of this process we had a department and hospital which were far more receptive to a video system.

Our robust governance documents detailed what video would be used for, how it would be collected and stored, who would have access and what safeguards were in place. These were then discussed with the Research Ethics service and the Central Legal Office (CLO) who are the in-house solicitors to the Scottish Public sector.

Our Research Ethics service advised that as our system would solely be used for service evaluation and audit, further ethical review would not be required. This aligns with guidelines administered by NHS Health Research Authority which stipulate that service evaluation and audit do not require ethical approval¹⁹. Internationally, groups who are video recording have reported being subject to the same processes.²⁰ In Australia and the USA for example, ethical committee approvals have not been required to video record emergency care when it used for quality assurance and clinical audit.^{21 22} Our experience, coupled with international work, suggests that video does not need to equate with research. Ensuring a video system aligns with service evaluation or audit, and building this into existing departmental improvement efforts, will influence how a proposal is received.

Locally, we outlined that video did not form part of the patient record to comply with the DPA, thus we would not require consent. The CLO were satisfied with the legality of the system, highlighting the overlap between video audit systems and existing continuous CCTV. In total, the process of implementation – from idea conception to video camera installation – took approximately 18 months.

Video in routine care delivery

Video use in medicine is 70 years old.²³ Despite its evident advantages, EDs struggle to implement this as part of standard care delivery. Our view from here is not a prescription, nor is it the only path to success. We offer this as a much needed practical guide for EDs and other clinical services who can use this as a template for embedding video within their department.

Contributorship statement

AL, DL and GC contributed to the conception and design of this article. All authors contributed to drafting and critical revisions of the manuscript. All authors approved the final version for submission.

Funding

No specific funding or grant from any agency in the public, commercial, or not-for-profit sectors is reported for this submission.

Conflict of interests

No conflict of interest has been declared by the author(s).

References

1. Sandhu H, Dale J, Stallard N, et al. Emergency nurse practitioners and doctors consulting with patients in an emergency department: a comparison of communication skills and satisfaction. *Emerg Med J* 2009;26(6):400-4. doi: 10.1136/emj.2008.058917
2. Morse JM, Pooler C. Patient-family-nurse interactions in the trauma-resuscitation room. *Am J Crit Care* 2002;11(3):240-9.
3. Chen S, Li W, Zhang Z, et al. Evaluating the Quality of Cardiopulmonary Resuscitation in the Emergency Department by Real-Time Video Recording System. *PLoS One* 2015;10(10):e0139825. doi: 10.1371/journal.pone.0139825
4. Ryan JM, Gaudry PL. Practical guidelines for emergency department photography and video recording. *Emergency Medicine* 1996;8(3):136-39. doi: 10.1111/j.1442-2026.1996.tb00597.x
5. Ellis DG, Lerner EB, Jehle DV, et al. A multi-state survey of videotaping practices for major trauma resuscitations. *J Emerg Med* 1999;17(4):597-604.
6. Rogers SC, Dudley NC, McDonnell W, et al. Lights, camera, action... spotlight on trauma video review: an underutilized means of quality improvement and education. *Pediatr Emerg Care* 2010;26(11):803-7. doi: 10.1097/PEC.0b013e3181fa874a
7. Jiang C, Zhao Y, Chen Z, et al. Improving cardiopulmonary resuscitation in the emergency department by real-time video recording and regular feedback learning. *Resuscitation* 2010;81(12):1664-9. doi: 10.1016/j.resuscitation.2010.06.023
8. Donoghue A, Hsieh TC, Myers S, et al. Videographic assessment of cardiopulmonary resuscitation quality in the pediatric emergency department. *Resuscitation* 2015;91:19-25. doi: 10.1016/j.resuscitation.2015.03.007
9. Oakley E, Stocker S, Staubli G, et al. Using video recording to identify management errors in pediatric trauma resuscitation. *Pediatrics* 2006;117(3):658-64. doi: 10.1542/peds.2004-1803
10. Mackenzie CF, Jefferies NJ, Hunter WA, et al. Comparison of self-reporting of deficiencies in airway management with video analyses of actual performance. LOTAS Group. Level One Trauma Anesthesia Simulation. *Hum Factors* 1996;38(4):623-35. doi: 10.1518/001872096778827297
11. Makary MA. The power of video recording: taking quality to the next level. *JAMA* 2013;309(15):1591-2. doi: 10.1001/jama.2013.595
12. Eeckhout T, Gerits M, Bouquillon D, et al. Video training with peer feedback in real-time consultation: acceptability and feasibility in a general-practice setting. *Postgrad Med J* 2016;92(1090):431-5. doi: 10.1136/postgradmedj-2015-133633
13. Hoyt DB, Shackford SR, Fridland PH, et al. Video recording trauma resuscitations: an effective teaching technique. *J Trauma* 1988;28(4):435-40.
14. Parliament UK. Data Protection Act. Chapter 29. London: The Stationary Office, 1998.
15. Scotia UK plc. smots™ fixed cameras [Available from: http://www.scotiauk.com/products/smots/products/fixed_camera/index.html accessed 26/04/2017.
16. Campbell S, Sosa JA, Rabinovici R, et al. Do not roll the videotape: effects of the health insurance portability and accountability act and the law on trauma videotaping practices. *Am J Surg* 2006;191(2):183-90. doi: 10.1016/j.amjsurg.2005.07.033

1
2
3 17. Taylor K, Mayell A, Vandenberg S, et al. Prevalence and indications for video recording in
4 the health care setting in North American and British paediatric hospitals. *Paediatr*
5 *Child Health* 2011;16(7):e57-60.
6
7 18. O'Donnell CP, Kamlin CO, Davis PG, et al. Ethical and legal aspects of video recording
8 neonatal resuscitation. *Arch Dis Child Fetal Neonatal Ed* 2008;93(2):F82-4. doi:
9 10.1136/adc.2007.118505
10
11 19. NHS Health Research Authority. Defining Research. Research Ethics Service guidance to
12 help you decide if your project requires review by a Research Ethics Committee.
13 London, UK: NHS Health Research Authority, 2016.
14
15 20. Gelbart B, Barfield C, Watkins A. Ethical and legal considerations in video recording
16 neonatal resuscitations. *J Med Ethics* 2009;35(2):120-4. doi:
17 10.1136/jme.2008.024612
18
19 21. Ritchie PD, Cameron PA. An evaluation of trauma team leader performance by video
20 recording. *Aust N Z J Surg* 1999;69(3):183-6.
21
22 22. Carbine DN, Finer NN, Knodel E, et al. Video recording as a means of evaluating neonatal
23 resuscitation performance. *Pediatrics* 2000;106(4):654-8.
24
25 23. Trimble IR, Reese FM. The use of television in surgical operations. *Bull Johns Hopkins*
26 *Hosp* 1947;81(3):186-91.
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Diagram of video audit system infrastructure

151x178mm (300 x 300 DPI)