THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Adenovirus in a red squirrel (*Sciurus vulgaris*) from Scotland

Citation for published version:

Everest, DJ, Grierson, SS, Meredith, AL & Milne, E 2010, 'Adenovirus in a red squirrel (*Sciurus vulgaris*) from Scotland', *Veterinary Record*, vol. 167, no. 5, pp. 184. <https://doi.org/10.1136/vr.c3928>

Digital Object Identifier (DOI):

[10.1136/vr.c3928](https://doi.org/10.1136/vr.c3928)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Early version, also known as pre-print

Published In:

Veterinary Record

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

WILDLIFE

Adenovirus in a red squirrel (*Sciurus vulgaris*) from Scotland

THE red squirrel (*Sciurus vulgaris*) has been in decline in Great Britain for decades and numbers are presently estimated at 160,000, in various locations, with approximately 120,000 of these resident in Scotland. The role of the grey squirrel (*Sciurus carolinensis*) in this decline, as a vector for squirrelpox viral disease, is well documented, but the role of other disease agents such as enteric viruses impacting on this residual population is less well understood. Enteric adenoviral disease (Sainsbury and others 2001, Duff and others 2007) and a small number of adenovirus-associated deaths (Everest and others 2008) have been reported in red squirrels from both England and Wales, and indeed, rotavirus has recently been identified in the species for the first time in Scotland (Everest and others 2009a), indicating the potential for other viral diseases that occur in red squirrels to have an influence on their conservation.

In early 2009 at Veterinary Laboratories Agency (VLA) – Weybridge, using negative contrast stain transmission electron microscopy, we investigated the possible presence of enteric viruses by examining faecal material from 70 animals presenting with enteropathies, such as diarrhoea and intussusception, archived between 2000 and 2009. Of these, 15 faecal samples were from red squirrels from Scotland, submitted by the University of Edinburgh and the Institute of Zoology. Although low in number, virus particles of a size, shape and surface morphology consistent with adenovirus were detected in one animal.

This sample was from a subadult male, weighing 145 g, presented to the University of Edinburgh on February 18, 2009, from Dumfries and Galloway (grid reference NX839608); the squirrel showed faecal staining with distended gas-filled intestines. The degree of autolysis precluded any meaningful histology.

PCR analyses (Everest and others 2009b) identified the presence of adenovirus DNA, confirming the initial electron microscopy findings.

David J. Everest, Sylvia S. Grierson,
VLA – Weybridge, New Haw, Addlestone,
Surrey KT15 3NB

e-mail: d.j.everest@vla.defra.gsi.gov.uk

Anna L. Meredith, Elspeth M. Milne,
Royal (Dick) School of Veterinary Studies
and Roslin Institute, University of
Edinburgh, Easter Bush Veterinary Centre,
Roslin, Midlothian EH25 9RG

References

- DUFF, J., HIGGINS, R. & FARRELLY, S. (2007) Enteric adenovirus infection in a red squirrel (*Sciurus vulgaris*). *Veterinary Record* **160**, 384
- EVEREST, D. J., DASTJERDI, A., GURRALA, R., BANKS, M., MEREDITH, A. L., MILNE, E. M. & SAINSBURY, A. W. (2009a) Rotavirus detected in red squirrels from Scotland. *Veterinary Record* **165**, 450
- EVEREST, D. J., GRIERSON, S. S., STIDWORTHY, M. F. & SHUTTLEWORTH, C. (2009b) PCR detection of adenovirus in grey squirrels on Anglesey. *Veterinary Record* **165**, 482
- EVEREST, D. J., STIDWORTHY, M. F. & SHUTTLEWORTH, C. (2008) Adenovirus-associated mortalities in red squirrels (*Sciurus vulgaris*) on Anglesey. *Veterinary Record* **163**, 430
- SAINSBURY, A. W., ADAIR, B., GRAHAM, D., GURNELL, J., CUNNINGHAM, A. A., BENKO, M. & PAPP, T. (2001) Isolation of a novel adenovirus associated with splenitis, diarrhoea, and mortality in translocated red squirrels, *Sciurus vulgaris*. *Verhandlungsbericht über die Erkrankungen der Zootiere* **40**, 265-270

doi: 10.1136/vr.c3928

Adenovirus in a red squirrel (*Sciurus vulgaris*) from Scotland

David J. Everest, Sylvia S. Grierson, Anna L. Meredith, et al.

Veterinary Record 2010 167: 184

doi: 10.1136/vr.c3928

Updated information and services can be found at:

<http://veterinaryrecord.bmj.com/content/167/5/184.1.full.html>

These include:

References

This article cites 5 articles, 4 of which can be accessed free at:

<http://veterinaryrecord.bmj.com/content/167/5/184.1.full.html#ref-list-1>

Article cited in:

<http://veterinaryrecord.bmj.com/content/167/5/184.1.full.html#related-urls>

Email alerting service

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

Notes

To request permissions go to:

<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:

<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:

<http://group.bmj.com/subscribe/>