



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Reverse concreteness effects are not a typical feature of semantic dementia

Citation for published version:

Hoffman, P & Lambon Ralph, MA 2011, 'Reverse concreteness effects are not a typical feature of semantic dementia: evidence for the hub-and-spoke model of conceptual representation', *Cerebral Cortex*, vol. 21, no. 9, pp. 2103-2112. <https://doi.org/10.1093/cercor/bhq288>

Digital Object Identifier (DOI):

[10.1093/cercor/bhq288](https://doi.org/10.1093/cercor/bhq288)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

Cerebral Cortex

Publisher Rights Statement:

This is a pre-copyedited, author-produced PDF of an article accepted for publication in *Cerebral Cortex* following peer review. The version of record Hoffman, P., & Lambon Ralph, M. A. (2011). Reverse concreteness effects are not a typical feature of semantic dementia: evidence for the hub-and-spoke model of conceptual representation. *Cerebral Cortex*, 21(9), 2103-2112. 10.1093/cercor/bhq288 is available online at: <http://cercor.oxfordjournals.org/content/21/9/2103>.

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Reverse concreteness effects are not a typical feature of semantic dementia:
Evidence for the hub-and-spoke model of conceptual representation

Paul HOFFMAN* and Matthew A. LAMBON RALPH

Neuroscience and Aphasia Research Unit (NARU), School of Psychological Sciences,
University of Manchester, UK

* Correspondence to:

Dr. Paul Hoffman
School of Psychological Sciences,
Zochonis Building, University of Manchester,
Oxford Road, Manchester, M13 9PL, UK
Tel: +44 (0) 161 275 7336
Fax: +44 (0) 161 275 2873
Email: paul.hoffman@manchester.ac.uk

Funding

This work was supported by an MRC programme grant (G0501632) and an NIHR senior investigator grant to MALR.

Acknowledgements

We are indebted to the patients and their carers for their generous assistance with this study. We are grateful to Prof. Roy Jones and Prof. Alistair Burns for referring patients to us.

Abstract

The role of anterior temporal lobes (ATLs) in semantic processing is controversial. One theory, influenced by semantic dementia (SD) patients, is that this region is a pan-modal hub for all concepts. An alternative view is that atrophy in SD specifically affects knowledge for visual features. This is supported by reports of reverse concreteness effects in a few SD patients, suggesting that abstract word knowledge is spared relative to concrete words. However, it is not clear whether such effects are *typical* in SD, hence reliably associated with ATL damage, because most reports are of single cases and group studies have produced conflicting results. To address these contradictions, we investigated concreteness effects in seven SD patients, using multiple tests from earlier studies in addition to new assessments. Comprehension was impaired for both word types but was *better* for concrete words. However, this pattern was not found uniformly across all tests and was most likely to be observed when: 1) concrete and abstract words were well-matched for word frequency; 2) concrete and abstract words were selected with sufficient variation along the imageability scale. These factors account for the variability in previous studies and indicate that reverse concreteness effects are not common in SD.

Keywords: concrete; abstract; anterior temporal lobe; semantic knowledge; hub-and-spoke.

Introduction

Semantic dementia (SD) is a progressive disorder in which atrophy of the anterior temporal lobes is associated with profound deterioration in conceptual knowledge. Due to its focal pattern of atrophy and highly selective neuropsychological presentation (other aspects of cognition, including phonology, syntax, visuospatial skills and executive function are typically preserved until the late stages of the disease), SD is a critically important disorder for elucidating the neural basis of semantic memory and forms the foundation stone for the “hub-and-spoke” theory (Patterson, Nestor, & Rogers, 2007; Pobric, Jefferies, & Lambon Ralph, 2010b). This model posits that conceptual representation arises from the interaction of modality-specific association regions (“spokes”) with a central, modality-invariant hub. Representations in the hub are sensitive to patterns of variation across multiple sensory modalities, which are necessary to code the complex non-linear relationships between features and concepts (Lambon Ralph & Patterson, 2008; Lambon Ralph, Sage, Jones, & Mayberry, 2010). Accordingly, impairment in function of the hub accounts for the selective, multi-modal semantic impairment seen in SD (Rogers et al., 2004). The focal atrophy in SD points to the inferior aspects of the anterior temporal lobes (ATLs) as the site of the semantic hub, as both cortical atrophy and hypometabolism are centred on this region (Gorno-Tempini et al., 2004; Mummery et al., 2000; Nestor, Fryer, & Hodges, 2006; Williams, Nestor, & Hodges, 2005). In addition, three independent lines of evidence support this conclusion: 1) Repetitive transcranial magnetic stimulation applied to the lateral ATLs in healthy subjects produces a selective slowing for verbal and non-verbal semantic tasks (Lambon Ralph, Pobric, & Jefferies, 2009; Pobric, Jefferies, & Lambon Ralph, 2007, 2010a); 2) fMRI reveals inferolateral ATL activation for semantic tasks (Binney, Embleton, Jefferies, Parker, & Lambon Ralph, 2010; Visser, Embleton, Jefferies, Parker, & Lambon Ralph, 2010), provided various methodological issues are accounted for (see Visser, Jefferies, & Lambon Ralph, 2010); and 3) neuroanatomical studies indicate that the ATLs are well-placed to perform an integrating function due to their strong connectivity with multiple sensory association areas (Catani & de Schotten, 2008; Gloor, 1997; Moran, Mufson, & Mesulam, 1987).

An alternative account of SD holds that ventral temporal lobe atrophy affects modality-specific cortex that is crucial for coding the visual properties of objects (Bonner, Ash, & Grossman, 2010; Bonner et al., 2009; Breedin, Saffran, & Coslett, 1994; Macoir, 2009; Yi, Moore, & Grossman, 2007). This view is supported by a series of reports of SD patients who show poorer comprehension of concrete words than of abstract words (Bonner et al., 2009; Breedin et al., 1994; Cipolotti & Warrington, 1995; Macoir, 2009; Papagno,

Capasso, & Miceli, 2009; Reilly, Peelle, & Grossman, 2007; Warrington, 1975; Yi et al., 2007). This intriguing pattern of performance, sometimes termed a “reversal of the concreteness effect” and which we will refer to as an A>C pattern, is in stark contrast to the processing advantage shown for concrete words by healthy participants (Degroot, 1989; James, 1975; Kroll & Merves, 1986) and often found in aphasia following stroke (Coltheart, 1980; Franklin, 1989; Hoffman, Jefferies, & Lambon Ralph, 2010; Hoffman, Rogers, & Lambon Ralph, in press; Katz & Goodglass, 1990). The A>C effect suggests that knowledge of visual properties is disproportionately impaired in SD: visual information is thought to be integral to knowledge of concrete objects but is less relevant for abstract words, which may rely more on verbal associations (Paivio, 1986). In contrast, the hub-and-spoke account provides no obvious explanation for A>C comprehension, since there is no reason to suppose that concrete concepts should depend on the hub to a greater extent than abstract concepts. In fact, in a recent rTMS study, stimulation of the ATLs in healthy subjects produced a more severe impairment for *abstract* words, suggesting that disrupting the hub produces a C>A pattern (Pobric, Jefferies, & Lambon Ralph, 2009).

It is important to note that, until recently, all reports of A>C effects in SD came from single case studies. These studies are detailed and thorough and, in our view, leave little doubt that the concrete words *can* be disproportionately impaired, at least in a few carefully selected individuals. However, these isolated single cases give us no information about whether the A>C pattern of comprehension deficit is a *typical* feature of comprehension impairment in SD. It may be that A>C SD cases are rare and that they are over-represented in the literature because they are a striking deviation from the expected pattern. This is an important clinical issue because at least one set of diagnostic criteria for SD include preserved knowledge of abstract words as a typical feature of the disorder (Grossman & Ash, 2004). It is also key to theories of the neural basis for conceptual knowledge. If A>C effects are one of the cluster of symptoms reliably associated with SD, then any model of conceptual knowledge must be able to account for them. If, on the other hand, A>C effects are an idiosyncratic feature only found in a small subset of SD patients, then they should not form part of our general explanation of knowledge impairment in SD. Instead, we should ask what causes these occasional cases to deviate from the usual pattern.

In light of these concerns, three recent studies have explored concreteness effects in larger, unselected groups of SD patients. Yi *et al.* (2007) used a description-to-word matching task and found a A>C pattern for knowledge of verbs, with nine of the twelve participants showing an effect in this direction. However, there was no such effect for noun knowledge. In

a follow-up study, Bonner *et al.* (2009) tested eleven patients with a synonym matching task and found a similar A>C pattern at the group level (though the effects in both of these studies were much smaller than those seen in earlier single case reports). In contrast, Jefferies *et al.* (2009) gave a synonym judgement task to eleven SD patients and found a robust C>A effect across the group, a pattern that was present at a statistically significant level in all eleven individuals. Taken together, these studies give no clear answer to the question of whether the A>C pattern is reliably observed in SD. It is difficult to uncover the reason behind the conflicting results because each study used different patients, which may have differed in important ways (e.g., level of severity), and used different tests, which may have differed in terms of their demands and in the properties of the stimuli. In the present study, we investigated whether stimulus factors could account for the differences between studies. We directly compared several concreteness tests in a single set of seven SD patients. This case-series spanned the full range of severity observed in the disorder. The tasks used by Jefferies *et al.* (2009), Yi *et al.* (2007) and Bonner *et al.* (2009) were included, along with an existing task that probes associative knowledge (Shallice and McGill, unpublished) and a new test designed to probe associative knowledge from pictures and words. In total, there were 436 observations per patient, making this to our knowledge the most detailed investigation of concreteness effects in SD to date.

By using multiple tests in the same set of patients, we were able to determine whether differences between tests could account for the contradictions in the literature. More importantly, by averaging results across multiple patients and multiple tests, we were able to assess the nature of concreteness effects in SD while avoiding distortions in the data caused by a) the presence of one or two atypical patients or b) the possibility that a particular test gave inconsistent results. In addition to assessing patient performance, we also examined the characteristics of the tests themselves with regard to two key psycholinguistic properties: word frequency and imageability. Word frequency strongly influences comprehension in SD, with more familiar words and the concepts they refer to being less susceptible to degradation (Funnell, 1995; Jefferies *et al.*, 2009; Lambon Ralph, Graham, Ellis, & Hodges, 1998). If this variable is not rigorously controlled, apparent A>C effects can emerge because abstract words tend to be more familiar than concrete words (Bird, Lambon Ralph, Patterson, & Hodges, 2000). Imageability refers to the ease with which a word elicits a mental image and

thus distinguishes between concrete and abstract words¹. The more concrete and abstract words in a particular assessment differ in this respect, the more reliably the assessment will be able to reveal concreteness effects.

Method

Participants

Seven patients with a clinical diagnosis of SD were recruited from memory clinics in Bath, Liverpool and Manchester, UK. Patients fulfilled all of the clinical criteria for SD (Hodges, Patterson, Oxbury, & Funnell, 1992): they had word-finding and comprehension difficulties in the context of fluent and grammatically correct speech and they also showed non-verbal semantic deficits. Visuospatial skills, executive function and day-to-day memory were relatively preserved. Imaging (MRI or CT) revealed bilateral ATL atrophy in all cases, although with a degree of asymmetry in each case. Four cases showed the more common pattern of greater atrophy in the left ATL, while three displayed more severe damage to the right ATL (see Table 1).

Patients completed a range of background neuropsychological tests, summarised in Table 1. To assess general cognitive function, the Addenbrookes Cognitive Examination – Revised (ACE-R; Mioshi, Dawson, Mitchell, Arnold, & Hodges, 2006) was administered. This revealed impairment in all patients on the language and memory sections; in contrast, visuospatial and orientation elements were relatively preserved. Attentional and executive skills were assessed with forward and backward digit span (Wechsler, 1987) and Raven’s coloured progressive matrices (Raven, 1962). Two subtests from the Visual Object and Space Perception battery (Warrington & James, 1991) were given to assess visuospatial skills, along with direct copying of the Rey complex figure (Rey, 1941). Scores were largely within the normal range on these tests, although two of the more severe patients were impaired in the Rey figure copy and one also showed signs of poor executive function on the progressive matrices.

We assessed semantic knowledge with the Cambridge semantic battery (Adlam, Patterson, Bozeat, & Hodges, 2010; Bozeat, Lambon Ralph, Patterson, Garrard, & Hodges, 2000), which probes knowledge of the same 64 concrete items (animals, birds, fruit,

¹ Although this is a minor point, it is worth noting that technically there is a distinction between *imageability*, the ease with which a word elicits a mental image, and *concreteness*, the degree to which it refers to a physical entity. In practice, the two measures are very strongly correlated ($r > 0.8$) and are used by most researchers interchangeably. We chose to use imageability values to analyse the tests because they are more commonly used in the literature and are more widely available than concreteness ratings.

household objects, tools and vehicles) across different input and output modalities. The following tests were administered: (a) picture naming, in which the 64 items were presented as black-and-white line drawings; (b) spoken word-picture matching, in the correct item must be selected from a field of 10 objects from the same category; (c) the Camel and Cactus test, an associative matching task in which a concept is presented and a semantically related item is selected from four alternatives (e.g., which goes with *camel: rose, tree, sunflower or cactus?*). The four choices were presented as pictures and as written words in separate tests; (d) category fluency, in which the patient produced as many items from a given category as possible in one minute. These tests revealed multimodal semantic impairments in all patients, with each failing at least four out of five tests. Their scores revealed a broad spectrum of severity in semantic impairment, from DF who was very mildly impaired across all tests to ET whose picture naming was at floor and who was severely impaired on the other tests. Consequently, we were able to assess the status of concreteness effects at all stages of semantic impairment observed in SD.

-Table 1 around here-

Concrete-Abstract tests

Patients completed seven tests that contrasted concrete and abstract word knowledge. The first five had been used previously to compare concrete and abstract word comprehension and are described briefly below. The final two were designed for the present study and are described in more detail. All tests used a multiple-choice format but for a variety of different semantic judgements: word-word synonym matching, verbal description-word matching and word-word and word-picture matching on the basis of semantic association. Thus a number of different types of semantic judgement were included, as were both verbal and pictorial stimuli, allowing us to ascertain the consistency of concreteness effects across multiple tests within the same set of patients. Where tests involved written words these were also read aloud by the experimenter. In all tests, patients were encouraged to guess if unsure of the answer. Example trials for each task are shown in Figure 1.

-Figure 1 around here-

Synonym Judgement task (Jefferies et al., 2009) (Panel C): Patients were presented with a probe word and selected from three choices the word with a similar meaning. The foils were unrelated to the probe/target. The full test crossed two levels of frequency with three levels of imageability. However, to allow direct comparison with the other tests, we analysed only the highest and lowest imageability conditions and collapsed across both levels of

frequency. There were 64 trials in total, composed of 56 nouns, five adjectives and three verbs. Words were presented in a written format and were also read aloud.

Description-to-noun matching task (Yi et al., 2007) (Figure 1, Panel A): Patients were presented with a short definition and selected from four choices the word being described. The three foils were semantically related to the target but did not fit the description. Descriptions and choices were presented visually and read aloud and the test comprised 20 concrete and 20 abstract nouns. All stimuli were presented in writing and read aloud.

Description-to-verb matching task (Yi et al., 2007) (Panel B): This had the same format as the previous test but featured verbs rather than nouns. They were divided into two conditions based on whether they were a verb of motion (e.g., *run*) or a verb of cognition (e.g., *decide*). Motion verbs were considered by Yi *et al.* (2007) to be more concrete and cognition verbs more abstract. There were 20 trials in each condition.

Verb Similarity Test (Bonner et al., 2009) (Panel D): In this synonym matching task, two choices were presented on each trial and in each case the target was strongly associated with the probe and the foil only weakly related. The full test contained 48 items but, following Bonner *et al.*, we used only the 20 highest imageability and 20 lowest imageability items, yielding 40 trials. Words were simultaneously presented visually and read aloud by the experimenter.

Shallice and McGill (unpublished) word-picture matching task (Panel G): This test has been commonly used for a number of years to assess concreteness effects (e.g., Breedin et al., 1994; Warrington & Shallice, 1984). A spoken word was presented to the patient and they selected a semantically related picture from four black-and-white line drawings. The relationship between the word and picture was somewhat different for concrete and abstract words. In the concrete condition, the picture was simply the object denoted by the word (e.g., “propeller” → picture of a propeller). In the abstract condition, it was associated with the word or represented behaviour associated with it (e.g., “caution” → picture of a woman waiting to cross a road). Accordingly, the abstract trials required a greater degree of inference and problem-solving ability. In addition, the images in this condition were more complex and often depicted scenes with multiple objects or people. There were 30 trials (all nouns) in each condition and there was also an emotion words condition that was not analysed in the present study.

Mischiefous Monkey Test with pictures (MMT-picture) (Panel F): This was a new test designed to use the same format as the Shallice and McGill test while avoiding the confounds described above. Patients were given a spoken word and matched it to an

associated picture from a choice of four. Each set of images consisted of four items (objects, animals or people) belonging to the same semantic category. To design the tests, these were paired with a concrete noun and an abstract noun that were particularly related to one of the images (e.g., picture of a monkey → concrete: *banana* and abstract: *mischief*). The concrete and abstract words in each pair were matched for word frequency. During the task, each quartet of images was presented twice at different times: once with the concrete word and once with the abstract, with the spatial arrangement changed for the second presentation. Since the same sets of pictures were used in both concrete and abstract conditions, there were no differences in visual complexity or familiarity of the images. In a pilot study, 10 postgraduate students from the University of Manchester completed the test and rated each trial on a five-point scale for the ease of selecting the correct picture and the strength of association between picture and word. These ratings did not differ for concrete vs. abstract trials (ease: concrete = 4.2; abstract = 4.3; $t(47) < 1$; association: concrete = 3.7; abstract = 3.6; $t(47) = 1.2$, $p > 0.1$). The test contained 48 concrete and 48 abstract words. The test items are given in the supplementary material and the full test is available on the NARU website (www.psych-sci.manchester.ac.uk/naru/).

Mischievous Monkey Test with words (MMT-words) (Panel E): This was an entirely verbal version of the previous task, constructed by replacing the pictures with written words. On each trial, the four words were presented visually and read out by the examiner and then the probe was presented in spoken form.

Analysis of stimulus characteristics

Frequency and imageability values were obtained for all of the probe words, targets and foils used in the tests. We used lemma frequency counts from the CELEX database (Baayen, Piepenbrock, & van Rijn, 1993), which were log-transformed to reduce skew. To obtain imageability ratings for the largest possible number of words, we consulted five published databases: the MRC Psycholinguistic Database (Coltheart, 1981), the Bristol imageability norms (Stadthagen-Gonzalez & Davis, 2006) and the ratings of Bird *et al.* (2001), Cortese and Fuggett (2004) and Clark and Paivio (2004). All of these databases contained ratings on a 7-point scale, which were multiplied by 100 for ease of interpretation. When a word appeared in more than one database, an average was taken. 82% of the words used in the tests were available in at least one database.

Results

Patient Performance

Results: Mean performance on each task is shown in Figure 2 and the scores obtained by each patient in Table 2. To analyse concreteness effects across the entire group, we conducted a 2 x 7 repeated measures ANOVA with concreteness and task as the independent variables.² This revealed a main effect of concreteness ($F(1,6) = 12.5, p = 0.012$). Overall, patients performed better on the *concrete* conditions of the tasks. There was also a main effect of task ($F(6,36) = 10.1, p < 0.001$) and a concreteness x task interaction ($F(6,36) = 4.85, p = 0.001$), suggesting that the type of concreteness effect revealed varied across the different tasks. T-tests were conducted on the scores for each test to investigate the nature of the interaction in more detail. The Synonym Judgement task produced a highly significant C>A effect ($t(6) = 10.5, p < 0.001$). The C>A effect approached statistical significance in the MMT-picture test ($t(6) = 2.33, p = 0.058$) and the Shallice and McGill test ($t(6) = 1.88, p = 0.11$). There were no significant differences between the two conditions for any of the remaining tasks. On the two description-word matching tasks there was a slight numerical advantage for abstract words, although this did not approach statistical significance in either case (Description-noun: $t(6) = 0.3, p = 0.82$; Description-verb: $t(6) = 1.0, p = 0.36$).

-Figure 2 and Table 2 around here-

Chi-square tests were used to test for the presence of concreteness effects in individual patients (see Table 2). On the Synonym Judgement task, the four mildest patients showed a significant C>A effect. In the three remaining cases the effect was in the same direction but was perhaps smaller because these patients were approaching chance levels of performance. There were also significant C>A effects for the two mildest patients on the Shallice and McGill test but none of the other tests revealed significant concreteness effects at the level of individual patients. When all tests were combined, the two mildest patients showed a significant C>A effect, as did one more severe patient. The numerical trend was for C>A in every patient except ET, who performed at chance levels on most of the assessments.

Discussion: Overall, patients showed better comprehension for concrete words, suggesting that A>C effects sometimes reported are not typical of SD more generally. However, there was some variation in the effects seen on different tasks, with the Synonym Judgement task producing the most robust C>A effect and some other tests showing no difference between the two conditions. We did not replicate the A>C effects for verbs reported by Yi *et al.* (2007) and Bonner *et al.* (2009).

² As PW was unable to complete the MMT-words test, the mean for the rest of the group was used as his score on this test.

Correlations between Concrete and Abstract Word Impairments

The hub-and-spoke model predicts that impairment for concrete and abstract words will be strongly correlated since both word types are underpinned by a single semantic system. However, if concrete and abstract impairments have different underlying causes this correlation may be weak or absent. Despite the relatively small number of patients, we found a very strong relationship between mean concrete and mean abstract word performance ($r = 0.95$, $p = 0.001$; see Figure 3). Correlations were also computed for each test individually; abstract and concrete knowledge was significantly correlated on all seven tests ($r > 0.67$, one-tailed $p < 0.05$). We also investigated the relationship between severity of semantic impairment and the size of the concreteness effect in each patient. Some authors have suggested that unusual concreteness effects emerge as the disease becomes more severe Bonner *et al.* (2010), while others claim that concreteness effects occur early in the disease before giving way to a more general deficit (Macoir, 2009). As a measure of overall severity for each patient, we took the mean of the picture naming, word-picture matching and picture CCT elements of the Cambridge semantic battery. There was no correlation between this severity measure and the size of the C>A effect ($r = 0.2$, $p = 0.67$).

-Figure 3 around here-

Analysis of Test Characteristics

Rationale: Having administered various assessments in a single set of patients, we found considerable variation in the effects revealed by the different tests. While some tests revealed C>A effects, others showed no concrete-abstract differences. This suggests that differences in task characteristics could have led to the current discrepancies in the literature. To shed light on this issue, we examined the word stimuli used in each task, focusing on the two key psycholinguistic variables of frequency and imageability. Word frequency is a strong determinant of comprehension in SD and must be rigorously controlled to avoid potentially spurious results (Bird *et al.*, 2000; Funnell, 1995; Jefferies *et al.*, 2009). Experimenters are usually careful to control for the frequency of the main probe words appearing in their tests (i.e., the words about which the patient is asked to make a semantic decision). However, multiple-choice tests also feature several possible matches to the probe. The frequencies of these foils and targets words are often not considered by experimenters, even though they also influence whether the patient responds correctly: patients are more likely to select the target and to eliminate the foils successfully if these are fully comprehended. Here, we

analysed the frequencies of the probe and choice words used in each test to determine whether there were any differences in word frequency between conditions that could bias the test toward producing a particular result. We also examined imageability ratings, which are judgements made by healthy individuals about how easily a word generates a mental image. They provide a quantitative measure of where words fall on the concrete-abstract spectrum. To be a sensitive indicator of concreteness effects, a test should maximise the difference between its concrete and abstract words on this measure. Highly concrete words should be associated with very strong mental images whereas it should be hard to generate much imagery at all for very abstract words.

Results: The top panels of Figure 4 show the frequency values for the probe words used in all tests (Panel A) and for the choice words for those tests with verbal choices (Panel B).³ The Shallice and McGill test was the only one to show a large discrepancy between concrete and abstract words for the probes. On this test, abstract words were higher in frequency than the concrete words ($t(57) = 3.73, p < 0.001$) whereas there were no frequency differences for any of the other tasks (all $t < 1.4$). The picture was different for the choice words. Here, both tests using verb stimuli featured abstract words that were significantly higher in frequency than concrete words (Verb Similarity Test: $t(78) = 2.44, p < 0.02$; Description-verb: $t(118) = 2.07, p < 0.05$). This is in line with Bird *et al.*'s (2000) observation that abstract verbs tend to be higher in frequency than concrete verbs, which can produce confounds if not explicitly controlled. These confounds suggest that the Shallice and McGill test and the two verb tasks could reveal A>C effects in SD patients that are actually driven by differences in frequency, not concreteness. The two verb tests have previously revealed small reverse concreteness effects in SD case-series (Bonner *et al.*, 2009; Yi *et al.*, 2007); it is possible, however, that these effects simply reflect uncontrolled differences in word frequency.

-Figure 4 around here-

Imageability values for probe and choice words are presented in the bottom two panels of Figure 4. In this case, a clear distinction can be drawn between tests that used nouns as stimuli and those that used verbs. For all of the noun tests, probes in the concrete condition were much more imageable than those in the abstract ($t > 10, p < 0.001$). The Synonym Judgement task, however, had the largest difference in imageability values between concrete and abstract conditions, indicating that it is the most sensitive for detecting concreteness

³ The MMT-picture and Shallice and McGill tests could not be included as they had pictorial choices and the MMT-word test because the same choice words were used in concrete and abstract conditions.

effects. In contrast, the Verb Similarity Test showed a much smaller difference between concrete and abstract words (although it was statistically significant; $t(30) = 3.0, p = 0.005$), and for the Description-verb task, concrete probes were *not* significantly more imageable than abstract probes ($t(30) = 0.22, p = 0.8$). Similar results were observed for the choices provided in each test. For the Synonym Judgement and Description-noun tasks, concrete and abstract words were well-separated along the imageability spectrum (Synonym Judgement: $t(169) = 64.5, p < 0.001$; Description-noun: $t(89) = 15.8, p < 0.001$). Concrete and abstract choices on the verb tasks were much more similar in terms of imageability (although for both tests they did differ significantly; Verb Similarity test: $t(63) = 2.97, p < 0.05$; Description-verb: $t(94) = 3.84, p < 0.001$). These differences in the strength of concreteness/imageability manipulations are another potential source of variability between tests. We analysed the relationship between the size of the imageability manipulation employed by a test (difference in imageability between concrete and abstract words) and the size of the concreteness effect it revealed in the patients (difference in scores on concrete vs. abstract conditions). There was a significant positive correlation ($r = 0.78, p < 0.05$), indicating that larger C>A effects were seen for tests with more robust imageability manipulations.

Discussion: By analysing the characteristics of the words used in each test, we identified two key stimulus factors that could explain discrepancies between tests. (1) Choice words in the verb tests were higher in frequency in the abstract condition relative to the concrete condition, indicating that these tests have a natural bias towards revealing apparent A>C effects. (2) The strength of the concreteness manipulation was much weaker in the verb tasks, indicating that they are less sensitive to genuine concreteness effects. The combination of these two factors might explain why previous studies that have used verbs as stimuli have found apparent A>C effects in SD: these tests were not very sensitive to detecting concreteness effects, allowing the frequency bias to boost comprehension in the abstract condition over the concrete. In contrast, the Synonym Judgement task combines a large manipulation of concreteness with good matching for word frequency and consistently reveals a typical C>A pattern of impaired comprehension.

General Discussion

We conducted a detailed case-series investigation of concreteness effects in SD, testing patients across the spectrum of disease severity. The study was motivated by a number of reports of individual SD patients who show reversed concreteness effects (Breedin et al., 1994; Cipolotti & Warrington, 1995; Macoir, 2009; Papagno et al., 2009; Warrington, 1975).

These reports are significant because they suggest that, rather than a central semantic deficit for all types of concept (Lambon Ralph et al., 2010; Patterson et al., 2007; Pobric et al., 2010b; Rogers et al., 2004), SD patients might have a specific deficit for visual feature knowledge that impacts mainly on concrete words (Breedin et al., 1994; Yi et al., 2007). The key question, which cannot be answered by isolated single-case reports, is whether A>C effects occur frequently enough to be considered part of the symptom complex reliably associated with SD. Recent case-series investigations using single assessments have provided conflicting answers to this question (Bonner et al., 2009; Jefferies et al., 2009; Yi et al., 2007). In the present study, seven SD patients completed seven tests of concrete and abstract knowledge. A reliable C>A pattern was found, which was consistent across all patients. This finding is consistent with the Jefferies *et al.* (2009) study and indicates that in most SD cases concrete words are *not* disproportionately impaired. Instead, a general semantic deficit affects both types of word but concrete words are slightly less impaired, in line with the processing advantage for concrete words seen in healthy individuals (Degroot, 1989; James, 1975; Kroll & Merves, 1986). These results are in agreement with the effects of lateral ATL rTMS in healthy subjects (Pobric et al., 2009, which employed the same Synonym Judgement test used in this study) and with the view that bilateral ATL atrophy produces a general semantic deficit because this region is the key substrate for modality-invariant conceptual representations (Rogers et al., 2004).

By directly comparing the tasks used in earlier studies, we were able to identify two stimulus factors that accounted for the conflicting results in the literature. First, a robust manipulation of concreteness was necessary to reveal C>A effects reliably. Studies that have revealed A>C effects at the group level in SD contrasted motion and cognition verbs (Bonner et al., 2009; Yi et al., 2007), resulting in much smaller concrete-abstract differences in their test materials. Second, careful stimulus matching is necessary to avoid a confound in word frequency that can benefit abstract words. Because abstract verbs tend to be higher in frequency than concrete verbs, the abstract verbs used in previous studies have been more familiar to patients than the concrete verbs. This factor may have been instrumental in producing apparent A>C effects, as comprehension in SD is strongly influenced by word frequency (Bozeat et al., 2000; Jefferies et al., 2009).

Why do the majority of SD patients show a C>A effect?

Of all the tests we analysed, the Synonym Judgement task featured the largest imageability difference between concrete and abstract words and of the 18 SD patients who

have completed this test in total (combining the present study and Jefferies *et al.*, 2009) none have scored more highly for abstract words. On this basis, it is clear that the typical pattern in SD is for concrete words to be less affected than abstract words. Healthy individuals also show C>A effects in reaction times and accuracy for lexical decision (James, 1975; Kroll & Merves, 1986), reading (Strain, Patterson, & Seidenberg, 1995) and comprehension tasks (Holmes & Langford, 1976), suggesting that the performance of SD patients simply reflects an exaggeration of the normal pattern. One popular view is that concrete words enjoy a processing advantage because they have richer semantic representations (Paivio, 1986; Plaut & Shallice, 1993). In particular, Paivio's (1986) dual-coding theory states that concrete words are richer because they are associated with sensory information in addition to being coded verbally. Is this approach compatible with the hub-and-spoke model, which states that impairment in SD is a pan-modal deficit? On this view, the modality-invariant representations stored in the hub are distilled from inputs it receives from multiple modality-specific regions (Lambon Ralph *et al.*, 2010; Patterson *et al.*, 2007; Rogers *et al.*, 2004). The input for abstract words comes primarily from perisylvian language areas, as the concepts referred to by these words are experienced only in the verbal domain. Concrete words, in addition to their verbal representations, are likely to be associated with input from a wider range of modality-specific "spokes" as they have tangible referents that are experienced in the environment (e.g., Pobric *et al.*, 2010b). As concrete words are associated with richer and more varied sensory experiences they provide a stronger input to the modality-invariant hub, permitting richer representations to be formed that are more likely to resist degradation. Relatively preserved comprehension of words with rich sensory representations is therefore compatible with the hub account.

Why do a minority of SD patients show an A>C effect?

Although it is now clear that the typical pattern of performance in SD is for C>A, there are a handful of SD patients in the literature who show clear and substantial reversals of this effect that are consistent across multiple tasks and stimuli (Breedin *et al.*, 1994; Cipelotti & Warrington, 1995; Macoir, 2009; Papagno *et al.*, 2009; Warrington, 1975). What is special about these cases that causes them to deviate from the usual pattern? Here, we consider how behavioural and anatomical individual differences might give rise to A>C effects. From a behavioural perspective, it is possible that variation in premorbid experiences and educational background could influence how concrete and abstract words are affected by the disease. As discussed earlier, highly frequent or familiar words are less likely to become semantically

degraded in SD. Individuals who are particularly familiar with abstract vocabulary (relative to most of the population) might be predisposed to show less impairment for these words. In these cases, the experimenter's careful matching for word frequency is sabotaged by the patient's atypical premorbid experiences. In Table 3, we list the occupations of patients who have shown large A>C effects as a consequence of SD and other aetiologies. In most cases, they were professionals who would be expected to have above-average educational level and IQ. It could be that these individuals were particularly familiar with abstract terms and consequently these words were less affected by the disease than would usually be the case. However, whilst premorbid experience may explain many of the previous cases, it is unlikely to provide a complete explanation of reverse concreteness effects because not all highly educated SD patients show this pattern. One of the patients studied by Jefferies *et al.* (2009), for example, had a PhD yet displayed the same C>A pattern as the other cases.

-Table 3 around here-

In addition to individual differences in premorbid experience, there is also variability across patients in the extent and distribution of cortical atrophy. Atrophy in SD always affects the inferolateral aspects of the anterior temporal lobes (Galton *et al.*, 2001; Mummery *et al.*, 2000), thought to be the site of the modality-invariant hub (Binney *et al.*, 2010). However, there is inevitably variation across patients in the precise distribution and extent of cortical atrophy. Indeed, patients diagnosed with SD are occasionally found to have Alzheimer's pathology at post-mortem, which would be associated with a different pattern of degeneration (Hodges *et al.*, 2010). Therefore, cortical atrophy can sometimes encompass other regions, including superior and posterior temporal regions that are associated with modality-specific "spokes". There are two temporal lobe sites where an unusual distribution of atrophy in a particular patient could give rise to A>C effects in comprehension. First, the anterior portion of the superior temporal sulcus is associated with verbal comprehension (Hickok & Poeppel, 2007; Scott, Blank, Rosen, & Wise, 2000; Sharp, Scott, & Wise, 2004). It is also more active for abstract than concrete words in imaging studies (Sabsevitz, Medler, Seidenberg, & Binder, 2005), as would be expected if the meanings of abstract words depend heavily on verbal associative knowledge. If this region were relatively spared in a particular patient (*i.e.*, their pathology was focused especially on the anterior basal temporal area), comprehension of abstract words could be relatively preserved. The second key site is the ventral temporal lobe, posterior to the region of maximal atrophy in SD. This region is associated with visual feature knowledge for objects (Chao, Haxby, & Martin, 1999; Martin, 2007) and is often more active for concrete words than abstract (Sabsevitz *et al.*, 2005; Wise *et al.*, 2000).

Atrophy in this region is likely to affect concrete words to a greater extent than abstract words, again giving rise to an atypical A>C pattern in comprehension.

Finally, though ATL atrophy in SD is bilateral in almost all cases, it is often asymmetric with either the left or right ATL bearing the brunt of the damage. It has been suggested that predominately left-sided atrophy leads to greater verbal semantic impairment while right-lateralised atrophy causes greater difficulty with non-verbal semantic knowledge (Gainotti, 2007; Snowden, Thompson, & Neary, 2004). Could variation in the distribution of atrophy across left and right ATLs give rise to differences in the concreteness effect? One might assume that while abstract word knowledge depends exclusively on verbal knowledge, comprehension of concrete concepts depends on understanding of their verbal attributes *and* their non-verbal sensory characteristics. On this basis, one would expect damage to the right ATL to affect concrete word knowledge disproportionately, because of the greater relevance of non-verbal semantic properties. This explanation is appealing because it links the atypical A>C comprehension pattern with the rarer right-sided presentation of SD (around three-quarters of clinically-presenting SD cases have greater atrophy on the left; Hodges & Patterson, 2007). However, we can offer two pieces of evidence that run counter to this possibility. First, our review of previously reported A>C cases indicates that the majority, including all four SD cases for which anatomical data were available, had predominately left-sided pathology (see Table 3). Second, though the present study was not designed specifically to contrast left and right-sided atrophy in SD, our cohort happened to contain three patients with greater right ATL atrophy and four with the more typical left-sided pattern. There was no difference in the profiles of these patients with respect to the concreteness effects: the three right-sided cases (MT, PL and NH) showed C>A effects of similar magnitude to the left-dominant cases.⁴

Conclusion

Striking reports of reverse concreteness effects in a handful of SD patients have led to claims that preservation of abstract word knowledge is a typical feature of the disorder. This suggests that loss of visual feature knowledge is key to understanding the condition and is less consistent with degradation of a pan-modal semantic hub. By investigating concreteness

⁴ We conducted a 2x2 ANOVA on performance averaged over all seven tests, including concreteness as a within-subject factor and laterality of damage as a between-subjects factor. There was a main effect of concreteness ($F(1,5) = 8.00, p < 0.05$) but no effect of laterality ($F(1,5) = 0.10$) and no hint of an interaction ($F(1,5) = 0.002$). Though these results should be interpreted with caution due to the small number of cases, there is no evidence for any differences between left and right-sided cases.

effects with multiple tests in a case-series that covered the full range of disease severity, we have established that the typical pattern in SD is actually the opposite: comprehension of concrete words is slightly more preserved than that of abstract. This pattern was not seen uniformly across all tests, however, and two stimulus factors influenced whether it was observed. Tests that did not reveal a normal concreteness effect (and in previous studies have revealed apparent reverse concreteness effects) used higher frequency words to probe abstract word knowledge and employed less powerful manipulations of imageability. These factors can explain the conflicting results reported previously and, having taken them into account, there is no evidence that reverse concreteness effects are a typical feature of SD.

References

- Adlam, A. L. R., Patterson, K., Bozeat, S., & Hodges, J. R. (2010). The Cambridge Semantic Memory Test Battery: Detection of semantic deficits in semantic dementia and Alzheimer's disease. *Neurocase*, *16*, 193-207.
- Baayen, R. H., Piepenbrock, R., & van Rijn, H. (1993). *The CELEX lexical database (CD-ROM)*. Philadelphia, PA: Linguistic Data Consortium, University of Pennsylvania.
- Binney, R. J., Embleton, K. V., Jefferies, E., Parker, G. J. M., & Lambon Ralph, M. A. (2010). The inferolateral aspects of the anterior temporal lobe are crucial in semantic memory: Evidence from a novel direct comparison of distortion-corrected fMRI, rTMS and semantic dementia. *Cerebral Cortex*, *20*, 2728-2738.
- Bird, H., Franklin, S., & Howard, D. (2001). Age of acquisition and imageability ratings for a large set of words, including verbs and function words. *Behavior Research Methods Instruments & Computers*, *33*(1), 73-79.
- Bird, H., Lambon Ralph, M. A., Patterson, K., & Hodges, J. R. (2000). The rise and fall of frequency and imageability: Noun and verb production in semantic dementia. *Brain and Language*, *73*(1), 17-49.
- Bonner, M. F., Ash, S., & Grossman, M. (2010). The New Classification of Primary Progressive Aphasia into Semantic, Logopenic, or Nonfluent/Agrammatic Variants. *Current Neurology and Neuroscience Reports*, *10*(6), 484-490.
- Bonner, M. F., Vesely, L., Price, C., Anderson, C., Richmond, L., Farag, C., et al. (2009). Reversal of the concreteness effect in semantic dementia. *Cognitive Neuropsychology*, *26*, 568-579.
- Bozeat, S., Lambon Ralph, M. A., Patterson, K., Garrard, P., & Hodges, J. R. (2000). Non-verbal semantic impairment in semantic dementia. *Neuropsychologia*, *38*(9), 1207-1215.
- Breedin, S. D., Saffran, E. M., & Coslett, H. B. (1994). Reversal of the concreteness effect in a patient with semantic dementia. *Cognitive Neuropsychology*, *11*(6), 617-660.
- Catani, M., & de Schotten, M. T. (2008). A diffusion tensor imaging tractography atlas for virtual in vivo dissections. *Cortex*, *44*(8), 1105-1132.
- Chao, L. L., Haxby, J. V., & Martin, A. (1999). Attribute-based neural substrates in temporal cortex for perceiving and knowing about objects. *Nature Neuroscience*, *2*(10), 913-919.
- Cipolotti, L., & Warrington, E. K. (1995). Semantic memory and reading abilities: A case report. *Journal of the International Neuropsychological Society*, *1*, 104-110.

- Clark, J. M., & Paivio, A. (2004). Extensions of the Paivio, Yuille, and Madigan (1968) norms. *Behavior Research Methods Instruments & Computers*, *36*(3), 371-383.
- Coltheart, M. (1980). Deep dyslexia: A review of the syndrome. In M. Coltheart, K. Patterson & J. C. Marshall (Eds.), *Deep Dyslexia*. London: Routledge and Kegan Paul.
- Coltheart, M. (1981). The MRC Psycholinguistic Database. *Quarterly Journal of Experimental Psychology Section A: Human Experimental Psychology*, *33*(Nov), 497-505.
- Cortese, M. J., & Fugett, A. (2004). Imageability ratings for 3,000 monosyllabic words. *Behavior Research Methods Instruments & Computers*, *36*(3), 384-387.
- Degroot, A. M. B. (1989). Representational aspects of word imageability and word frequency as assessed through word association. *Journal of Experimental Psychology: Learning Memory and Cognition*, *15*(5), 824-845.
- Franklin, S. (1989). Dissociations in auditory word comprehension; Evidence from nine fluent aphasic patients. *Aphasiology*, *3*, 189-207.
- Funnell, E. (1995). Objects and properties: A study of the breakdown of semantic memory. *Memory*, *3*(3-4), 497-518.
- Gainotti, G. (2007). Different patterns of famous people recognition disorders in patients with right and left anterior temporal lesions: A systematic review. *Neuropsychologia*, *45*(8), 1591-1607.
- Galton, C. J., Patterson, K., Graham, K., Lambon-Ralph, M. A., Williams, G., Antoun, N., et al. (2001). Differing patterns of temporal atrophy in Alzheimer's disease and semantic dementia. *Neurology*, *57*(2), 216-225.
- Gloor, P. (1997). *The temporal lobe and the limbic system*. Oxford: Oxford University Press.
- Gorno-Tempini, M. L., Dronkers, N. F., Rankin, K. P., Ogar, J. M., Phengrasamy, L., Rosen, H. J., et al. (2004). Cognition and anatomy in three variants of primary progressive aphasia. *Annals of Neurology*, *55*(3), 335-346.
- Grossman, M., & Ash, S. (2004). Primary progressive aphasia: A review. *Neurocase*, *10*, 3-18.
- Hickok, G., & Poeppel, D. (2007). The cortical organization of speech processing. *Nature Reviews Neuroscience*, *8*(5), 393-402.
- Hodges, J. R., Mitchell, J., Dawson, K., Spillantini, M. G., Xuereb, J. H., McMonagle, P., et al. (2010). Semantic dementia: demography, familial factors and survival in a consecutive series of 100 cases. *Brain*, *133*, 300-306.

- Hodges, J. R., & Patterson, K. (2007). Semantic dementia: a unique clinicopathological syndrome. *Lancet Neurology*, *6*(11), 1004-1014.
- Hodges, J. R., Patterson, K., Oxbury, S., & Funnell, E. (1992). Semantic dementia: Progressive fluent aphasia with temporal lobe atrophy. *Brain*, *115*, 1783-1806.
- Hoffman, P., Jefferies, E., & Lambon Ralph, M. A. (2010). Ventrolateral prefrontal cortex plays an executive regulation role in comprehension of abstract words: Convergent neuropsychological and rTMS evidence. *Journal of Neuroscience*, *46*, 15450-15456.
- Hoffman, P., Rogers, T. T., & Lambon Ralph, M. A. (in press). Semantic diversity accounts for the “missing” word frequency effect in stroke aphasia: Insights using a novel method to quantify contextual variability in meaning. *Journal of Cognitive Neuroscience*.
- Holmes, V. M., & Langford, J. (1976). Comprehension and recall of abstract and concrete sentences. *Journal of Verbal Learning and Verbal Behavior*, *15*, 559-566.
- James, C. T. (1975). The role of semantic information in lexical decisions. *Journal of Experimental Psychology: Human Perception and Performance*, *104*, 130-136.
- Jefferies, E., Patterson, K., Jones, R. W., & Lambon Ralph, M. A. (2009). Comprehension of concrete and abstract words in semantic dementia. *Neuropsychology*, *23*, 492-499.
- Katz, R. B., & Goodglass, H. (1990). Deep dysphasia: Analysis of a rare form of repetition disorder. *Brain and Language*, *39*(1), 153-185.
- Kroll, J. F., & Merves, J. S. (1986). Lexical access for concrete and abstract words. *Journal of Experimental Psychology: Learning Memory and Cognition*, *12*, 92-107.
- Lambon Ralph, M. A., Graham, K. S., Ellis, A. W., & Hodges, J. R. (1998). Naming in semantic dementia - what matters? *Neuropsychologia*, *36*(8), 775-784.
- Lambon Ralph, M. A., & Patterson, K. (2008). Generalisation and differentiation in semantic memory. *Annals of the New York Academy of Sciences*, *1124*, 61-76.
- Lambon Ralph, M. A., Pobric, G., & Jefferies, E. (2009). Conceptual knowledge is underpinned by the temporal pole bilaterally: Convergent evidence from rTMS. *Cerebral Cortex*, *19*, 832-838.
- Lambon Ralph, M. A., Sage, K., Jones, R., & Mayberry, E. (2010). Coherent concepts are computed in the anterior temporal lobes. *Proceedings of the National Academy of Sciences of the United States of America*, *107*, 2717-2722.
- Loftus, G. R., & Masson, M. E. J. (1994). Using Confidence-Intervals in within-Subject Designs. *Psychonomic Bulletin & Review*, *1*(4), 476-490.

- Macoir, J. (2009). Is a plum a memory problem? Longitudinal study of the reversal of the concreteness effect in a patient with semantic dementia. *Neuropsychologia*, *47*, 518-535.
- Marshall, J., Pring, T., Chiat, S., & Robson, J. (1996). Calling a salad a federation: An investigation of semantic jargon .1. Nouns. *Journal of Neurolinguistics*, *9*(4), 237-250.
- Martin, A. J. (2007). The representation of object concepts in the brain. *Annual Review of Psychology*, *58*, 25-45.
- Mioshi, E., Dawson, K., Mitchell, J., Arnold, R., & Hodges, J. R. (2006). The Addenbrooke's Cognitive Examination Revised (ACE-R): a brief cognitive test battery for dementia screening. *International Journal of Geriatric Psychiatry*, *21*(11), 1078-1085.
- Moran, M. A., Mufson, E. J., & Mesulam, M. M. (1987). Neural inputs into the temporopolar cortex of the rhesus monkey. *The Journal of Comparative Neurology*, *256*, 88-103.
- Mummery, C. J., Patterson, K., Price, C. J., Ashburner, J., Frackowiak, R. S. J., & Hodges, J. R. (2000). A voxel-based morphometry study of semantic dementia: Relationship between temporal lobe atrophy and semantic memory. *Annals of Neurology*, *47*(1), 36-45.
- Nestor, P. J., Fryer, T. D., & Hodges, J. R. (2006). Declarative memory impairments in Alzheimer's disease and semantic dementia. *Neuroimage*, *30*(3), 1010-1020.
- Paivio, A. (1986). *Mental representations: A dual-coding approach*. Oxford: Oxford University Press.
- Papagno, C., Capasso, R., & Miceli, G. (2009). Reversed concreteness effect for nouns in a subject with semantic dementia. *Neuropsychologia*, *47*, 1138-1148.
- Patterson, K., Nestor, P. J., & Rogers, T. T. (2007). Where do you know what you know? The representation of semantic knowledge in the human brain. *Nature Reviews Neuroscience*, *8*(12), 976-987.
- Plaut, D. C., & Shallice, T. (1993). Deep dyslexia: A case study in connectionist neuropsychology. *Cognitive Neuropsychology*, *10*, 377-500.
- Pobric, G., Jefferies, E., & Lambon Ralph, M. A. (2007). Anterior temporal lobes mediate semantic representation: Mimicking semantic dementia by using rTMS in normal participants. *Proceedings of the National Academy of Sciences of the United States of America*, *104*(50), 20137-20141.

- Pobric, G., Jefferies, E., & Lambon Ralph, M. A. (2009). The role of the anterior temporal lobes in the comprehension of concrete and abstract words: rTMS evidence. *Cortex*, *45*, 1104-1110.
- Pobric, G., Jefferies, E., & Lambon Ralph, M. A. (2010a). Amodal semantic representations depend on both anterior temporal lobes: Evidence from repetitive transcranial magnetic stimulation. *Neuropsychologia*, *48*, 1336-1342.
- Pobric, G., Jefferies, E., & Lambon Ralph, M. A. (2010b). Category-specific vs. category-general semantic impairment induced by transcranial magnetic stimulation. *Current Biology*, *20*, 964-968.
- Raven, J. C. (1962). Coloured progressive matrices sets A, AB, B. London: H. K. Lewis.
- Reilly, J., Peelle, J. E., & Grossman, M. (2007). A unitary semantics account of reverse concreteness effects in semantic dementia. *Brain and Language*, *103*(1-2), 86-87.
- Rey, A. (1941). L'examen psychologique dans le cas d'encéphalopathie traumatique. *Arch Psychologie*, *28*, 286-340.
- Rogers, T. T., Lambon Ralph, M. A., Garrard, P., Bozeat, S., McClelland, J. L., Hodges, J. R., et al. (2004). Structure and deterioration of semantic memory: A neuropsychological and computational investigation. *Psychological Review*, *111*(1), 205-235.
- Sabsevitz, D. S., Medler, D. A., Seidenberg, M., & Binder, J. R. (2005). Modulation of the semantic system by word imageability. *Neuroimage*, *27*(1), 188-200.
- Scott, S. K., Blank, S. C., Rosen, S., & Wise, R. J. S. (2000). Identification of a pathway for intelligible speech in the left temporal lobe. *Brain*, *123*, 2400-2406.
- Sharp, D. J., Scott, S. K., & Wise, R. J. S. (2004). Retrieving meaning after temporal lobe infarction: The role of the basal language area. *Annals of Neurology*, *56*(6), 836-846.
- Sirigu, A., Duhamel, J. R., & Poncet, M. (1991). The role of sensorimotor experience in object recognition: A case of multimodal agnosia. *Brain*, *114*, 2555-2573.
- Snowden, J. S., Thompson, J. C., & Neary, D. (2004). Knowledge of famous faces and names in semantic dementia. *Brain*, *127*, 860-872.
- Stadthagen-Gonzalez, H., & Davis, C. J. (2006). The Bristol norms for age of acquisition, imageability, and familiarity. *Behavior Research Methods*, *38*(4), 598-605.
- Strain, E., Patterson, K., & Seidenberg, M. S. (1995). Semantic effects in single-word naming. *Journal of Experimental Psychology: Learning Memory and Cognition*, *21*(5), 1140-1154.

- Visser, M., Embleton, K. V., Jefferies, E., Parker, G. J. M., & Lambon Ralph, M. A. (2010). The anterior, inferior temporal lobes and semantic memory clarified: Novel evidence from distortion-corrected fMRI. *Neuropsychologia*, *48*, 1689-1696.
- Visser, M., Jefferies, E., & Lambon Ralph, M. A. (2010). Semantic processing in the anterior temporal lobes: A meta-analysis of the functional neuroimaging literature. *Journal of Cognitive Neuroscience*, *22*, 1083-1094.
- Warrington, E. K. (1975). The selective impairment of semantic memory. *Quarterly Journal of Experimental Psychology*, *27*, 635-657.
- Warrington, E. K. (1981). Concrete word dyslexia. *British Journal of Psychology*, *72*, 175-196.
- Warrington, E. K., & James, M. (1991). *The Visual Object and Space Perception battery*. Bury St. Edmunds, Suffolk: Thames Valley Test Company.
- Warrington, E. K., & Shallice, T. (1984). Category specific semantic impairments. *Brain*, *107*, 829-854.
- Wechsler, D. (1987). *Wechsler memory scale: Revised (WMS-R)*. New York: Psychological Corporation.
- Williams, G. B., Nestor, P. J., & Hodges, J. R. (2005). Neural correlates of semantic and behavioural deficits in frontotemporal dementia. *Neuroimage*, *24*(4), 1042-1051.
- Wise, R. J. S., Howard, D., Mummery, C. J., Fletcher, P., Leff, A., Buchel, C., et al. (2000). Noun imageability and the temporal lobes. *Neuropsychologia*, *38*(7), 985-994.
- Yi, H. A., Moore, P., & Grossman, M. (2007). Reversal of the concreteness effect for verbs in patients with semantic dementia. *Neuropsychology*, *21*(1), 9-19.

Table 1: Background details and neuropsychological test scores

Test	Max	DF	MT	MB	PL	NH	PW	ET	Control mean (range)
<i>Demographic</i>									
Sex		M	F	F	F	F	M	F	
Age		64	61	61	72	68	73	80	
More atrophic temporal lobe		Left	Right	Left	Right	Right	Left	Left	
<i>General Neuropsychology</i>									
ACE-R	100	78	79	72	56	45	41	43	93.7 (85-100)
<i>Visuospatial</i>									
Rey figure copy	36	36	36	33	31	21.5	34	23.5	34.0 (31-36)
VOSP number location	10	10	9	10	7	9	10	7	9.4 (7-10)
VOSP cube analysis	10	10	10	10	9	7	10	10	9.7 (6-10)
<i>Attention/Executive</i>									
Digit span forward	-	7	7	6	8	5	5	7	6.8 (4-8)
Digit span backward	-	4	5	6	5	4	4	6	4.8 (3-7)
Raven's coloured progressive matrices	36	34	35	32	31	16	34	29	
<i>Cambridge Semantic Battery</i>									
Naming	64	54	45	31	22	14	8	0	62.3 (57-64)
Word-picture matching	64	61	57	48	44	31	35	20	63.8 (63-64)
CCT pictures	64	55	45	41	30	26	34	28	59.1 (51-62)
CCT words	64	56	46	40	29	NT	NT	14	60.7 (57-63)
Category fluency (6 categories)	-	57	65	45	26	16	22	9	95.7 (61-134)

ACE-R = Addenbrookes Cognitive Examination – Revised (Mioshi et al., 2006); VOSP = Visual Object and Space Perception battery (Warrington & James, 1991). CCT = Camel and Cactus test (Bozeat et al., 2000). NT = not tested.

Table 2: Individual patient performance on experimental tests

Test	Condition	Maximum	DF	MT	MB	PL	NH	PW	ET
Synonym Judgement	Concrete	32	32*	29*	29*	29*	18	22	20
	Abstract	32	23	19	20	21	13	16	14
Description-Noun	Concrete	20	19	19	12	19	10	14	8
	Abstract	20	19	20	13	17	12	9	13
Description-Verb	Concrete	20	14	16	12	17	12	11	11
	Abstract	20	17	17	15	16	12	9	12
Verb Similarity Test	Concrete	20	19	15	9	17	11	13	12
	Abstract	20	15	14	11	18	11	11	10
Shallice & McGill	Concrete	30	29*	18*	15	19	10	10	9
	Abstract	30	17	10	15	12	11	9	10
MMT-picture	Concrete	48	35	34	30	23	20	23	16
	Abstract	48	36	27	26	25	18	17	9
MMT-word	Concrete	48	40	36	30	19	20	NT	11
	Abstract	48	40	32	28	22	18	NT	16
All tests	Concrete	%	88*	78*	62	72	48	57*	43
	Abstract	%	77	67	60	66	47	43	43



* indicates a significant C>A effect (chi-square two-tailed $p < 0.05$). MMT-picture = Mischievous Monkey Test with pictures; MMT-word = Mischievous Monkey Test with words.

Table 3: Occupations of patients showing large reverse concreteness effects

Study	Patient	Occupation	Aetiology	More severely damaged hemisphere
Warrington (1975)	AB	High-level civil servant	SD	Unknown
Breedin <i>et al.</i> (1994)	DM	Professional with a Master's degree	SD	Left
Cipolotti & Warrington (1995)	DRN	Biological scientist	SD	Left
Macoir (2009)	SC	Psychology professor	SD	Left
Papagno <i>et al.</i> (2009)	MC	Teacher	SD	Left
Warrington & Shallice (1984)	SBY	Naval officer (engineer)	HSVE	Symmetric pathology
Sirigu <i>et al.</i> (1991)	FB	Engineering student and semi-professional musician	HSVE	Symmetric pathology
Marshall <i>et al.</i> (1996)	RG	Chartered accountant (interests included opera and reading Dickens)	CVA	Presumed left
Warrington (1981)	CAV	Café owner	Glioma	Left


SD = semantic dementia, HSVE = herpes simplex viral encephalitis, CVA = cerebral vascular accident.

Figure 1: Examples of concreteness tasks

<p>(A) Description-Noun</p> <p>a state of sudden overpowering terror</p> <p>calmness relaxation madness panic</p>		<p>(B) Description-Verb</p> <p>a behaviour where you say something</p> <p>speak pose observe hear</p>	
<p>(C) Synonym Judgement</p> <p>constant</p> <p>regular essential aware</p>	<p>(D) Verb Similarity</p> <p>confirm</p> <p>verify finish</p>	<p>(E) MMT-word</p> <p>“mischief”</p> <p>monkey elephant kangaroo zebra</p>	
<p>(F) MMT-picture</p> <p>“faith”</p> 		<p>(G) Shallice & McGill</p> <p>“caution”</p> 	

All examples are from abstract conditions.

Figure 2: Mean accuracy on each task



Syn Judge = Synonym judgement; Desc-Noun = Description-noun matching; Desc-Verb = Description-verb matching; Verb Sim = Verb Similarity Test; S&McG = Shallice and McGill test; MMT-pic = Mischievous Monkey Test with pictures; MMT-word = Mischievous Monkey Test with words. Bars indicate standard error of mean, adjusted to reflect the between-condition variance used in within-subject designs (Loftus and Masson, 1994).

Figure 3: Scatterplot of patients' performance on concrete and abstract word comprehension






Figure 4: Frequency values for probes and choice words used in the various tests



Panel A shows mean values for probes and Panel B for choice words. * indicates that abstract words are significantly more frequent than concrete. Syn Judge = Synonym judgement; Desc-Noun = Description-noun matching; Desc-Verb = Description-verb matching; Verb Sim = Verb Similarity Test; S&McG = Shallice and McGill test; MMT-pic = Mischievous Monkey Test with pictures; MMT-word = Mischievous Monkey Test with words.

Figure 5: Imageability values for probes and choice words used in the various tests



Panel A shows mean values for probes and Panel B for choice words. ~ indicates no difference in imageability between concrete and abstract words (where no symbol is shown, concrete words were significantly higher in imageability). Syn Judge = Synonym judgement; Desc-Noun = Description-noun matching; Desc-Verb = Description-verb matching; Verb Sim = Verb Similarity Test; S&McG = Shallice and McGill test; MMT-pic = Mischievous Monkey Test with pictures; MMT-word = Mischievous Monkey Test with words.

Supplementary Material: Stimuli for Mischievous Monkey Test

Concrete probe	Abstract probe	Target	Foil 1	Foil 2	Foil 3
runway	descent	aeroplane	train	bus	boat
nurse	crisis	ambulance	lorry	caravan	coal truck
rocket	gravity	astronaut	American footballer	motorcyclist	diver
twilight	sonar	bat	vulture	fly	starling
moonlight	idleness	bed	table	door	fridge
shelf	wisdom	book	drum	jug	basket
alcohol	message	bottle	teacup	kettle	glass
bakery	sustenance	bread	toilet paper	toothbrush	water
sugar	treat	cake	fish	bread	mushroom
cactus	drought	camel	ostrich	sheep	goat
holiday	snap	camera	radio	mobile phone	television
cake	vision	carrot	onion	corn cob	tomato
altar	faith	church	house	windmill	barn
student	information	computer	camcorder	microwave	toaster
yoghurt	methane	cow	horse	goat	dog
priest	belief	cross	radiation	barber's pole	no entry
policeman	motive	dagger	spoon	whisk	paintbrush
luncheon	etiquette	dinner plate	radio	toaster	kettle
lizard	evolution	dinosaur	robot	alien	knight
blood	health	doctor	judge	headmaster	priest
letter	reply	envelope	cotton reel	ashtray	salt shaker
prince	spawn	frog	snake	snail	crocodile
uniform	appearance	iron	kettle	toaster	telephone
court	evidence	judge	gardener	priest	chef
sailor	alert	lighthouse	tower	castle	dome
stopwatch	elite	medal	scarf	necklace	tie
wallet	expense	money	sweets	pencils	leaves
banana	mischievous	monkey	elephant	kangaroo	zebra
mist	ascent	mountain	beach	iceberg	field
prison	security	padlock	plug	light switch	nut
pyramid	thirst	palm tree	ivy	oak tree	Christmas tree

pirate	imitation	parrot	peacock	duck	penguin
handcuffs	clue	police officer	nurse	doctor	firefighter
carrot	burrow	rabbit	dog	tortoise	cat
grandmother	motion	rocking chair	stool	bench	deckchair
romance	scent	rose	ivy	dandelion	carrots
pencil	measurement	ruler	screwdriver	hammer	scissors
flour	justice	scales	stopwatch	tape measure	thermometer
missile	duty	soldier	builder	gardener	chef
bolt	repair	spanner	pen	baseball bat	fork
drainpipe	phobia	spider	ant	caterpillar	butterfly
battle	conflict	submarine	speedboat	submersible	windsurfer
sergeant	territory	tank	tractor	snow plough	oil tanker
crocodile	calcium	teeth	ear	nose	eye
gallery	exhibit	vase	watering can	coffee pot	bucket
auditorium	harmony	violin	palette	scroll	statue
money	wish	well	windmill	church	house
broom	spell	witch	clown	cowboy	pirate
