



THE UNIVERSITY *of* EDINBURGH

## Edinburgh Research Explorer

### Electromagnetic fields, 5G and health

**Citation for published version:**

Frank, J 2021, 'Electromagnetic fields, 5G and health: what about the precautionary principle?', *Journal of Epidemiology & Community Health*, vol. 75, no. 6, pp. 562-566. <https://doi.org/10.1136/jech-2019-213595>

**Digital Object Identifier (DOI):**

[10.1136/jech-2019-213595](https://doi.org/10.1136/jech-2019-213595)

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Peer reviewed version

**Published In:**

Journal of Epidemiology & Community Health

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



# **ESSAY: Electromagnetic Fields, 5G, and Health: What about the Precautionary Principle?**

John Frank MD, CCFP, MSc, FRCPC, FCAHS, FFPH, FRSE, LLD  
Director of Knowledge Exchange and Research Impact,  
Usher Institute, University of Edinburgh

Corresponding Author: Prof John Frank, Room 1-308, Doorway #1, Teviot Hall [Old Medical School], Teviot Place, University of Edinburgh, Edinburgh UK EH8 9AG

Email: [john.frank@ed.ac.uk](mailto:john.frank@ed.ac.uk)

Tel. +44 [0]131 651 1593

Key Words: electromagnetic fields [EMF]/radiofrequency/health effects; non-ionising radiation /health effects; 5G; wireless/WiFi; cancer

WORD COUNT: 3445 [without title page, abstract or references]

## **Abstract**

New 5G (fifth generation) telecommunications systems, now being rolled out globally, have become the subject of a fierce controversy. Some health protection agencies and their scientific advisory committees have concluded that there is no conclusive scientific evidence of harm. Several recent reviews by independent scientists, however, suggest that there is significant uncertainty on this question, with rapidly emerging evidence of potentially harmful biological effects from radio-frequency electromagnetic field (RF-EMF) exposures, at the levels 5G rollout will entail. This essay identifies four relevant sources of scientific uncertainty and concern: 1) lack of clarity about precisely what technology is included in 5G; 2) a rapidly accumulating body of laboratory studies documenting disruptive *vitro* and *in vivo* effects of RF-EMFs -- but one with many gaps in it; 3) an almost total lack (as yet) of high-quality epidemiological studies of adverse human health effects from 5G EMF exposure specifically, but rapidly emerging epidemiological evidence of such effects from past generations of RF-EMF exposure; 4) persistent allegations that some national telecommunications regulatory authorities do not base their RF-EMF safety policies on the latest science, related to unmanaged conflicts of interest. The author, an experienced epidemiologist, concludes that one cannot dismiss the growing health concerns about RF-EMFs, especially in an era when higher population-levels of exposure are occurring widely, due to the spatially dense transmitters which 5G systems require. Based on the Precautionary Principle, the author echoes the calls of others for a moratorium on the further rollout of 5G systems globally, pending more conclusive research on their safety. **BACKGROUND** 5G (fifth generation) technology is being widely promoted by politicians, government officials, and private sector interests [1-3]. They contend that its advent will bring clear economic and lifestyle benefits, through massive increases in wireless and mobile connectivity at home, work, school and in the community. Examples of these 5G benefits include driverless vehicles, and “The Internet of Things” – automated and continuous communication between the machines in our daily lives [4,5]. On the other hand, the public health response to this wave of communications innovation has become a sense of deep concern, related to widespread scientific uncertainties, as well as a lack of use of existing evidence, in the current international safety guidelines for 5G and related radio-frequency electromagnetic field (RF-EMF) exposures [5-8]. This commentary sets out the reasons for such concern.

## **WHAT IS 5G AND WHY IS IT DIFFERENT FROM PAST EMF EXPOSURES?**

Developed over just the last decade, radiofrequency (wireless) transmission systems in the 5G category are being rolled out throughout the world. These systems will massively increase the volume, speed, and spatial reach of digital data-transfer [4-6]. The four successive previous generations (1G, 2G, 3G, and 4G) of wireless transmission systems were deployed initially for wireless and mobile phones (1980s and 1990s), followed by WiFi (2000s), and then smart meters and the Internet of Things (2010s). Each successive generation of transmission systems has utilised higher frequencies of electromagnetic waves to carry ever-larger volumes of data, faster, in more ubiquitous locations. 5G is widely acknowledged to be a step-change

in this sequence, since it additionally uses much higher frequency (3 to 300 GHz) radio-waves than in the past. 5G will also make use of very new – and thus relatively unevaluated, in terms of safety -- supportive technology (including pulsing, beaming, phased arrays and massive input/massive output – MIMO – see below) to enable this higher data transmission capacity [4-6].

However – unlike prior generations of wireless transmission systems -- 5G ultra-high-frequency waves are easily interrupted by vegetation foliage (and building walls, often requiring additional signal boosting within each building). This inherent fragility of 5G high-frequency waves means that transmission-boosting “cell” antennae are generally required every 100 to 300 meters or less-- far more spatially dense than the miles-apart transmission masts required for older 2G, 3G, and 4G technology utilising lower frequency waves) [4-6].

This dense transmission network is also required in order to achieve the “everywhere/anytime” connectivity promised by 5G developers, and necessitated by new technology such as driverless cars, which must never be out of internet contact, for safety reasons. Critics of 5G agree [6-8] – but its supporters do not [9,10] -- that the overall population levels of exposure to RF-EMFs will be greatly increased by the 5G rollout. One compelling argument for that view is the “inverse square law” of EMF exposure: intensity varies as the inverse of the square of the distance from the emitting source [11]. With plans afoot internationally to put a 5G booster antenna on “every second or third lamp-post”, it is difficult to believe that overall population exposures will not increase substantially. Existing 4G systems can service up to 4,000 radio-frequency-using devices per square kilometre; 5G systems will connect up to one million devices per square kilometre – greatly increasing the speed of data transfer (by a factor of ten) and the volume of data transmitted (by a factor of 1000) [6].

## **THE CURRENT CONTROVERSY**

International health protection agencies and their scientific advisory bodies have published several reviews over the last decade, of varying scientific quality, of the research evidence regarding potential adverse biological and health effects of radiofrequency electromagnetic fields [RF-EMFs] [5,12-15]. These reviews -- by Health Protection England [12], the International Agency for Research on Cancer (IARC) [13], an Expert EU Committee [14] and the International Commission on Non-Ionizing Radiation Protection [15] – have, with one exception, not converged around a strong warning about such effects. IARC is the outlier in this respect, having determined in 2011 that EMFs are “possibly carcinogenic to humans” [13]. Meanwhile, Independent radiation and health scientists have published serious concerns about the current roll-out of 5G transmission systems [6-8,16-18]. Their reasoning is two-fold: 1) these systems have an unprecedented potential to create human and non-human RF-EMF exposures orders of magnitude more intense (e.g. in terms of “power flux density”) than was the case only a few decades ago (16); 2) there is a remarkable dearth of evidence on the safety of 5G-specific EMF

emissions, but a growing body of research suggestive of harms from other RF-EMF exposures, which have been studied for much longer [6-8,17,18].

Moreover, a growing number of engineers, scientists, and doctors internationally have been calling on governments to raise their safety standards for RF-EMFs, commission more and better research, and hold off on further increases in public exposure, pending clearer evidence of safety [18-21]. Some politicians have listened: France, Israel, Cyprus and Russia have banned WiFi in pre-school and restricted its use in primary schools. Belgium has banned the sale of mobile phones to children under seven. In response to such concerns, several jurisdictions have recently blocked the installation of 5G antennae systems in their communities: Brussels, Florence, Rome, as well as Glastonbury, Frome and Totnes in the UK; and widespread anti-5G campaigns are now emerging in Australia, North America, and elsewhere [21].

Some countries have lowered allowable RF-EMF exposure levels far below those permitted in the UK and USA. Powerwatch, a non-profit, independent organisation in the UK, has published comparisons of international recommendations on permitted maximum exposure levels to EMFs [22]. Those comparisons show that the highest permitted RF-EMF exposures which are used globally, as the basis for national safety guidelines, are those used in the USA, the UK and most of the EU. These exposure limits are derived from the recommendations to WHO in 1998 (recently updated, but essentially not changed, in March 2020) by the International Commission on Non-Ionizing Radiation Protection (ICNIRP) [15]. These international comparisons show that the safety limit for RF-EMF exposure set by ICNIRP is ten-fold higher than that set by the next most liberal guidelines, found in Israel and India, and 100-or-more-fold higher than the limits set by many other guidelines, spanning fourteen EU jurisdictions as well as China. As discussed in detail below, one reason that ICNIRP's permitted exposures are so high is that they are based solely on the acute thermogenic (heat-producing) effects of RF-EMF in animal tissues; this is unlike more conservative jurisdictions' guidelines, which are based on a wider variety of biological and health effects documented in recent decades, including effects resulting from chronic rather than acute exposures, and effects not mediated by thermogenesis.

## **KEY CONTENTIOUS ISSUES AND SCIENTIFIC UNCERTAINTIES**

### **1. Lack of Clarity About Precisely What Sorts of EMFs Will Result From 5G Rollout**

A striking feature of this public controversy is that various commentators – even those with advanced training in telecommunications physics and engineering – inconsistently refer to quite different specific technologies when they discuss the pros and cons of “5G”. American authors tend to state that the 5G system rollouts already underway in that part of the world are using very-high-frequency (24 to 100 GHz)/short-wavelength RF transmission – so-called “millimetre-range” waves [6]. However, some UK/EU industry websites [9] state that “no new frequencies are

required” (at present) beyond those already in use in existing 4G mobile networks, WiFi, smart meters, etc. However, independent authors commenting on current private sector *plans* in the EU, to extend 5G networks more widely in the future, tell a different story [23, 24]. These commentaries imply that the use of millimetre-wave frequencies – about which we have very few conclusive studies of human health effects -- is already planned and inevitable in the EU, and eventually globally, in order to accommodate anticipated consumer requirements – especially the “Internet of Things” and driverless vehicles. Tellingly, the Guardian (one of the UK’s most respected newspapers) reported last year [25] that UK lamp posts were becoming the subject of expensive legal battles, over “who can charge what” for mounting 5G booster cell-antennae on them. Cash-strapped Local Councils had hoped to profit from such charges to telecom companies. These companies have taken local governments to court to block those charges. The USA provides a cautionary tale in this respect: nearly 25 years ago national legislation there took local authorities completely out of the telecommunications regulatory system, leaving local 5G installation and similar decisions entirely in the hands of central authorities – i.e. the Federal Communications Commission (FCC) [6].

Equally inconsistently described in writings about 5G is the complex set of special signal modulations, pulses, polarization, phased arrays, and novel equipment designs --e.g. “massive MIMO (multiple input and multiple output) antennas” -- which represent the cutting edge technologies that accompany 5G system installation – many of them proprietary. As some commentators on potential health effects from such exposures have pointed out, it is highly likely that each of these many forms of transmission causes somewhat different biological effects – making sound, comprehensive and up-to-date research on those effects virtually impossible [5-7,26,27].

In short, “5G systems” is not a consistently defined term. This confusion has not helped clarify the health and safety issues surrounding 5G rollouts internationally.

## **2. An Emerging Preponderance of Laboratory Studies Indicating RF-EMFs’ Disruptive Biological Effects – With Many Knowledge Gaps**

The lack of a consistent definition of “5G” matters enormously. This is clearly demonstrated in a sophisticated recent review of the laboratory-science evidence of RF-EMF effects in diverse biological systems [26]. That review shows that the existing scientific literature on the biological effects of more recently developed technology is quite limited, in that there is *hardly any study replication* – the hallmark of reliable research. We often have only one extant study of any given biological effect of a specified combination of radiofrequencies, modulation and pulse patterns, etc. The literature that does exist identifies remarkably *heterogeneous biological effects*, across hundreds of such specific RF-EMF exposure patterns. Furthermore, a comprehensive Canadian review of the same evidence states that some of the new RF-EMF technologies – such as innovations in radio-frequency “pulsing,” “polarisation” and “modulation” – are so new that biological scientists have not been

able to keep up: i.e. no studies yet exist of these new technologies' biological effects [27].

These recent reviews of laboratory (i.e. non-epidemiological) studies of the biological effects of RF-EMFs do identify diverse, multi-body-system effects, operating by a range of physico-chemical pathways which are *not* mediated by thermogenesis [6, 8,26,27]. The reviewers document a growing body of evidence that RF-EMF exposures produce effects spanning reproductive/teratogenic, oncological, neuropsychiatric, skin, eye, and immunological body systems. In addition, there are many fundamental effects at the sub-cellular level, in terms of oxidation, DNA alteration, gene expression, and bacterial antibiotic resistance. Particularly striking is a 2018 study from Israel documenting the capacity of the sweat ducts in human skin to act as “helical antennae” receptive to 5G frequencies of RF-EMF. When sweat ducts are exposed to these RF-EMFs, there are remote systemic effects, through the skin's established capacity to secrete and send hormones and other signals to the entire body [28]. This report alters one's sense of the potential risks from such high-frequency waves, since they have long been thought to be “inherently less dangerous”, because they are largely absorbed in the top few millimetres of exposed tissue (thus limiting any adverse effects, in theory, to the skin or eye).

Finally, it is instructive to look at the two widely cited NIH toxicological studies of specific EMFs' effects on thousands of rodents [29,30], conducted by experienced and highly respected laboratory scientists at a world-leading institution. Since their publication in 2018, epidemiologists and other scientists have pointed out several methodological weaknesses in the conduct and analysis of these studies that make their unequivocal interpretation almost impossible, particularly in terms of their relevance to human health: excessive statistical inference testing of multiple (over 1000) hypotheses, without appropriate adjustment of p-values considered “statistically significant”; reporting of results “often ignoring statistical tests”; failure to explain major internal inconsistencies of findings across EMF doses, tumour types and rodent sexes; use of experimental EMF exposures far in excess of any known human ones; uncontrolled confounding by direct thermogenesis effects – the list goes on [31,32].

In short, laboratory studies of EMF exposure are fraught with both internal and external validity issues, and cannot replace high-quality human epidemiological studies – though, as we will now discuss, these are also hard to come by.

### **3. Lack of Conclusive Human Epidemiological Studies of 5G-Specific Health Effects (but increasing epidemiological evidence of serious health effects from previous generations of RF-EMF exposures)**

Canada's most senior cancer epidemiologist, Prof Anthony Miller, and his colleagues have last year summarised the human epidemiological evidence [33] linking human breast and brain tumours, male reproductive outcomes, and child neuro-developmental conditions to RF-EMF exposures resulting from the use of *past*

*generations* of transmission systems. Critically, this evidence is *not* about exposure to the high radiofrequency/short wavelength 5G systems. These systems are too newly deployed to have been extensively studied, especially by the highest-quality epidemiological study designs for establishing evidence of causation: prospective cohort studies. Such studies typically require decades of follow-up to detect delayed health effects, such as most cancers.

Miller et al. find compelling evidence of carcinogenesis, especially in the brain and acoustic nerve, as well as the breast, from strong RF-EMF exposures to previous generations of mobile phone transmissions. Perhaps the most convincing evidence they cite comes from the oldest and most-often-maligned study design – case reports. While admittedly old-fashioned, case reports can, when they involve *pathognomonic* effects (i.e. pathological features absolutely specific to a particular exposure) provide useful evidence of *exposure/outcome specificity* – a valuable but often unobtainable epidemiological criterion for inferring causation, according to the standard epidemiological criteria first enunciated by Sir Austin Bradford Hill over 50 years ago [34, 35]. Strikingly localised breast tumours, of unusual morphology, have been diagnosed in several women with particularly strong exposures to previous generations of mobile phones: they habitually placed their phones in their bras, on the same side of the body where the tumour has developed. Miller et al. call for an urgent update of the last (2011) review of EMFs and cancer by the International Agency for Research on Cancer [13]. They predict that such an update would now rate RF-EMFs as, at minimum, “probable” (not merely “possible” as in 2011) carcinogens, based on current evidence.

#### **4. Persistent Allegations of Unscientific Bases for Existing Health Protection Guidelines on RF-EMFs and Unmanaged Conflicts of Interest on Expert Advisory Panels**

A senior epidemiologist from Sweden, Prof Lennart Hardell, has repeatedly published in peer-reviewed journals detailed allegations regarding the main WHO scientific advisory body on EMF health effects and safety – the previously mentioned ICNIRP. Hardell et al. contend that ICNIRP’s membership includes over-representation of vested interests, especially the giant multi-national telecommunications firms who are heavily invested in the rollout of 5G systems internationally [36,37]. ICNIRP has long been influential in EMF regulation: its scientific recommendations to WHO were first issued in 1998, updated in 2009, and revised and updated again in March 2020 [15]. Hardell points out that ICNIRP’s pro-industry bias may explain its continued *reliance only upon studies of the thermogenic (heat-producing) effect of RF-EMFs in biological tissues: these studies would be expected to paint an overly benign picture of RF-EMF safety*. This narrow ICNIRP focus flies in the face of published reviews by independent scientists (6,8,13,26,27) citing compelling research evidence, accumulating steadily over the last few decades, of non-thermogenic adverse effects of RF-EMFs, affecting diverse human and animal sub-cellular function, tissues and organ systems (see above). In detailed, almost lawyer-like publications [36,37], Hardell et al fastidiously document the ICNIRP’s twenty years of dogged defiance, in the face of widespread criticism by



other scientists, that the scientific base for their recommendations remains dated and narrow, rendering their guidelines on “safe” RF-EMF exposure unsafe.

The most damning evidence adduced by Hardell et al. is a table of the cross-appointments held by six members of the WHO Monograph Group, across five major international advisory panels on the health effects of non-ionizing radiation [36 – page 408]. Hardell et al. also describe these scientists’ strong personal links to the telecommunications industry, a situation likely arising from the fact that the ICNIRP itself is a “private organisation (NGO) based in Germany. New expert members can only be elected by members of ICNIRP.” Hardell et al. contrast the ICNIRP’s reports to the publications of the “BioInitiative 2012” group, of nearly 30 international experts in this field, whose operations are not only wholly independent of any such “vested interests,” but also entirely transparent. The current version (March 2020) of the BioInitiative 2012 website [38] provides detailed descriptions of 988 peer-reviewed scientific studies of adverse potential health and biological effects of EMFs arising from RF and similar non-ionizing sources. The vast majority (84.6%) of these 988 studies document disruptive biological effects from such EMFs, almost all of them operating via non-thermogenic pathways. [This writer would have preferred to see more “critical appraisal” of the quality of the studies than the BioInitiative 2012 website provides. However, the major effort entailed in assembling this massive body of scientific evidence, and updating it regularly since 2012, is impressive.]

Finally, Carpenter has recently published a well-researched analysis of how source of funding correlates with study findings, across many peer-reviewed publications over the last few decades, of the relationship between various kinds of EMF exposure and several cancers [39]. He shows convincingly that studies funded by private sector entities, with strong vested interests in the sources of EMFs under study, tend to find no association – whereas studies funded by public-sector or independent sources find the opposite. As Carpenter points out, this suggests that many systematic reviews and meta-analyses in this field, having failed to correct for this “source of funding bias,” likely underestimated the evidence for causation.

## **CONCLUSIONS AND RECOMMENDATION**

In assessing causal evidence in environmental epidemiology, Bradford Hill himself pointed out that “the whole picture matters;” he argued against prioritising any subset of his famous nine criteria for causation. One’s overall assessment of the likelihood that an exposure causes a health condition should take into account a wide variety of evidence, including “biological plausibility” [34,35]. After reviewing the evidence cited above, the writer, an experienced physician-epidemiologist, is convinced that RF-EMFs may well have serious human health effects. While there is also increasing scientific evidence for RF-EMF effects of ecological concern in other species [6-8,16-18,23], both plant and animal, these have not been reviewed here, for reasons of space and the author’s disciplinary limitations. In addition, there is convincing evidence, cited above, that several nations’ regulatory apparatus, for

telecommunications innovations such as the 5G rollout, is not fit for purpose. Indeed, significant elements in that apparatus appear to have been captured by vested interests. Every society's public health – and especially the health of those most likely to be susceptible to the hazard in question (in the case of EMFs, children and pregnant women) -- needs to be protected by evidence-based regulations, free from significant bias.

Finally, this commentary would be remiss if it did not mention a widely circulating conspiracy theory, suggesting that 5G and related EMF exposures somehow contributed to the creation or spread of the current COVID-19 pandemic. There are knowledgeable commentators' reports on the web debunking this theory, and no respectable scientist or publication has backed it [40,41]. Indeed, combatting it is widely viewed by the scientific community as critical to dealing with the pandemic, as conspiracy theorists holding this view have already carried out violent attacks on mobile phone transmission facilities and other symbolic targets, distracting the public and authorities at a time when pandemic control actions are paramount [42]. This writer completely supports that view of the broader scientific community: the theory that 5G and related EMFs have contributed to the pandemic is baseless.

It follows that, for the current 5G roll-out, there is a sound basis for invoking “the precautionary principle [43].” This is the environmental and occupation health principle by which significant doubt about the safety of a new and potentially widespread human exposure should be a reason to call a moratorium on that exposure, pending adequate scientific investigation of its suspected adverse health effects. In short, one should “err on the side of caution.” In the case of 5G transmission systems, there is no compelling public health or safety rationale for their rapid deployment. The main gains being promised are either economic (for some parties only, not necessarily with widely distributed financial benefits across the population) or related to increased consumer convenience. Until we know more about what we are getting into, from a health and ecological point of view, those putative gains need to wait.

## REFERENCES

1. Scottish Government. 5G: Strategy for Scotland.  
<https://www.gov.scot/publications/forging-digital-future-5g-strategy-scotland/>  
(Accessed Oct. 8, 2020).
2. Negreiro M. Towards a European Gigabit Society: Connectivity Targets and 5G. European Parliament Research Service (EPRS)/ Brussels, European Parliament, June 2017.  
[https://www.europarl.europa.eu/RegData/etudes/BRIE/2017/603979/EPRS\\_BRI\(2017\)603979\\_EN.pdf](https://www.europarl.europa.eu/RegData/etudes/BRIE/2017/603979/EPRS_BRI(2017)603979_EN.pdf) (Accessed Oct. 8, 2020)
3. Directorate-General for Internal Policies, European Parliament. 5G Deployment: State of Play in Europe, USA and Asia. Brussels: European Parliament, April 2019.  
[https://www.europarl.europa.eu/RegData/etudes/IDAN/2019/631060/IPOL\\_IDA\(2019\)631060\\_EN.pdf](https://www.europarl.europa.eu/RegData/etudes/IDAN/2019/631060/IPOL_IDA(2019)631060_EN.pdf) (Accessed Oct. 8, 2020)
4. Nordrum, Amy; Clark, Kristen (January 27, 2017). Everything you need to know about 5G. *IEEE Spectrum Magazine*. Institute of Electrical and Electronic Engineers. Archived from the original on January 20, 2019.  
<https://www.fitce.gr/everything-need-know-5g/> (Accessed Oct. 8, 2020.)
5. Karaboytscheva M. Effects of 5G Wireless Communication on Human Health. European Parliament Research Service (EPRS)/ Brussels, European Parliament, March 2020.  
[https://europarl.europa.eu/RegData/etudes/BRIE/2020/646172/EPRS\\_BRI\(2020\)646172\\_EN.pdf](https://europarl.europa.eu/RegData/etudes/BRIE/2020/646172/EPRS_BRI(2020)646172_EN.pdf) (Accessed Oct. 8, 2020)
6. Russell CL. 5G wireless communication expansion: Public health and environmental implications. *Environ Res* 2018; 165:484-95. Available at:  
<https://pubmed.ncbi.nlm.nih.gov/29655646/> (Accessed Oct. 8, 2020)
7. Moskowitz JM. We have no reason to believe 5G is safe. *Scientific American* blogs, Oct. 17. 2019. Available at:  
<https://blogs.scientificamerican.com/observations/we-have-no-reason-to-believe-5g-is-safe/> (Accessed Oct. 8, 2020)
8. Di Ciaula A. Towards 5G communication systems: Are there health implications? *International Journal of Hygiene and Environmental Health* 2018; 221(3): 367-375.
9. Vodafone UK. Is 5G Safe? Available at:  
<https://newscentre.vodafone.co.uk/5g/is-5g-safe/> (Accessed March 24, 2020)
10. Foster KR. 5G Is Coming: How Worried Should We Be about the Health Risks? So far, at least, there's little evidence of danger. *Scientific American* blogs, Sept. 16, 2019. Available at: <https://blogs.scientificamerican.com/observations/5g-is-coming-how-worried-should-we-be-about-the-health-risks/?print=true> (Accessed March 24, 2020).
11. Powerwatch UK. Radiofrequency EMFs and Health Risks. . Available at:  
<https://www.powerwatch.org.uk/library/downloads/rf-emfs-1-intro-2018-11.pdf>.  
(Accessed Oct. 8, 2020).
12. AGNIR. Health effects from radiofrequency electromagnetic fields. Report from the Independent Advisory Group on Non-Ionising Radiation. In: Documents of the

- Health Protection Agency R, Chemical and Environmental Hazards. RCE 20. London: Health Protection Agency UK 2012: 1-348.
13. International Agency for Research on Cancer. Non-ionizing Radiation, Part 2: Radiofrequency Electromagnetic Fields. IARC Monographs on the evaluation of carcinogenetic risks to humans, Volume 102. Lyon, France: IARC 2013: 1-460.
  14. SCENIHR [Scientific Committee on Emerging and Newly Identified Health Risks]: Potential Health Risks of Exposure to Electromagnetic Fields [EMF]. Luxembourg: European Commission 2015:1-288. doi: 10.2772/75635 Available at: [https://ec.europa.eu/health/sites/health/files/scientific\\_committees/emerging/docs/scenihr\\_o\\_041.pdf](https://ec.europa.eu/health/sites/health/files/scientific_committees/emerging/docs/scenihr_o_041.pdf) (Accessed Oct. 8, 2020).
  15. International Commission on Non-Ionizing Radiation Protection (ICNIRP). ICNIRP RF EMF Guidelines 2020. Oberschleissheim, Germany: ICNIRP, March 2020: 1-44. Available at: <https://www.icnirp.org/en/activities/news/news-article/rf-guidelines-2020-published.html> (Accessed Oct. 8, 2020).
  16. Bandara P, Carpenter DO. Planetary electromagnetic pollution: it is time to assess its impact. *Lancet* 2018; 2: e512-514.
  17. Pall ML. 5G risks 8 types of harm. <https://www.radiationresearch.org/articles/5g-risks-8-types-of-harm-martin-pall-2018/> (Accessed Oct. 9, 2020)
  18. International EMF Scientists Appeal statement, updated April 23, 2020. Available at: <https://www.emfscientist.org/> (Accessed Oct. 8, 2020).
  19. Carpenter DO et al. 2012. Open letter about the risks of the intensively pulsed EMFs from “smart meters”: Available at: <https://www.saferemr.com/2015/02/health-experts-caution-about-smart.html> (Accessed Oct. 8, 2020).
  20. International Appeal: Stop 5G on Earth and in Space: <https://www.5gspaceappeal.org/> (Accessed Oct. 8, 2020).
  21. Physicians for Safe Technology. <https://mdsafetech.org/2019/04/28/stop-5g-may-15-2019-day-of-action/> (Accessed Oct. 8, 2020).
  22. Powerwatch UK. International Guidance Levels. Available at: <https://www.powerwatch.org.uk/science/intguidance.asp> (Accessed Oct. 8, 2020).
  23. Physicians’ Health Initiative for Radiation and Environment (PHIRE). Safety Limits and Political Conflicts of Interest. Available at: <http://phiremedical.org/safety-limits-and-political-conflicts-of-interest/> (Accessed Oct.8, 2020).
  24. Zieszczyński, Darius. Response to blog “5G Misinformation campaign by the Mobile and Wireless Forum”, posted Sept. 12, 2019 – Available at: <https://betweenrockandhardplace.wordpress.com/2019/09/12/5g-misinformation-campaign-by-the-mobile-wireless-forum-mwff/> (Accessed Oct. 8, 2020)..
  25. Weaver M. Revealed: 5G rollout is being stalled by rows over lampposts. *The Guardian*, Sunday May 19, 2019. Available at: <https://www.theguardian.com/technology/2019/may/19/revealed-5g-rollout-is-being-stalled-by-rows-over-lampposts> (Accessed Oct. 12, 2020).

26. Simko M, Mattson M-O. 5G wireless communication and health effects -- a pragmatic review based on available studies. *Internat J Environ Res and Public Health* 2019; 16:3406-28. Doi:10.3390/ijerph16183406.
27. Kostoff RN, Heroux P, Aschner M, Tatsakis A. Adverse health effects of 5G mobile networking technology under real-life conditions. *Toxicology Letters* 2020; 323 (May 1): 35-40. Available at: <https://doi.org/10.1016/j.toxlet.2020.01.020>. (Accessed March 23, 2020).
28. Betzalel N, Ben Ishai P, Feldman Y. The human skin as a sub-THz receiver – Does 5G pose a danger to it or not? *Environ Res* 2018; 163: 208-216. doi: 10.1016/j.envres.2018.01.032.
29. National Toxicological Programme. NTP Technical Report on the Toxicology and Carcinogenesis Studies in Sprague Dawley Rats Exposed to Whole-Body Radio Frequency Radiation at a Frequency (900 MHz) and Modulations (GSM And CDMA) Used by Cell Phones [NTP 595] Bethesda: National Institutes of Health/ Public Health Service, U.S. Department of Health and Human Services, Nov. 2018.
30. National Toxicological Programme. NTP Technical Report on the Toxicology and Carcinogenesis Studies in B6C3F1/N Mice Exposed to Whole-Body Radio Frequency Radiation at a Frequency (1,900 MHz) and Modulations (GSM And CDMA) Used by Cell Phones [NTP 596]. Bethesda: National Institutes of Health/ Public Health Service, U.S. Department of Health and Human Services, Nov. 2018.
31. ICNIRP. Critical evaluation of two radiofrequency EMF animal carcinogenicity studies published in 2018. *Health Physics* 2020; 118(5): 525-32.
32. Elwood JM, Wood AW. Animal studies of exposures to radiofrequency fields. *New Zealand Medical Journal* 2019; 132: 98-100.
33. Miller AB, Sears ME, Morgan LL, Davis DL, Hardell L, Oremus M and Soskolne CL. Risks to health and well-being from radio-frequency radiation emitted by cell phones and other wireless devices. *Front Public Health* 2019; 7[223]1-10. doi: 10.3389/fpubh.2019.00223. Available at: <https://www.frontiersin.org/articles/10.3389/fpubh.2019.00223/full> (Accessed on Oct. 9, 2020).
34. Bradford Hill A. The environment and disease: Association or causation? *Proc R Soc Med* 1965; 58:295-300.
35. Carlberg M, Hardell L. Evaluation of mobile and cordless phone use and glioma risk using the Bradford Hill viewpoints from 1965 on association or causation. *BioMed Res Int* 2017; 9218486.
36. Hardell L. World Health Organization, radiofrequency radiation, and health – a hard nut to crack. *Internat J Oncology* 2017; 51:405-13.
37. Hardell L, Nyberg H. Appeals that matter or not on a moratorium on the deployment of fifth, 5G, for microwave radiation. *Molecular and Clinical Oncology* 2020; 12:247-57. DOI: 10.3892/mco2020.1984.
38. BioInitiative 2012 (updated 2017 and 2019). A Rationale for Biologically Based Exposure Standards for Low-Intensity Electromagnetic Radiation. Available at: <https://bioinitiative.org/updated-research-summaries/> (Accessed March 24, 2020).

39. Carpenter DO. Extremely low frequency electromagnetic fields and cancer: How source of funding affects results. *Environmental Health* 2019;178:108688 (p 1-7).
40. Lewis K. Full Fact. 2020 Mar 31. 5G is not accelerating the spread of the new coronavirus. Available at: <https://fullfact.org/health/5G-not-accelerating-coronavirus/> (Accessed Oct. 12. 2020).
41. Shanapinda S. The Conversation. 2020 Apr 07. No, 5G radiation doesn't cause or spread the coronavirus. Saying it does is destructive. Available at: <https://tinyurl.com/uppng7w> <https://theconversation.com/no-5g-radiation-doesnt-cause-or-spread-the-coronavirus-saying-it-does-is-destructive-135695> (Accessed Oct. 12, 2020).
42. Waterson J, Hern A. The Guardian. 2020 Apr 06. At least 20 UK phone masts vandalised over false 5G coronavirus claims. Available at: <https://www.theguardian.com/technology/2020/apr/06/at-least-20-uk-phone-masts-vandalised-over-false-5g-coronavirus-claims> (Accessed Oct. 12, 2020).  
. Reducing Risks, Protecting People :HSE's Decision-Making Process. London: Health and Safety Executive 2001:1-88. Available from: <https://www.hse.gov.uk/risk/theory/r2p2.pdf> (Accessed Oct. 9, 2020).