



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

## The contribution of leisure center usage to physical activity in the United Kingdom

**Citation for published version:**

Hanson, CL, Kelly, P, Neubeck, L, Bell, J, Gibb, H & Jin, K 2021, 'The contribution of leisure center usage to physical activity in the United Kingdom: Evidence from a large population-based cohort', *Journal of Physical Activity and Health*, vol. 18, no. 4, pp. 382-390. <https://doi.org/10.1123/jpah.2020-0422>

**Digital Object Identifier (DOI):**

[10.1123/jpah.2020-0422](https://doi.org/10.1123/jpah.2020-0422)

**Link:**

[Link to publication record in Edinburgh Research Explorer](#)

**Document Version:**

Peer reviewed version

**Published In:**

Journal of Physical Activity and Health

**Publisher Rights Statement:**

Accepted author manuscript version reprinted, by permission, from Journal of Physical Activity and Health, 2021, 18 (4): pp. 382-390, <https://doi.org/10.1123/jpah.2020-0422>. © Human Kinetics, Inc.

**General rights**

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

**Take down policy**

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact [openaccess@ed.ac.uk](mailto:openaccess@ed.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.



**The contribution of local authority leisure provision to physical activity in the UK:  
evidence from a large population-based cohort**  
***Running head: Leisure centre use and physical activity levels***

Coral L Hanson<sup>1\*</sup>, Paul Kelly<sup>2</sup>, Lis Neubeck<sup>1,3</sup>, Jordan Bell<sup>1,4</sup>, Holly Gibb<sup>5</sup>, Kai Jin<sup>6</sup>

<sup>1</sup> School of Health and Social Care, Edinburgh Napier University, Edinburgh, EH11 4DN, UK.

Email: [c.hanson@napier.ac.uk](mailto:c.hanson@napier.ac.uk)

<sup>2</sup> Physical Activity for Health Research Centre, Institute for Sport, Physical Education and Health Sciences, University of Edinburgh, Edinburgh, EH8 8AQ UK

<sup>3</sup> Charles Perkins Centre, University of Sydney, Sydney, 2006, Australia

<sup>4</sup> Active Northumberland, Blyth Sports Centre, Bolam Park, Blyth, Northumberland, NE24 5BT, UK

<sup>5</sup> Airdrie Academy, South Commonhead Avenue, Airdrie, ML6 6NX, UK

<sup>6</sup> Centre for Medical Informatics, University of Edinburgh, Edinburgh, EH16 4UX, UK

**Email addresses:**

Paul Kelly: [p.kelly@ed.ac.uk](mailto:p.kelly@ed.ac.uk), Lis Neubeck: [l.neubeck@napier.ac.uk](mailto:l.neubeck@napier.ac.uk), Jordan Bell:

[Jordan.bell@napier.ac.uk](mailto:Jordan.bell@napier.ac.uk), Holly Gibb [hollygibb11@icloud.com](mailto:hollygibb11@icloud.com), Kai Jin: [kjin@exseed.ed.ac.uk](mailto:kjin@exseed.ed.ac.uk)

**Word Count:** 4,994

**Key words:** Public health, Exercise, Community-based research, Gender

**1 The contribution of local authority leisure provision to physical activity in the UK:**

**2 evidence from a large population-based cohort**

**3 Abstract**

4 **Background:** Physical activity (PA) levels vary across specific population groups,  
5 contributing to health inequalities. Little is known about how local authority leisure centres  
6 contribute to population PA, and whether this differs by age, sex or socioeconomic group.

7 **Methods:** We calculated weekly leisure centre-based moderate/vigorous PA for 20,904  
8 registered adult users of local authority leisure facilities in Northumberland, U.K., between  
9 July 2018-June 2019, using administrative data. We categorised activity levels (<30  
10 minutes/week, 30-149 minutes/week and 150+ minutes/week) and used ordinal regression to  
11 examine predictors for activity category achieved.

12 **Results:** Registered users were mainly female (58.7%), younger (23.9% aged 18-29 years  
13 versus 10.1% aged 70+ years) and from the two most affluent socio-economic quintiles  
14 (53.7%). Median weekly moderate/vigorous leisure centre-based activity was 55 (IQR 30-  
15 99) minutes/week. Being female (OR: 2.09, 95% CI: 1.95-2.35), older (OR: 1.14, 95% CI:  
16 1.11-1.16), and using a large facility (OR: 1.21, 95% CI: 1.03-1.42) were positive predictors  
17 of leisure centre-based PA.

18 **Conclusion:** Older adults and females were more likely to be active and achieve  
19 recommended PA levels through centre usage. Widespread use of this novel measure of  
20 leisure centre-based activity would improve understanding of how local authority leisure  
21 centres can address physical inactivity and associated inequalities.

22

## **23 1 Background**

24 Physical inactivity causes 9% of premature death globally.<sup>1</sup> Achieving recommended levels  
25 of physical activity (PA) is associated with risk reductions of 35% in cardiovascular mortality  
26 and 33% in all-cause mortality,<sup>2</sup> 30% in diabetes,<sup>3</sup> 20-40% in breast cancer<sup>4</sup> and 20-30% in  
27 colon cancer.<sup>5</sup> Additionally, regular PA promotes social interactions and social equity,<sup>6,7</sup> and  
28 is positively associated with mental health.<sup>8</sup> Therefore, the World Health Organisation  
29 identifies increasing population levels of PA as a public health priority.<sup>9</sup>

30 Progress to improve PA has been slow; globally 1 in 4 adults do not currently meet the  
31 recommended  $\geq 150$  minutes of weekly moderate or 75 minutes of vigorous PA, or a  
32 combination of both.<sup>10</sup> United Kingdom (UK) PA levels for adults are broadly similar to  
33 other European countries such as Sweden and Spain,<sup>11</sup> however, in 2019 36.7% of adults  
34 aged over 18 years in England failed to meet World Health Organisation recommendations  
35 for PA,<sup>12</sup> putting them at a significantly greater risk of cardiovascular disease, and premature  
36 mortality.<sup>13</sup> By 2030, it is estimated that the UK population will be 35% less active if current  
37 trends continue.<sup>14</sup> PA levels are strongly influenced by demographics such as age and sex.<sup>13</sup>  
38 In England, 63.3% of the population were estimated to be sufficiently active in 2018-19, with  
39 men more likely to report being active than women (65% and 61% respectively). Activity  
40 levels decrease with age (70% of 16-34 year olds report being physically active compared to  
41 40% of those aged 75 and over).<sup>15</sup> Additionally, those people who are in managerial,  
42 administrative and professionals occupations are more likely to be active compared to those  
43 who are long-term unemployed or have never worked (72% and 54% respectively).<sup>15</sup>  
44 Occupation is a common indicator of socioeconomic status; therefore it is likely that these  
45 data indicate that less affluent people are less active.

46 In more economically developed countries, like the UK, leisure time PA (LTPA) is an  
47 important sub-domain of PA, which is associated with significant protection against heart  
48 disease,<sup>16</sup> and a reduction in all-cause mortality.<sup>17,18</sup> For these countries, a greater  
49 understanding of LTPA at a local/regional level is important to help plan potential solutions  
50 to increase population levels of PA and address inequalities in PA. One potential source of  
51 LTPA data is that collected routinely by fitness facilities about service usage, but there are a  
52 lack of studies examining these data to investigate whether demographic factors affect  
53 attendance, and the contribution of fitness facility usage to population PA levels.

54 In 2018 in the UK, the fitness industry consisted of 7,239 facilities, of which 4,510 (62.3%)  
55 were privately owned and 2,729 (37.7%) are publically owned.<sup>19</sup> In this study, privately  
56 owned refers to privately owned facilities with a gym and/or fitness class studio. Publically  
57 owned refers to any leisure centres/facilities owned by local authorities with a gym and/or  
58 fitness class studio. Both private and publically owned sites may also offer additional  
59 facilities such as a swimming pool and/or sports facilities such as indoor sports halls or tennis  
60 courts. All facilities offer monthly paid membership options, but local authority owned sites  
61 more likely to offer pay-as-you-go options, where participants pay for an activity at the point  
62 of booking. Typically, they also offer reduced cost options to those for whom cost may be a  
63 barrier to access (e.g. those living in areas of deprivation, those with disabilities etc.). Studies  
64 have demonstrated that the provision of free local authority owned leisure centre usage is  
65 associated with increased usage both for the whole population,<sup>20</sup> and those living in areas of  
66 deprivation,<sup>20 21</sup> but have not attempted to objectively measure the amount of LTPA  
67 undertaken. This study aimed to estimate the contribution of local authority owned leisure  
68 centre usage to population levels of LTPA by using a large anonymised routine service-use  
69 dataset.

**70    2    Methods**

71    This study examined the contribution of local authority leisure centre provision to PA in a  
72    large population-based cohort in Northumberland, UK. Edinburgh Napier University School  
73    of Health and Social Care Integrity Committee gave ethical approval for the secondary  
74    analysis of these anonymised data (REF: SHSC19023).

75    *2.1    Context*

76    Northumberland is the largest unitary authority by area (5,013km<sup>2</sup>) and the least densely  
77    populated (62 people per km<sup>2</sup>) county in England. The population is 319,030 and is 98.4%  
78    white.<sup>22</sup> Compared to the rest of England, health in the county is mixed. Life expectancy for  
79    women is lower than the national average. Male life expectancy varies by 10.2 years and  
80    female by 8.8 years between the most and least deprived areas of the county.<sup>23</sup> The 2019  
81    Sport England Active Lives Survey indicates that 67.7% (95% CI 62.3%-72.6%) of  
82    Northumberland adults achieve the UK physical activity guidelines compared to 63.3%  
83    nationally, while 20.9% (95% CI 16.9%-25.6%) are inactive (doing less than 30 minutes of  
84    PA per week).<sup>15</sup>

85    *2.2    Study setting and dataset*

86    We performed a retrospective analysis of leisure centre usage by extracting anonymised data  
87    from Active Northumberland, a charitable leisure trust that has operated local authority  
88    leisure facilities and delivered associated services to all residents on behalf of  
89    Northumberland local authority since 2013. The trust managed 17 leisure sites across  
90    Northumberland, nine large leisure centres with swimming pools and eight smaller sites; four  
91    school shared used sites (one with a pool) one leisure centre without a pool and three  
92    community sites. No leading UK private fitness industry provider with multiple facilities (e.g.

93 Pure Gym, The Gym Group, Anytime fitness) operated in the county, although we identified  
94 28 independent fitness facilities (one site businesses) and 3 hotel-based gyms via internet  
95 searching.

96 Leisure centre usage data such as the date, type and length of activity were tracked via the  
97 front desk system (FDS), Gladstone MRM (Gladstone Ltd, Oxford, U.K.), which provided  
98 objective, detailed user information about who used the facilities and what/how much LTPA  
99 they undertook. Customers could choose whether to register socio-demographic details (age,  
100 sex, and postcode) during first use. Ethnicity and disability data were not recorded.  
101 Registered users had each activity recorded via a swipe card or an online booking. They  
102 could either take out a pre-paid/monthly membership (fees paid annually or 6-monthly in  
103 advance, or by a monthly direct debit) allowing unlimited use of gym, fitness class and  
104 swimming pools, or access the centres on a pay-as-you-go basis (activity fees paid  
105 individually at the time of booking). To ensure anonymity for the study, the trust used look-  
106 up tables<sup>24</sup> to classify customer postcodes by index of multiple deprivation (IMD) quintile  
107 (representing social economic status at area level, with quintile group 5 being the least  
108 deprived group and quintile group 1 the most deprived groups).<sup>25</sup> Additionally, the trust  
109 replaced customer identification numbers with anonymous study ID numbers prior to data  
110 transfer.

111 Not registering socio-demographic details did not prevent leisure centre use. Non-registered  
112 users could access the leisure centres on a pay-as-you-go basis by paying for activities at  
113 leisure centre receptions. For this group, payments were not linked to an individual user but  
114 recorded as one generic 'non-member' user in the FDS. Price level settings ensured that only  
115 adult non-registered pay-as-you-go usage was extracted.

116 2.3 *Physical activity classification*

117 Prior to extraction, we conducted 2 scoping workshops with 4 leisure trust staff (chief  
118 executive, health and fitness lead, a centre-based fitness manager and an IT specialist) to  
119 establish the type and duration of activities available for adults. Further clarification of details  
120 took place via email and telephone with the fitness manager and the IT specialist over a 2-  
121 week period. We allocated each activity a Metabolic Equivalent of Task (MET) level using  
122 the Compendium of Physical Activities.<sup>26</sup> Individual activities were classed as either light (<  
123 3 METs), moderate (3.0-5.9 METs) or vigorous ( $\geq$  6 METs) intensity.<sup>27</sup> For example, we  
124 allocated studio cycling a MET value of 8.5 METs and classified it as vigorous activity. We  
125 determined activity duration based on timetabled duration of the activity, with the exception  
126 of gym and swimming. One leisure site utilised the Technogym MyWellness System  
127 (Technogym S.p.A, Cesena, Italy) and reported that 321 individuals had used the system to  
128 record their gym-based activity in a 30-day period (01/04/2019-30/04/2019). Leisure trust  
129 staff randomly selected and analysed the records of 160 (50%) of these users. The  
130 MyWellness system recorded the total amount of time spent using cardiovascular and  
131 strength machines (an objective measure of workout time). Median workout time for the  
132 group examined was 33.5 (IQR 20-48.75) minutes. We therefore estimated gym activity  
133 duration to be a conservative 30 minutes. It was not possible to measure swimming duration  
134 objectively; but we applied the same 30-minute workout time, based upon estimates from  
135 trust staff. The leisure trust integrated METs values, intensity classification and duration for  
136 each activity at the point of data extraction.

137 2.4 *Variables*

138 Our analysis included data for all users that were 18+ years of age between 01/07/2018 and  
139 30/06/2019. The final extract contained membership type (pre-paid/monthly member and



140 registered pay-as-you-go user, non-registered pay-as-you-go user), 10 year age group, sex  
141 (male, female), IMD quintile and leisure centre classification (small [limited opening times,  
142 e.g. only open after school hours, limited facilities e.g. with one of pool or gym or fitness  
143 studio] and large [all day opening, pool, gym, fitness classes]). It also included individual  
144 usage data: date, duration, intensity level and type of activity undertaken for every indoor  
145 leisure centre attendance. Individual activities were grouped into 5 main activity areas (gym,  
146 fitness classes, swimming, health referral and other activities).

147 We calculated the total number of attendances at light, moderate and vigorous activities, and  
148 the total duration of activities in each intensity category during the data extract period. Using  
149 the first and last usage dates for each user, we created a data field for the maximum number  
150 of weeks usage in the 1-year data period. We defined a new measure of leisure centre based  
151 LTPA based on the domain defined by Samitz, Egger and Zwahlen (2011) '*leisure time PA*  
152 '*recreational activities including callisthenics, dancing, walking, hiking, golf, bicycling,*  
153 '*swimming, games, exercise and sports*',<sup>17</sup> but limited to LTPA that took place in the leisure  
154 centres studied. The total weekly moderate/vigorous leisure centre-based LTPA per user was  
155 calculated using:

$$\frac{\text{Total duration of moderate activities} + 2(\text{total duration of vigorous activities})}{\text{Max number of weeks' usage in 1-year data period}}$$

158 We then classified all weekly moderate/vigorous leisure centre-based LTPA user scores by  
159 World Health Organisation PA category (<30 minutes/week, 30-149 minutes/week and 150+  
160 minutes/week).<sup>28</sup>

161 2.5 *Outcomes*

162 We examined descriptive participant characteristics for all registered users and compared  
163 registered user demographics with 2018 population estimates provided by Northumberland  
164 County Council intelligence team.<sup>29</sup> First, examined total usage/usage by main activity type  
165 for prepaid/monthly members, registered pay-as-you-go members and non-registered pay-as-  
166 you-go users. Where demographics were available, we also examined usage by gender. In the  
167 absence of any data about user numbers, we assumed that non-registered pay-as-you-go  
168 usage mirrored registered pay-as-you-go usage in terms of number of visits per person. We  
169 therefore calculated the mean number of attendances for registered pay-as-you-go users and  
170 divided the number of non-registered pay-as-you-go visits to give an estimate to number of  
171 non-registered pay-as-you-go users.

172 We examined average number of attendances, average length of usage (based on the  
173 maximum number of weeks usage data field), weekly moderate/vigorous leisure centre-based  
174 LTPA user scores, and categories of PA. Finally, we examined associations of demographic  
175 variables with PA categories achieved.

176 2.6 *Statistical analysis*

177 Descriptive analyses of baseline characteristics for registered users were performed using the  
178 Pearson  $\chi^2$  test for categorical variables (summarized as frequencies/percentages) and  
179 compared to adult Northumberland population estimates, 2018.<sup>29</sup> We examined data  
180 distribution for total attendance, participants' maximum usage period and weekly  
181 moderate/vigorous leisure centre-based LTPA scores using the Kolmogorov-Smirnov test and  
182 calculated median usage periods and LTPA scores for pre-paid/monthly and registered pay-  
183 as-you-go members. Ordinal regression models were utilized to evaluate the association

184 between demographic variables (sex, age groups, IMD quintiles, locations) and categorical  
185 weekly leisure-centre based PA (<30 minutes/week, 30-149 minutes/week and 150+  
186 minutes/week) for pre-paid/monthly members by using PA less than 30 minutes /week as the  
187 reference group. Subgroup analyses were stratified by sex. We chose ordinal regression  
188 models because PA categories were ranked from low to high, which is a natural ordering  
189 class. The proportional odds assumption for ordinal regression models were tested and not  
190 violated. Odds ratios (ORs) with 95% confidence intervals were reported. Two-sided P values  
191 for all tests were calculated with  $p < 0.05$  considered significant. All statistical analyses were  
192 performed using R version 3.5.1 (Free Software Foundation, Boston, USA).

### 193 **3 Results**

#### 194 *3.1 Registered participant characteristics*

195 In total, 20,904 registered users attended the leisure facility centres between 01/07/2018 and  
196 30/06/2019, representing 8.1% of the Northumberland adult population. Registered users  
197 were more likely to be female (58.7%), younger (23.9% of users were aged 18-29 years  
198 compared to 10.1% of those aged 70+ years) and from the two most affluent IMD quintiles  
199 (53.7%) (Table 1).

200 **INSERT** Table 1

#### 201 *3.2 Attendance and type of activity choices*

202 Users attended 1,085,037 activity sessions in the data period, with the most popular types  
203 being the gym (n=387,133, 35.7% of activities) and fitness classes (n=367,812, 33.9% of  
204 activities). The number of activities undertaken is not an indicator of the number of visits, as  
205 some users took part in multiple activities during visits, (e.g. used the gym and then went  
206 swimming). The majority of usage was by pre-paid/monthly members (75.8%) (Table 2).

207 **INSERT** Table 2

208 Overall, 24.2% of usage was on a pay-as-you-go basis. Non-registered pay-as-you-go usage  
209 (those with no details registered who paid for activities at the point of attendance) was an  
210 important component of this (16.9% of overall usage), being 2.3x higher than registered pay-  
211 as-you-go member usage (those with details registered who paid for activities at the time of  
212 booking) (7.3% of overall usage). For the non-registered group, the most popular activity was  
213 swimming (n=155,065, 84.5% of activities). The mean number of attendances per registered  
214 pay-as-you-go user was 10.6 (SD  $\pm$ 17.8). We presumed that non-registered pay-as-you-go  
215 users attended a similar number of times to registered pay-as-you-go members. As the total  
216 non-registered pay-as-you-go usage attendance of 183,440, we estimated there were 17,305  
217 (183,440/10.6) non-registered pay-as-you-go participants who used the leisure centres during  
218 the 1-year period, giving an estimated 38,159 adult leisure centre users (14.7% of the  
219 Northumberland population).

220 *3.3 Attendance and activity choices of registered users by sex*

221 Females accounted for 57.4% of all registered usage, with the most popular female activity  
222 being fitness classes (59.3% of female visits). This was consistent for both pre-paid/monthly  
223 members (58.6% of female visits) and registered pay-as-you-go users (66.3% of female  
224 visits). The most popular male activity was the gym (65.7% of visits). For male pre-  
225 paid/monthly members, the most popular activity was the gym (69.5% of male visits), while  
226 for registered pay-as-you-go users, other activities (5-a-side football, badminton, squash,  
227 table tennis) were the most popular choice (36.5% of male visits) (Table 3).

228 **INSERT** Table 3

229 *3.4 Overall attendance and maximum weeks usage for registered users*

230 The median number of attendances for registered users in the 1-year data period was 20 (IQR  
231 4.0-59.8) and the median number of weeks that participants used the leisure centres was 29  
232 (IQR 5.0-4.9). Pre-paid/monthly members attended more often (median 41.0 attendances,  
233 IQR 15.0-84.0) ( $p < 0.001$ ), over a longer period of time (median 44.0, weeks IQR 15.0-51.0  
234 weeks) (Table 4).

235 **INSERT** Table 4

236 As the median attendance and number of weeks usage for registered pay-as-you-go members  
237 was so short (4.0 weeks, IQR 1.0-25.0), in the following results we present a more detailed  
238 analysis for pre-paid/monthly members only.

239 *3.5 Weekly moderate/vigorous leisure centre-based LTPA for pre-paid/monthly members*

240 Median weekly moderate/vigorous leisure centre-based LTPA was 55 (IQR 30-99)  
241 minutes/week for pre-paid/monthly members. This equated to approximately 1/3 of the  
242 recommended 150 minutes of moderate/vigorous weekly PA. Some pre-paid/monthly  
243 members ( $n=1,729$ , 12.9%) achieved the World Health Organisation recommended levels of  
244 PA through leisure centre use alone. Females were more likely to achieve 150 minutes of  
245 moderate/vigorous PA by leisure centre use than males (18.9% vs 5.8%) (Table 5).

246 **INSERT** Table 5

247 Being female, older and attending a large leisure significantly increased the odds of achieving  
248 a higher category of PA (30-149 minutes and  $\geq 150$  minutes) compared with undertaking  $< 30$   
249 minutes of activity per week through leisure centre based activity. In the sex-stratified  
250 analysis, for both sexes being older and attending a large leisure centre significantly increased  
251 the odds of achieving a higher category of PA compared to undertaking  $< 30$  minutes of PA.  
252 Women living in deprived areas had increased odds of higher activity categories compared to

253 those in more affluent areas, but conversely, for men, living in a more affluent area decreased  
254 had decreased odds of achieving higher physical activity categories (Table 6).

255 **INSERT Table 6**

## 256 **4 Discussion**

### 257 *4.1 Main finding of this study*

258 In this large population-based study, our results demonstrated that the provision of local  
259 authority leisure centres contributed a median of 55 minutes (IQR 30-99) of  
260 moderate/vigorous LTPA per week to the recommended  $\geq 150$  minutes of moderate/vigorous  
261 PA per week. This means that local authority leisure centre members achieve approximately  
262 1/3 of the World Health Organisation recommended 150 minutes of moderate/vigorous  
263 weekly PA<sup>12</sup> through leisure centre use. This is an important contribution, which should be  
264 combined with encouragement for users to be active in other environments to achieve the  
265 recommended levels of PA. Importantly, our findings identified that being female, being  
266 older and attending a large leisure centre significantly increased the odds of achieving a  
267 higher category of physical activity (30-149 minutes and  $\geq 150$  minutes) compared with  
268 undertaking  $< 30$  minutes of activity per week through leisure centre based activity.

269 A positive finding of this study was that females were disproportionately more likely to  
270 engage in local authority leisure centre activity, reflecting UK public sector insight<sup>30</sup> and  
271 potentially addressing previously observed sex-based PA inequalities.<sup>31</sup> This is particularly  
272 important since 43% of activity inequality, as identified in a study of mobile telephone step  
273 data from 111 countries, was explained by sex.<sup>32</sup> Local authority leisure centres are therefore  
274 a potentially important intervention to encourage LTPA for women. From the activity data in  
275 our study, it is clear that female users preferred to take part in predominantly non-

276 competitive, group-based fitness activities (58.6% of all female member activity). Much  
277 research and policy has focused on understanding sex-based inequity in sport and  
278 encouraging female sports participation.<sup>33</sup> However, studies indicate that making physical  
279 education more enjoyable by increasing choice and offering a wide range of non-competitive  
280 activities leads to successful interventions to increase PA in girls.<sup>34</sup> Our results indicate that  
281 the availability of group fitness classes, which tend to be non-competitive and emphasise the  
282 fun element of PA, may be the reason why leisure centre-based LTPA appeals to women.  
283 Qualitative research is required to gain insight into female activity preferences in a leisure  
284 centre environment in order to develop more suitable activity options. In particular, studies  
285 are required to understand why the gym environment lacks appeal to many women and  
286 whether it is possible to address low-usage.

287 We identified that 8.1% of the Northumberland population were registered users of the local  
288 authority leisure centres and 65% of these (5.2% of Northumberland population) were  
289 prepaid/monthly members. We estimated that 14.7% of the adult Northumberland population  
290 accessed Northumberland local authority leisure centres in the year studied. The 2019 State  
291 of the U.K. Fitness Industry Report revealed that 15.6% of the U.K. adult population are now  
292 members of a gym.<sup>19</sup> In Northumberland, the 5.2% level of pre-paid/monthly memberships is  
293 similar to the U.K. national average of 5.1% with a membership at a publically owned  
294 facility. Unlike many other areas of the U.K., however, Northumberland has no multisite  
295 private fitness provider within the county. Nationally, small independent fitness facility  
296 operators account for only 20% of fitness memberships (3.1% of the U.K. population),<sup>19</sup>  
297 indicating that even if independent operators have expanded to fill some of the market  
298 occupied elsewhere by large gym chains, there is likely to be latent demand for fitness usage  
299 in Northumberland. The ability to ‘pay-as-you-go’ appears to be an important element of

300 local authority leisure provision in the county, accounting for 24.2% of use. This is one of the  
301 benefits of public sector provision, but better understanding of these users is required.

302 Registered pay-as-you-go members had a much shorter median usage period (4 weeks [IQR  
303 1.0-25.0]), making them a group to target for maintained engagement. There was also a large  
304 group of users where data are lacking (non-registered pay-as-you-go users). This group  
305 accounts for 16.9% of usage, but we were only able to estimate number of users and had no  
306 information about demographics. Due to a lack of comparable studies, we are unable to  
307 comment on whether this issue is specific to Northumberland. We encourage other providers  
308 to examine these data. Encouraging or incentivising this group to register details would  
309 increase understanding.

310 Our analysis indicated that, compared with the Northumberland population those who were  
311 older were less likely to use the local authority leisure centres, but where they did engage  
312 they were more likely to achieve the recommended PA levels<sup>12</sup> through leisure centre use  
313 than younger people. This highlights the potential for local authority leisure centres to  
314 increase PA for older populations if they can be encouraged to engage. Since  
315 Northumberland population projections indicate that 31% of residents will be over 65 by  
316 2031,<sup>35</sup> provision must be made appealing and accessible to those who are older. It is unclear  
317 why a large proportion of the older population in Northumberland do not currently access the  
318 local authority leisure centres, but it is possible that older people do not consider the facilities  
319 to be easily accessible, activities to be appropriate, or attended by others of a similar age, all  
320 factors rated as important among older adults.<sup>36</sup> Furthermore, a primary factor in encouraging  
321 older people to take part in PA is identified as being motivated by the social environment,<sup>37</sup>  
322 indicating that the social aspect of activities is likely to be an important element in future  
323 provision for older people. Finally, a previous evaluation of the exercise referral scheme in



324 Northumberland reported that this intervention was more successful in those aged over 55  
325 years,<sup>38</sup> suggesting that building on this type of programme may lead to increased access for  
326 those who are older.

327 We also reported that those from more deprived areas were less likely to access the local  
328 authority leisure centres. As those living in more deprived areas have potentially less  
329 disposable income, it is possible that price is a contributing barrier to access but we were  
330 unable to examine the effect of concession pricing, as in the period covered by the data  
331 extract the trust made changes to their concessionary access scheme. This was further  
332 complicated by the way that memberships were tagged in the FDS, with the term  
333 concessionary applied to any discounted membership, rather than just to those on low  
334 incomes or who were registered disabled. Pricing in the local authority leisure sector to  
335 encourage use by targeted groups is complex. Quantitative studies have reported that offering  
336 free memberships can increase participation,<sup>20 21 39 40</sup> but that if free use is removed, then  
337 usage is not always maintained.<sup>39</sup> Of interest, in the current study, the majority of exercise  
338 referral usage was on a pay-as-you go basis. Given that those who took out prepaid/monthly  
339 memberships used the centres for a much longer period, the leisure trust should explore how  
340 to encourage a move from pay-as-you-go to pre-paid/monthly membership for this group as it  
341 may have the potential to improve retention. A caveat for this must be that pricing strategies  
342 do not exclude those in who are in the lowest income brackets. Qualitative evidence indicates  
343 that navigating the competing pressures of providing services for public ‘good’ and  
344 remaining commercially viable makes pricing decisions difficult, and that pricing is only one  
345 barrier for accessing facilities.<sup>41</sup> While recognising the complexities, in the case of this  
346 leisure trust ensuring that concession pricing is clearly defined and accurately tagged within  
347 the FDS would enable future examination of the effect of pricing strategies.

348 4.2 *Strengths and weakness of this study*

349 The strength of this study is the novel analysis that used individual level data of attendance at  
350 local authority leisure centres over a one-year period and combined it with intensity levels of  
351 activities attended, to create a new measure of weekly leisure centre-based LTPA. This  
352 provides a more robust analysis than self-reported surveys as it can be done at large scale,  
353 and does not involve participant recall, thereby eliminating inaccurate memory, social  
354 desirability and direct prompting by questionnaires.<sup>42</sup> The measure is still subject to some  
355 estimation of actual LTPA achieved and does not account for weeks where holiday or illness  
356 are the reason for non-attendance. We are unaware of any previously published research that  
357 has attempted to quantify leisure centre-based activity in this way. FDS providers could  
358 integrate the method presented in this paper into the setup of FDSs and their associated  
359 reporting systems to allow for regular reporting of these type of data.

360 Measuring attendance using FDS data may be subject to error. Users may not swipe their  
361 membership card to record an activity when entering a facility. Additionally, they may  
362 choose to do another activity while onsite without booking, may leave an activity early or  
363 may book online and then decide not to attend the activity. Due to limitations on numbers in  
364 fitness classes, these are the most likely to be pre-booked and therefore most prone to error  
365 using our methodology. This trust had identified an issue with non-attendance at fitness  
366 classes after booking, but staff mitigated this to an extent by checking attendance due  
367 problems with waiting lists for sessions. Participant who booked 3 sessions and did not attend  
368 had booking privileges removed for 2 weeks. This will have reduced, but not eliminated  
369 potential problems with non-attendance.

370 4.3 *Implications of this study*

371 Leisure centre provision in Northumberland accounted for pre-paid/monthly members  
372 achieving 55 of the recommended 150 minutes of moderate/vigorous weekly PA for a median  
373 of 44 weeks per year. This is a valuable contribution, but leisure providers could also work  
374 with public health teams to develop and promote positive messages about PA outside leisure  
375 centre visits to ensure that users achieve sufficient PA to benefit health. Since the median  
376 period of usage for registered pay-as-you-go members was only 4 weeks, these users need  
377 targeting within a few weeks of their first usage with long-term membership offers that are  
378 accessible to all. Investment in attracting and retaining users from groups known to have the  
379 greatest PA inequalities (women, older people and those more deprived areas) can be an  
380 important population health approach.

381 Further qualitative research should attempt to understand what explains these findings, and  
382 how this information could be used to deliver more accessible and effective leisure centre  
383 provision. Given that this study examines data from only one area of England, future studies  
384 are required to understand if findings same or different globally.

385 **5 Conclusion**

386 Using this novel measure of local authority leisure centre attendance, we demonstrated that  
387 usage contributed a median of 55 minutes (IQR 30-99) of moderate/vigorous LTPA per week  
388 to the recommended  $\geq 150$  minutes of moderate/vigorous PA per week and that older adults  
389 and female participants were more likely to achieve the recommended PA levels. FDS  
390 providers could integrate the method into systems to provide industry-wide data, which  
391 would lead to an understanding of how publically and privately owned fitness facilities  
392 contribute to addressing physical activity inequalities.

393 **Acknowledgements** The authors thank Mark Tweedie and Amy Wegrzyn-Miller for their  
394 support in data collection and providing contextual information.

395 **Funding** This study had no external funding.

396 **Competing interests** JB is employed by Active Northumberland and was involved in  
397 providing information about the nature of activities and providing contextual information  
398 upon request when interpreting results.

### 399 **References**

- 400 1. Lee IM, Shiroma EJ, Lobelo F, Puska P, Blair SN, Katzmarzyk PT. Effect of physical  
401 inactivity on major non-communicable diseases worldwide: an analysis of burden of  
402 disease and life expectancy. *Lancet*. 2012;**380**(9838):219-229. doi: 10.1016/S0140-  
403 6736(12)61031-9
- 404 2. Nocon M, Hiemann T, Müller-Riemenschneider F, Thalau F, Roll S, Willich SN.  
405 Association of physical activity with all-cause and cardiovascular mortality: a  
406 systematic review and meta-analysis. *Eur J Cardiovasc Prev Rehabil*.  
407 2008;**15**(3):239-246. doi: 10.1097/HJR.0b013e3282f55e09
- 408 3. Jeon CY, Lokken RP, Hu FB, van Dam RM. Physical Activity of Moderate Intensity  
409 and Risk of Type 2 Diabetes: A systematic review. *Diabetes Care*. 2007;**30**(3):744-  
410 752. doi: 10.2337/dc06-1842
- 411 4. Schottenfeld D, Beebe-Dimmer JL, Buffler PA, Omenn GS. Current Perspective on  
412 the Global and United States Cancer Burden Attributable to Lifestyle and  
413 Environmental Risk Factors. *Annu Rev Public Health*. 2013;**34**(1):97-117. doi:  
414 10.1146/annurev-publhealth-031912-114350
- 415 5. Harriss DJ, Atkinson G, Batterham A, et al. Lifestyle factors and colorectal cancer  
416 risk (2): a systematic review and meta-analysis of associations with leisure-time

- 417 physical activity. *Colorectal Dis.* 2009;**11**(7):689-701. doi: 10.1111/j.1463-  
418 1318.2009.01767.x
- 419 6. Hunter RF, Boeri M, Tully MA, Donnelly P, Kee F. Addressing inequalities in  
420 physical activity participation: Implications for public health policy and practice. *Prev*  
421 *Med.* 2015;**72**:64-69. doi: 10.1016/j.ypmed.2014.12.040
- 422 7. Lowe M, Whitzman C, Giles-Corti B. Health-Promoting Spatial Planning:  
423 Approaches for Strengthening Urban Policy Integration. *Planning Theory & Practice.*  
424 2018;**19**(2):180-197. doi: 10.1080/14649357.2017.1407820
- 425 8. White RL, Babic MJ, Parker PD, Lubans DR, Astell-Burt T, Lonsdale C. Domain-  
426 Specific Physical Activity and Mental Health: A Meta-analysis. *Am J Prev Med.*  
427 2017;**52**(5):653-666. doi: 10.1016/j.amepre.2016.12.008
- 428 9. World Health Organisation. *Global status report on noncommunicable diseases*  
429 *“Attaining the nine global noncommunicable diseases targets; a shared*  
430 *responsibility”*. Geneva: World Health Organisation; 2014. Available at:  
431 <https://www.who.int/publications/i/item/9789241564854>. [Accessed June 10, 2020]
- 432 10. World Health Organisation. Global Health Observatory (GHO) data Prevalence of  
433 insufficient physical activity. Website.  
434 [https://www.who.int/gho/ncd/risk\\_factors/physical\\_activity/en/](https://www.who.int/gho/ncd/risk_factors/physical_activity/en/). Updated November  
435 5, 2018. Accessed June 10, 2020.
- 436 11. World Health Organisation. *Physical Activity Factsheets for the 28 European Union*  
437 *Member States of the WHO European Region*. Copenhagen: World Health  
438 Organisation Regional Office for Europe; 2018. Available at:  
439 [http://www.euro.who.int/en/health-topics/disease-prevention/physical-  
440 activity/publications/2018/factsheets-on-health-enhancing-physical-activity-in-the-28-  
441 eu-member-states-of-the-who-european-region](http://www.euro.who.int/en/health-topics/disease-prevention/physical-activity/publications/2018/factsheets-on-health-enhancing-physical-activity-in-the-28-eu-member-states-of-the-who-european-region). [Accessed June 11, 2020]

- 442 12. World Health Organisation. *Global recommendations on physical activity for health*.  
443 Geneva: World Health Organisation; 2010. Available at:  
444 [https://www.who.int/publications/i/item/global-recommendations-on-physical-](https://www.who.int/publications/i/item/global-recommendations-on-physical-activity-for-health)  
445 [activity-for-health](https://www.who.int/publications/i/item/global-recommendations-on-physical-activity-for-health). [Accessed June 11, 2020]
- 446 13. British Heart Foundation. *Physical Inactivity and Sedentary Behaviour Report 2017*.  
447 UK: British Heart Foundation; 2017. Available at:  
448 [https://www.bhf.org.uk/informationsupport/publications/statistics/physical-inactivity-](https://www.bhf.org.uk/informationsupport/publications/statistics/physical-inactivity-report-2017)  
449 [report-2017](https://www.bhf.org.uk/informationsupport/publications/statistics/physical-inactivity-report-2017). [Accessed June 11, 2020]
- 450 14. Public Health England. *Health matters: getting every adult active every day*. London:  
451 Public Health England; 2016. Available at:  
452 [https://www.gov.uk/government/publications/health-matters-getting-every-adult-](https://www.gov.uk/government/publications/health-matters-getting-every-adult-active-every-day/health-matters-getting-every-adult-active-every-day)  
453 [active-every-day/health-matters-getting-every-adult-active-every-day](https://www.gov.uk/government/publications/health-matters-getting-every-adult-active-every-day/health-matters-getting-every-adult-active-every-day). [Accessed June  
454 11, 2020]
- 455 15. Sport England. Active Lives Online. Website. <https://activelives.sportengland.org/>.  
456 Updated 2019. Accessed November 19, 2019.
- 457 16. Sofi F, Capalbo A, Cesari F, Abbate R, Gensini GF. Physical activity during leisure  
458 time and primary prevention of coronary heart disease: an updated meta-analysis of  
459 cohort studies. *Eur J Cardiovasc Prev Rehabil*. 2008;15(3):247-257. doi:  
460 10.1097/HJR.0b013e3282f232ac
- 461 17. Samitz G, Egger M, Zwahlen M. Domains of physical activity and all-cause  
462 mortality: systematic review and dose–response meta-analysis of cohort studies.  
463 *International J Epidemiology*. 2011;40(5):1382-1400. doi: 10.1093/ije/dyr112
- 464 18. Hupin D, Roche F, Gremeaux V, et al. Even a low-dose of moderate-to-vigorous  
465 physical activity reduces mortality by 22% in adults aged  $\geq 60$  years: a systematic

- 466 review and meta-analysis. *Br J Sports Med.* 2015;**49**(19). doi: 10.1136/bjsports-2014-  
467 094306
- 468 19. LeisureDB. *The 2019 UK Fitness Industry Report.* London: LeisureDB; 2019.
- 469 20. Higginson J, Halliday E, Ortiz-Nunez A, Brown R, Barr B. Impact of free access to  
470 leisure facilities and community outreach on inequalities in physical activity: a quasi-  
471 experimental study. *J Epidemiol Community Health.* 2018;**72**(3):252-258. doi:  
472 10.1136/jech-2017-209882
- 473 21. Verhoef T, Robinson N, Fox P, Morris S. Cost-effectiveness analysis of offering free  
474 leisure centre memberships to physically inactive members of the public receiving  
475 state benefits: a case study. *BMC Public Health.* 2016;**16**(1):616. doi:  
476 10.1186/s12889-016-3300-x
- 477 22. Northumberland County Council. Northumberland Knowledge and JSNA, Topics  
478 Population. Website [https://www.northumberland.gov.uk/Northumberland-  
479 Knowledge-and-JSNA/Our-People/People.aspx](https://www.northumberland.gov.uk/Northumberland-Knowledge-and-JSNA/Our-People/People.aspx). Updated No date. Accessed June 10,  
480 2020.
- 481 23. Public Health England. *Northumberland Local Authority Health Profile 2019.*  
482 London: Public Health England; 2020. Available at:  
483 <https://fingertips.phe.org.uk/profile/health-profiles>. [Accessed June 11, 2020]
- 484 24. Ministry of Housing Communities and Local Government. English Indices of  
485 Deprivation 2019, Northumberland. Website. [http://imd-by-  
486 geo.opendatacommunities.org/imd/2019/area57](http://imd-by-geo.opendatacommunities.org/imd/2019/area57). Updated 2019. Accessed June 10,  
487 2020.
- 488 25. McLennan D, Noble S, Noble M, Plunkett E, Wright G, Gutacker N. *The English  
489 Indices of Deprivation 2019 Technical Report.* UK: Ministry of Housing,  
490 Communities and Local Government; 2019

- 491 26. Healthy Lifestyles Research Center. Compendium of Physical Activities. Arizona  
492 State University. Website.  
493 <https://sites.google.com/site/compendiumofphysicalactivities/home>. Updated No  
494 date. Accessed February 14, 2020.
- 495 27. Ainsworth BE, Haskell WL, Whitt MC, et al. Compendium of Physical Activities: an  
496 update of activity codes and MET intensities. *Medicine & Science in Sports &*  
497 *Exercise*. 2000;**32**(9).S498-S156
- 498 28. World Health Organisation, *WHO STEPS surveillance manual : the WHO STEPwise*  
499 *approach to chronic disease risk factor surveillance*, Geneva, Switzerland: World  
500 Health Organisation; 2005
- 501 29. Rowe S. *Northumberland index of multiple deprivation and adult 10 year age group*  
502 *statistics 2018*. Northumberland: Northumberland County Council; 2020
- 503 30. UK Active Research Institute. *Moving Communities: Active Leisure Trends 2019*  
504 *Report*. UK: UK Active Research Institute; 2019.
- 505 31. Health and Social Care Information Centre *Health Survey for England 2012 Health,*  
506 *social care and lifestyles. Summary of key findings*. Leeds: Health and Social Care  
507 Information Centre; 2013
- 508 32. Tim A, Rok S, Jennifer LH, Abby CK, Scott LD, Jure L. Large-scale physical activity  
509 data reveal worldwide activity inequality. *Nature*. 2017;**547**(7663). doi:  
510 10.1038/nature23018
- 511 33. Mansfield L, Caudwell J, Wheaton B, Watson B. *The Palgrave Handbook of*  
512 *Feminism and Sport, Leisure and Physical Education*. London: Palgrave Macmillan;  
513 2018.



- 514 34. Camacho-Miñano MJ, LaVoi NM, Barr-Anderson DJ. Interventions to promote  
515 physical activity among young and adolescent girls: a systematic review. *Health Ed*  
516 *Res.* 2011;**26**(6):1025-1049. doi: 10.1093/her/cyr040
- 517 35. Jamieson M. *Population & Household Projections for Northumberland. Comparing*  
518 *projections by ONS and Northumberland County Council (using Popgroup model)*  
519 Northumberland: Northumberland County Council; 2013.
- 520 36. Cohen-Mansfield J, Marx MS, Biddison JR, Guralnik JM. Socio-environmental  
521 exercise preferences among older adults. *Prev Med.* 2004;**38**(6):804-811. doi:  
522 10.1016/j.ypmed.2004.01.007
- 523 37. Dedeysne L, Dewinter L, Lovik A, Verschueren S, Tournoy J, Gielen E. Nutritional  
524 and physical exercise programs for older people: program format preferences and  
525 (dis)incentives to participate. *Clin Interv Aging.* 2018;**13**:1259-1266. doi:  
526 10.2147/CIA.S159819
- 527 38. Hanson CL, Allin LJ, Ellis JG, Dodd-Reynolds CJ. An evaluation of the efficacy of  
528 the exercise on referral scheme in Northumberland, UK: association with physical  
529 activity and predictors of engagement. A naturalistic observation study. *BMJ Open.*  
530 2013;**3**(8). doi: 10.1136/bmjopen-2013-002849
- 531 39. Bullough S, Davies LE, Barrett D. The impact of a community free swimming  
532 programme for young people (under 19) in England. *Sport Manag Rev.*  
533 2015;**18**(1):32-44. doi: 10.1016/j.smr.2014.09.001
- 534 40. Frew EJ, Bhatti M, Win K, et al. Cost-effectiveness of a community-based physical  
535 activity programme for adults (Be Active) in the UK: an economic analysis within a  
536 natural experiment. *Br J Sports Med.* 2014;**48**(3):207. doi: 10.1136/bjsports-2012-  
537 091202

- 538 41. Halliday E, Barr B, Higgerson J, Holt V, Ortiz-Nunez A, Ward F. Using local  
539 authority entrance charges to tackle inequalities in physical activity? A qualitative  
540 study of leisure and public health perspectives. *J Public health (Oxf)*. 2018;**40**(3):567.  
541 doi: 10.1093/pubmed/fox124
- 542 42. Brenner, P.S. and J.D. DeLamater, Social Desirability Bias in Self-reports of Physical  
543 Activity: Is an Exercise Identity the Culprit? *Social indicators research*, 2013. 117(2):  
544 p. 489-504.

**Table 1:** Registered user characteristics compared to the Northumberland adult population between July 2018 and June 2019.

Characteristic	All registered users (n=20,904)		Pre-paid/monthly Members (n=13,407)		Registered pay-as-you-go members (n=7,497)		Adult Northumberland Population 2018 (n=259,631)	
	n	(%)	n	(%)	n	(%)	n	(%)
<b>Sex**</b>								
Male	8,662	(41.3)	6,143	(45.8)	2,519	(33.6)	125,375	(48.1)
Female	12,237	(58.7)	7,263	(54.2)	4,974	(66.3)	135,018	(51.9)
<b>Age group**</b>								
18-29	4,986	(23.9)	3,180	(23.7)	1,806	(42.1)	36,942	(14.2)
30-39	3,530	(16.9)	2,138	(15.9)	1,392	(18.6)	34,706	(13.4)
40-49	3,591	(17.2)	2,264	(16.9)	1,327	(17.7)	38,399	(14.8)
50-59	3,619	(17.3)	2,448	(18.3)	1,171	(15.6)	50,055	(19.3)
60-69	3,067	(14.7)	2,084	(15.5)	983	(13.1)	46,029	(17.7)
70+	2,111	(10.1)	1,293	(9.6)	818	(10.9)	53,500	(20.6)
<b>IMD quintile* (2015)</b>								
IMD 1	2,738	(13.0)	1,754	(13.1)	984	(13.1)	42,083	(16.2)
IMD 2	3,580	(17.2)	2,216	(16.5)	1,364	(18.2)	49,952	(19.2)
IMD 3	2,713	(13.2)	1,775	(13.2)	938	(12.5)	66,080	(25.5)
IMD 4	5,367	(26.2)	3,519	(26.2)	1,848	(24.6)	47,980	(18.5)
IMD 5	5,663	(27.5)	3,692	(27.5)	1,971	(26.3)	54,009	(20.8)
Not Stated	843	(4.0)	451	(3.4)	392	(5.2)		
<b>Leisure centre classification^***</b>								
Small	1,225	(5.9)	703	(5.2)	522	(7.0)		
Large	19,654	(94.0)	12,704	(94.8)	6,950	(92.7)		
Not stated	25	(0.1)			25	(0.3)		

<sup>^</sup>*Leisure centre classification: small (limited opening times, limited facilities e.g. with one of pool or gym or fitness studio) large (all day opening, pool, gym, fitness classes), \*p<0.05, \*\*p<0.001*

**Table 2:** All users' attendance and activity choices.

<b>Type of activity</b>	Attendances(times)	% of usage
<b>All users (n= not known)</b>		
Gym	387,133	35.7
Fitness classes	367,812	33.9
Swimming	268,210	24.7
Health referral	33,376	3.1
Other**	28,506	2.6
<b>Total Usage</b>	<b>1,085,037</b>	
<b>Pre-paid/monthly Members (n=13,407)</b>		
Gym	367,843	44.7
Fitness classes	322,601	39.2
Swimming	106,724	13.0
Health referral	21,031	2.6
Other**	4,319	0.5
<b>Total Usage</b>	<b>822,518</b>	
<b>Registered pay-as-you-go members (n=7,497)</b>		
Gym	9,157	11.6
Fitness classes	38,117	48.2
Swimming	6,421	8.1
Health referral	11,315	14.3
Other**	14,069	17.8
<b>Total Usage</b>	<b>79,079</b>	
<b>Non-registered pay-as-you-go users (n=not known)</b>		
Gym	10,133	5.5
Fitness classes	7,094	3.9
Swimming	155,065	84.5
Health referral	1,030	0.6
Other**	10,118	5.5
<b>Total Usage</b>	<b>183,440</b>	

*\*Other: 5-a-side football, badminton, squash, table tennis*

**Table 3:** Sex stratified analysis of usage and activity choice for registered users

Type of activities	Female		Male	
	Attendances	% of usage	Attendances	% of usage
<b>Overall</b>	( n=12,237 )		( n=8662 )	
Gym	125,170	24.2	251,829	65.7
Fitness Classes	307,145	59.3	53,524	13.9
Swimming	62,250	12	50,895	13.3
Health Referral	18,880	3.6	13,466	3.5
Other*	4,654	0.9	13,722	3.6
<b>Total Usage</b>	<b>518,099</b>		<b>383,436</b>	
<b>Pre-paid/monthly members</b>	(n=7623)		(n=6143)	
Gym	121,838	26	246,004	69.5
Fitness Classes	274,537	58.6	48,015	13.5
Swimming	58,520	12.5	48,204	13.6
Health Referral	12,492	2.6	8,539	2.4
Other*	1,501	0.3	2,818	1
Total Usage	468,888		353,580	
<b>Registered pay-as-you-go users</b>	(n=4,974)		(n=2,519)	
Gym	3,332	6.8	5,825	19.5
Fitness Classes	32,608	66.3	5,509	18.5
Swimming	3,730	7.5	2,691	9
Health Referral	6,388	13	4,927	16.5
Other*	3,153	6.4	10,904	36.5
Total Usage	49,211		29,856	

\*Other: 5-a-side football, badminton, squash, table tennis

**Table 4:** Overall attendance and maximum weeks usage for registered members

	All registered users (n=20,904)		Pre-paid/monthly Members (n=13,407)		Registered pay-as-you-go members (n=7,497)	
	Median	IQR	Median	IQR	Median	IQR
No. of attendances	20.0	4.0-59.8	41.0	15.0-84.0	3.0	1.0-12.0
Maximum weeks usage	29.0	5.0-49.0	44.0	15.0-51.0	4.0	1.0-25.0

**Table 5:** Level of weekly PA by category for pre-paid/monthly members

Activity Category	All members (n=13407)		Females (n=7263)		Males (n=6143)	
	n	%	n	%	n	%
Less than 30 minutes per week	3288	24.5	1471	20.3	1817	29.6
30 - 149 minutes per week	8390	62.6	4422	60.9	3967	64.6
150+ minutes per week	1729	12.9	1370	18.9	359	5.8

**Table 6:** Ordinal regression modelling for categorical weekly leisure centre-based PA for pre-paid/monthly members (n=13,407) between 01/07/2018 and 30/06/2019.

	All pre-paid/monthly members (n=13,407)	Female pre- paid/monthly members (n=7623)	Male pre- paid/monthly members (n=6143)
	OR (95% CI)	OR (95% CI)	OR (95% CI)
Sex	2.09 (1.95-2.35)**		
Age group	1.14 (1.11-1.16)**	1.13 (1.10-1.17)**	1.14 (1.06-1.18)**
IMD quintile	0.98 (0.96-1.00)	1.03 (1.00-1.06)*	0.91 (0.87-0.94)**
Leisure centre category	1.21 (1.03-1.42)*	1.37 (1.10-1.71)**	0.99 (0.79-1.24)

*Age group:* young age as reference; *IMD:* most deprived quintile as reference; *Leisure centre category:* small leisure centre as reference group; *Sex:* male as the reference \*<0.05 \*\*<0.000