

- Abraf 2011. ANUÁRIO Estatístico, ano base 2010, Brasília, ABRAF.
- Achim, A., Ruel, J.-C., Gardiner, B., Laflamme, G. & Meunier, S. 2005. Modelling the vulnerability of balsam fir forests to wind damage. *Forest Ecology and Management*, 204, 37-52.
- Águas, A., Ferreira, A., Maia, P., Fernandes, P.M., Roxo, L., Keizer, J., Silva, J.S., Rego, F.C. & Moreira, F. 2014. Natural establishment of *Eucalyptus globulus* Labill. in burnt stands in Portugal. *Forest Ecology and Management*, 323, 47-56.
- Albrecht, A., Hanewinkel, M., Bauhus, J. & Kohnle, U. 2012. How does silviculture affect storm damage in forests of south-western Germany? Results from empirical modeling based on long-term observations. *European Journal of Forest Research*, 131, 229-247.
- António, N., Tomé, M., Tomé, J., Soares, P. & Fontes, L. 2007. Effect of tree, stand, and site variables on the allometry of *Eucalyptus globulus* tree biomass. *Canadian Journal of Forest Research*, 37, 895-906.
- Bavard, D., De Lagarde, O. & Magrum, M. 2013. Evaluation de volet mobilisation des bois chablis (plan de solidarité nationale consécutif à la tempête Klaus du 24 janvier 2009). In: N°12078, R.D.C. (ed.).
- Beach, R.H., Sills, E.O., Liu, T.-M. & Pattanayak, S. 2010. The Influence of Forest Management on Vulnerability of Forests to Severe Weather. U S Forest Service Pacific Northwest Research Station General Technical Report PNW-GTR, 185-206.
- Bergman, R., Cai, Z., Carll, C.G., Clausen, C.A., Dietsberger, M.A., Falk, R.H., Frihart, C.R., Glass, S.V., Hunt, C.G., Ibach, R.E. & Kretschmann, D.E. 2010. Wood handbook: wood as an engineering material. General Technical Report FPL-GTR-190. Madison, WI, U.S.
- Binkley, D. & Stape, J.L. Year. Sustainable management of *Eucalyptus* plantations in a changing world. In: *Eucalyptus in a changing world*. Proceedings of IUFRO conference, Aveiro, 2004. 11-17.
- Blennow, K., Andersson, M., Sallnas, O. & Olofsson, E. 2010. Climate change and the probability of wind damage in two Swedish forests. *Forest Ecology and Management*, 259, 818-830.
- Byrne, K.E. 2005. Critical turning moments and drag equations for British Columbia conifers. M.Sc. thesis, University of British Columbia.
- Campinhos, E. 1999. Sustainable plantations of high-yield shape *Eucalyptus* trees for production of fiber: the Aracruz case. *New Forests*, 17, 129-143.
- Chen, S.X. 2003. Effect of tree spacing on storm resistance of young *Eucalyptus urophylla* plantation, Singapore, World Scientific Publ Co Pte Ltd.
- Cucchi, V. & Bert, D. 2003. Wind-firmness in *Pinus pinaster* Ait. stands in Southwest France: influence of stand density, fertilisation and breeding in two experimental stands damaged during the 1999 storm. *Annals of Forest Science*, 60, 209-226.
- Cucchi, V., Meredieu, C., Stokes, A., Berthier, S., Bert, D., Najar, M., Denis, A. & Lastennet, R. 2004. Root anchorage of inner and edge trees in stands of Maritime pine (*Pinus pinaster* Ait.) growing in different podzolic soil conditions. *Trees-Structure and Function*, 18, 460-466.

- Cucchi, V., Meredieu, C., Stokes, A., De Coligny, F., Suarez, J. & Gardiner, B.A. 2005. Modelling the windthrow risk for simulated forest stands of Maritime pine (*Pinus pinaster* Ait.). *Forest Ecology and Management*, 213, 184-196.
- Dias, A.C. & Arroja, L. 2012. Environmental impacts of eucalypt and maritime pine wood production in Portugal. *Journal of Cleaner Production*, 37, 368-376.
- Diaz-Balteiro, L. & Rodriguez, L.C.E. 2006. Optimal rotations on Eucalyptus plantations including carbon sequestration—A comparison of results in Brazil and Spain. *Forest Ecology and Management*, 229, 247-258.
- Dunham, R.A. & Cameron, A.D. 2000. Crown, stem and wood properties of wind-damaged and undamaged Sitka spruce. *Forest Ecology and Management*, 135, 73-81.
- Eldridge, K.G., Davidson, J., Harwood, C. & Wyk, G.V. 1993. *Eucalypt domestication and breeding*, Clarendon Press.
- Elie, J.G. & Ruel, J.C. 2005. Windthrow hazard modelling in boreal forests of black spruce and jack pine. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere*, 35, 2655-2663.
- Everham, E.M., Iii & Brokaw, N.V.L. 1996. Forest Damage and Recovery from Catastrophic Wind. *Botanical Review*, 62, 113-185.
- Fabião, A., Madeira, M., Steen, E., Kätterer, T., Ribeiro, C. & Araújo, C. 1995. Development of root biomass in an Eucalyptus globulus plantation under different water and nutrient regimes. *Nutrient Uptake and Cycling in Forest Ecosystems*. Springer.
- Fao 2007. *Global wood and wood products flow: trends and perspectives*. Advisory Committee on Paper and Wood Products. Shanghai.
- Gardiner, B., Byrne, K., Hale, S., Kamimura, K., Mitchell, S.J., Peltola, H. & Ruel, J.-C. 2008. A review of mechanistic modelling of wind damage risk to forests. *Forestry*, 81, 447-463.
- Gardiner, B. & Moore, J. 2014. *Creating the wood supply of the future*. In: Fenning, T. (ed.) *Challenges and opportunities for the world's forests in the 21st century*. Springer Netherlands.
- Gardiner, B., Peltola, H. & Kellomaki, S. 2000. Comparison of two models for predicting the critical wind speeds required to damage coniferous trees. *Ecological Modelling*, 129, 1-23.
- Gardiner, B.A., Stacey, G.R., Belcher, R.E. & Wood, C.J. 1997. Field and wind tunnel assessments of the implications of respacing and thinning for tree stability. *Forestry*, 70, 233-252.
- Gerrand, A., Neilsen, W. & Medhurst, J. 1997. Thinning and pruning eucalypt plantations for sawlog production in Tasmania. *TASFORESTS-HOBART-*, 9, 15-34.
- Giménez, J.C., Bertomeu, M., Diaz-Balteiro, L. & Romero, C. 2013. Optimal harvest scheduling in Eucalyptus plantations under a sustainability perspective. *Forest Ecology and Management*, 291, 367-376.
- Goncalves, J.L.M., Stape, J.L., Laclau, J.P., Bouillet, J.P. & Ranger, J. 2008. Assessing the effects of early silvicultural management on long-term site productivity of fast-growing eucalypt plantations: the Brazilian experience. *Southern Forests*, 70, 105-118.

- Gonçalves, R., Franco Batista, F.A. & Mansini Lorensani, R.G. 2013. Selecting Eucalyptus clones using ultrasound test on standing trees. *Forest Products Journal*, 63, 112-118.
- Haarsma, R.J., Hazeleger, W., Severijns, C., Vries, H., Sterl, A., Bintanja, R., Oldenborgh, G.J. & Brink, H.W. 2013. More hurricanes to hit Western Europe due to global warming. *Geophysical Research Letters*, 40, 1783-1788.
- Hale, S.A., Gardiner, B., Peace, A., Nicoll, B., Taylor, P. & Pizzirani, S. 2015. Comparison and validation of three versions of a forest wind risk model. *Environmental Modelling & Software*, 68, 27-41.
- Hanewinkel, M., Hummel, S. & Albrecht, A. 2011. Assessing natural hazards in forestry for risk management: a review. *European Journal of Forest Research*, 130, 329-351.
- Kamimura, K. 2007. Developing a decision-support system for wind risk modelling as a part of forest management in Japan. Tokyo, Japan: The University of Tokyo.
- Kamimura, K., Gardiner, B., Dupont, S., Guyon, D. & Meredieu, C. 2015. Mechanistic and statistical approaches to predicting wind damage to individual maritime pine trees in forests. *Canadian Journal of Forest Research*.
- Kamimura, K. & Shiraishi, N. 2007. A review of strategies for wind damage assessment in Japanese forests. *Journal of Forest Research*, 12, 162-176.
- Kilpelainen, A., Gregow, H., Strandman, H., Kellomaki, S., Venalainen, A. & Peltola, H. 2010. Impacts of climate change on the risk of snow-induced forest damage in Finland. *Climatic Change*, 99, 193-209.
- Kucherenko, S., Tarantola, S. & Annoni, P. 2012. Estimation of global sensitivity indices for models with dependent variables. *Computer Physics Communications*, 183, 937-946.
- Lavers, G.M. 2002. *The Strength Properties of Timber.*, London, HMSO.
- Leslie, A.D., Mencuccini, M. & Perks, M. 2011. Eucalyptus in the British Isles. *Quarterly Journal of Forestry*, 105, 43-53.
- Marra, D.M., Chambers, J.Q., Higuchi, N., Trumbore, S.E., Ribeiro, G.H., Dos Santos, J., Negrón-Juárez, R.I., Reu, B. & Wirth, C. 2014. Large-scale wind disturbances promote tree diversity in a central Amazon forest. *PLoS ONE*, 9.
- Mckinley, R.B., Shelbourne, C.J.A., Low, C.B., Penellum, B. & Kimberley, M.O. 2002. Wood properties of young Eucalyptus nitens, E.globulus, and E.maidenii in Northland, New Zealand. *New Zealand Journal of Forestry Science*, 32, 334-356.
- Merino, A., Rodriguez-Lopez, A., Branas, J. & Rodriguez-Soalleiro, R. 2003. Nutrition and growth in newly established plantations of Eucalyptus globulus in northwestern Spain. *Annals of Forest Science*, 60, 509-517.
- Moore, J.R. & Watt, M.S. 2015. Modelling the influence of predicted future climate change on the risk of wind damage within New Zealand's planted forests. *Global Change Biology*, 21(8):3021-35. doi: 10.1111/gcb.12900.
- Moreira, F., Vaz, P., Catry, F. & Silva, J.S. 2009. Regional variations in wildfire susceptibility of land-cover types in Portugal: implications for landscape management to minimize fire hazard. *International Journal of Wildland Fire*, 18, 563-574.

- Negron-Juarez, R.I., Chambers, J.Q., Guimaraes, G., Zeng, H.C., Raupp, C.F.M., Marra, D.M., Ribeiro, G., Saatchi, S.S., Nelson, B.W. & Higuchi, N. 2010. Widespread Amazon forest tree mortality from a single cross-basin squall line event. *Geophysical Research Letters*, 37.
- Neild, S. & Wood, C. 1999. Estimating stem and root-anchorage flexibility in trees. *Tree physiology*, 19, 141-151.
- Nicoll, B.C., Gardiner, B.A., Rayner, B. & Peace, A.J. 2006. Anchorage of coniferous trees in relation to species, soil type, and rooting depth. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere*, 36, 1871-1883.
- Nicoll, B.C. & Ray, D. 1996. Adaptive growth of tree root systems in response to wind action and site conditions. *Tree physiology*, 16, 891-898.
- Oreskes, N., Shrader-Frechette, K. & Belitz, K. 1994. Verification, validation, and confirmation of numerical models in the earth sciences. *Science*, 263, 641-646.
- Papadakis, J. 1966. *Climates of the world and their agricultural potentialities*. Climates of the world and their agricultural potentialities.
- Peltola, H., Kellomaki, S., Hassinen, A. & Granander, M. 2000. Mechanical stability of Scots pine, Norway spruce and birch: an analysis of tree-pulling experiments in Finland. *Forest Ecology and Management*, 135, 143-153.
- Peltola, H.M. 2006. Mechanical stability of trees under static loads. *American Journal of Botany*, 93, 1501-1511.
- Petty, J.A. & Swain, C. 1985. Factors Influencing Stem Breakage of Conifers in High Winds. *Forestry*, 58, 75-84.
- Potts, B.M., Vaillancourt, R.E., Jordan, G., Dutkowski, G., Mckinnon, G., Steane, D., Volker, P., Lopez, G., Apiolaza, L. & Li, Y. 2004. Exploration of the *Eucalyptus globulus* gene pool. Aveiro, Portugal: IUFRO Conference "Eucalyptus in a changing world", 11-15 Oct 2004.
- Quine, C., Coutts, M., Gardiner, B. & Pyatt, G. 1995. *Forests and wind: management to minimize damage*, FC.
- Quine, C.P. 2000. Estimation of mean wind climate and probability of strong winds for wind risk assessment. *Forestry*, 73, 247-258.
- Quine, C.P. & Gardiner, B.A. 2007. Understanding how the interaction of wind and trees results in wind-throw, stem break-age, and canopy gap formation. In: Miyanishi, E.a.J. (ed.) *Plant Disturbance Ecology*. Burlington: Academic Press.
- Quine, C.P. & White, I.M.S. 1994. Using the Relationship between Rate of Tatter and Topographic Variables to Predict Site Windiness in Upland Britain. *Forestry*, 67, 245-256.
- Raupach, M. 1994. Simplified expressions for vegetation roughness length and zero-plane displacement as functions of canopy height and area index. *Boundary-Layer Meteorology*, 71, 211-216.
- Riesco-Muñoz, G. 2004. *Forest management in Eucalyptus stands: the Spanish case*.
- Ruel, J.C., Quine, C.P., Meunier, S. & Suarez, J. 2000. Estimating windthrow risk in balsam fir stands with the ForestGales model. *Forestry Chronicle*, 76, 329-337.

- Ruel, J.-C., Achim, A., Herrera, R.E., Cloutier, A. & Brossier, B. 2010. Wood degradation after windthrow in a northern environment. *Forest Products Journal*, 60, 200-206.
- Saltelli, A. 2002. Making best use of model evaluations to compute sensitivity indices. *Computer Physics Communications*, 145, 280-297.
- Saltelli, A., Chan, K. & Scott, E.M. 2000. *Sensitivity analysis*, Chichester, Wiley.
- Saltelli, A., Tarantola, S., Campolongo, F. & Ratto, M. 2004. *Sensitivity analysis in practice: a guide to assessing scientific models*, Chichester, John Wiley & Sons.
- Sasse, J. & Sands, R. 1997. Configuration and development of root systems of cuttings and seedlings of *Eucalyptus globulus*. *New Forests*, 14, 85-105.
- Schelhaas, M.-J., Hengeveld, G., Moriondo, M., Reinds, G.J., Kundzewicz, Z.W., Ter Maat, H. & Bindi, M. 2010. Assessing risk and adaptation options to fires and windstorms in European forestry. *Mitigation and Adaptation Strategies for Global Change*, 15, 681-701.
- Schelhaas, M.-J., Nabuurs, G.-J. & Schuck, A. 2003. Natural disturbances in the European forests in the 19th and 20th centuries. *Global Change Biology*, 9, 1620.
- Schindler, D., Grebhan, K., Albrecht, A., Schönborn, J. & Kohnle, U. 2012. GIS-based estimation of the winter storm damage probability in forests: a case study from Baden-Wuerttemberg (Southwest Germany). *International Journal of Biometeorology*, 56, 57-69.
- Schuck, A. & Schelhaas, M.-J. 2013. Storm damage in Europe - an overview. In: Gardiner, B., Schuck, A., Schelhaas, M.-J., Orazio, C., Blennow, K. & Nicoll, B. (eds.) *Living with storm damage to forests - What science can tell us*. European Forest Institute.
- Sedjo, R.A. 1999. The potential of high-yield plantation forestry for meeting timber needs. *New Forests*, 17, 339-359.
- Soares, P., Oliveira, T. & Tomé, M. 2006. O modelo GLOBULUS 3.0. Dados e equações. Publicações GIMREF RC2/2006. Universidade Técnica de Lisboa, Instituto Superior de Agronomia, Centro de Estudos Florestais, Lisboa.
- Soares, P. & Tomé, M. 2002. Height–diameter equation for first rotation eucalypt plantations in Portugal. *Forest Ecology and Management*, 166, 99-109.
- Sobol', I.M. 1998. On quasi-Monte Carlo integrations. *Mathematics and Computers in Simulation*, 47, 103-112.
- Sobol', I.M. 2001. Global sensitivity indices for nonlinear mathematical models and their Monte Carlo estimates. *Mathematics and Computers in Simulation*, 55, 271-280.
- Solomon, S. 2007. *Climate change 2007-the physical science basis: Working group I contribution to the fourth assessment report of the IPCC*, Cambridge University Press.
- Somerville, A.R. Year. Tree wind stability and forest management practices. In: Somerville, A.R., ed. *Workshop on Wind Damage in New Zealand Exotic Forests*. Aug 1988, 1989 Rotorua, New Zealand, Forest Research Institute. 39 - 58.
- Stacey, G.R., Belcher, R.E., Wood, C.J. & Gardiner, B.A. 1994. Wind flows and forces in a model spruce forest. *Boundary-Layer Meteorology*, 69, 311-334.

- Stone, E.L. & Kalisz, P.J. 1991. On the maximum extent of tree roots. *Forest Ecology and Management*, 46, 59-102.
- Thom, A. 1971. Momentum absorption by vegetation. *Quarterly Journal of the Royal Meteorological Society*, 97, 414-428.
- Trabado, G.I. 2010. Galicia: Stormwood inventory (Event Klaus-Jan 2009) [Online]. GIT Forestry consulting's blog: Eucalyptologics - Information resources on Eucalyptus cultivation around the world. Available: <http://git-forestry-blog.blogspot.com/2009/03/galicia-stormwood-inventory-event-klaus.html> [Accessed 03/09/2015].
- Unterwieser, H. & Schickhofer, G. 2011. Influence of moisture content of wood on sound velocity and dynamic MOE of natural frequency-and ultrasonic runtime measurement. *European Journal of Wood and Wood Products*, 69, 171-181.
- Uriarte, M. & Papaik, M. 2007. Hurricane impacts on dynamics, structure and carbon sequestration potential of forest ecosystems in Southern New England, USA. *Tellus Series a-Dynamic Meteorology and Oceanography*, 59, 519-528.
- Usbeck, T., Wohlgemuth, T., Dobbertin, M., Pfister, C., Bürgi, A. & Rebetez, M. 2010. Increasing storm damage to forests in Switzerland from 1858 to 2007. *Agricultural and Forest Meteorology*, 150, 47-55.
- Vallejos-Barra, O., Daniluk-Mosquera, G., Moras, G., Ponce-Donoso, M. & Contreras, M.A. 2014. Above-ground carbon absorption in young *Eucalyptus globulus* plantations in Uruguay. *Scientia Forestalis*, 42, 9-19.
- Vollsinger, S., Mitchell, S.J., Byrne, K.E., Novak, M.D. & Rudnicki, M. 2005. Wind tunnel measurements of crown streamlining and drag relationships for several hardwood species. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere*, 35, 1238-1249.
- Wentzel-Vietheer, M., Washusen, R., Downes, G.M., Harwood, C., Ebdon, N., Ozarska, B. & Baker, T. 2013. Prediction of non-recoverable collapse in *Eucalyptus globulus* from near infrared scanning of radial wood samples. *European Journal of Wood and Wood Products*, 71, 755-768.
- Williams, R.J. & Douglas, M. 1995. WINDTHROW IN A TROPICAL SAVANNA IN KAKADU NATIONAL-PARK, NORTHERN AUSTRALIA. *Journal of Tropical Ecology*, 11, 547-558.
- Wingfield, M., Slippers, B., Hurley, B., Coutinho, T., Wingfield, B. & Roux, J. 2008. Eucalypt pests and diseases: growing threats to plantation productivity. *Southern Forests: a Journal of Forest Science*, 70, 139-144.
- Wohlgemuth, T., Kull, P. & Wüthrich, H. 2002. Disturbance of microsites and early tree regeneration after windthrow in Swiss mountain forests due to the winter storm Vivian 1990. *For. Snow Landsc. Res*, 77, 2.
- Yang, J. & Evans, R. 2003. Prediction of MOE of eucalypt wood from microfibril angle and density. *Holz als Roh-und Werkstoff*, 61, 449-452.