



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Cephalic salt gland evolution in Mesozoic pelagic crocodylomorphs

Citation for published version:

Cowgill, T, Young, M, Schwab, J, Walsh, S, Witmer, LM, Herrera, Y, Dollman, KN, Turner, AH & Brusatte, S 2023, 'Cephalic salt gland evolution in Mesozoic pelagic crocodylomorphs', *Zoological Journal of the Linnean Society*, vol. 197, no. 3, pp. 812–835. <https://doi.org/10.1093/zoolinnean/zlac027>

Digital Object Identifier (DOI):

[10.1093/zoolinnean/zlac027](https://doi.org/10.1093/zoolinnean/zlac027)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

Zoological Journal of the Linnean Society

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Cephalic salt gland evolution in Mesozoic pelagic crocodylomorphs

THOMAS COWGILL^{1*}, MARK T. YOUNG FLS¹, JULIA A. SCHWAB¹, STIG WALSH²,
LAWRENCE M. WITMER³, YANINA HERRERA⁴, KATHLEEN N. DOLLMAN⁵, ALAN
H. TURNER⁶ and STEPHEN L. BRUSATTE¹

¹ *School of GeoSciences, Grant Institute, The King's Buildings, University of Edinburgh,
James Hutton Road, Edinburgh, EH9 3FE, United Kingdom*

² *Department of Natural Sciences, National Museum of Scotland, EH1 1JF, Edinburgh,
United Kingdom*

³ *Department of Biomedical Sciences, Heritage College of Osteopathic Medicine, Ohio
University, Athens, OH 45701*

⁴ *Consejo Nacional de Investigaciones Científicas y Técnicas, División Paleontología
Vertebrados, Museo de La Plata, Facultad de Ciencias Naturales y Museo, UNLP, B1900 La
Plata, Buenos Aires, Argentina*

⁵ *Evolutionary Studies Institute, University of the Witwatersrand, 2000 Johannesburg, South
Africa*

⁶ *Department of Anatomical Sciences, Stony Brook University, Stony Brook, NY 11794*

* Corresponding author: Thomas Cowgill

RUNNING HEAD: Thalattosuchian salt gland evolution

ACKNOWLEDGEMENTS

We thank S. Etches (MJML), P. Koch (MM), S. Maidment (NHMUK), and G. Wass (PETMG) for providing generous access to the specimens in their care, S. Sachs for transportation of *Cricosaurus schroederi* for CT scanning, and O. Katsamenis (University of Southampton) for CT scanning many of the specimens used herein. This work was supported by a Leverhulme Trust Research Project (grant number RPG-2017-167) to P.I. Stephen L. Brusatte, United States National Science Foundation grants (IBN9601174, IBN-0343744, IOB-0517257, IOS-1050154, and IOS-1456503) to Lawrence M. Witmer, Agencia Nacional de Promoción Científica y Tecnológica (PICT 2016-0267, and PICT 2016-1039) to Yanina Herrera and National Science Foundation grants (NSF DEB 1257485 and NSF DEB 1754596) to Alan H. Turner. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript. We also thank the two anonymous reviewers for their constructive comments on this paper.