



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Fact Check 4: Livestock Disease Eradication

The control of livestock diseases, with eventual eradication, is desirable. But following the global effort to eradicate Rinderpest, can we quantify the benefits as being worth billions of dollars?

Citation for published version:

Salmon, G 2018, *Fact Check 4: Livestock Disease Eradication: The control of livestock diseases, with eventual eradication, is desirable. But following the global effort to eradicate Rinderpest, can we quantify the benefits as being worth billions of dollars?..* <https://doi.org/1842/30117>

Digital Object Identifier (DOI):

[1842/30117](https://doi.org/1842/30117)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Publisher's PDF, also known as Version of record

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.





Disease Eradication

The control of livestock diseases, with eventual eradication, is desirable. But following the global effort to eradicate Rinderpest, can we quantify the benefits as being worth billions of dollars?




Photo courtesy of Supporting Evidence-Based Interventions (SEBI)

June 2018 - Fact Check 4

In addition to health risks, livestock diseases cause both direct and indirect economic costs for society. Understanding the complex impacts of disease control requires methods to include assessment of costs and benefits at both immediate stakeholder and broader society levels. Such information can then indicate the cost-effectiveness of managing livestock health. However, these impacts “are neither well understood nor rigorously analysed”¹. Rinderpest (a single-stranded RNA virus that causes severe loss of productivity and death amongst cattle) was declared globally eradicated in May 2011^{2,3}. Despite the significant effort and success of eradication, there has not been a comprehensive assessment of all associated socio-economic costs and benefits^{1,2}. Therefore, the true global benefit of rinderpest eradication cannot be stated. Nevertheless, existing “fragmented national and international analyses” can be used to give some suggestion¹.

There have been efforts to quantify both national and regional benefits of rinderpest eradication. In 2005, Catley and colleagues⁴ suggested that between 1965 and 1998 the benefits of rinderpest control efforts in Africa and India amounted to \$47 billion and \$289 billion, respectively. In 2008, Normile referred to a Food and Agriculture Organization of the United Nations (FAO) estimate of \$1 billion in annual benefit of rinderpest eradication in Africa³. Rich and co-authors¹ considered sectoral and national level effects of rinderpest eradication versus a scenario with no eradication. Their modelling exercise suggested that in 2000, Chad’s gross domestic product (GDP) would have been more than 3% lower in a no-eradication scenario. As Chad’s total GDP in 2000 was approximately \$1600 million⁵, this 3% equated to an additional \$50 million per year in losses averted. Using these case specific examples, it can be seen how billions of dollars of global benefits can be proposed without referencing how accurately, or in what context, figures are derived.

Despite the colossal global effort to eradicate Rinderpest, there is no comprehensive global quantification of the benefits



Sources: 1: Rich et al., 2011, 2014 based on eradication; 2: Normile, 2008, FAO estimate based on eradication; 3: Catley et al., 2005 based on rinderpest control

The modelling exercise in Chad highlighted that livestock value chains were more complex and broad than initially understood. Yet, it is highly likely that the costs of rinderpest eradication are outweighed by the benefits along value chains and in the broader economy¹. A similar assessment conducted for India gave the same positive suggestions of benefits outweighing costs².

Why is this information important?

Past case studies give limited suggestion that benefits of eradication outweigh the

costs. However, the FAO has worked with partner organizations to develop a rigorous approach to evaluate the true global costs and benefits¹. This has begun with an appreciation of the multiple impact levels (e.g. households and livelihoods, livestock and agriculture sectors, national and international economies). Understanding the risks, costs and rewards of future disease eradication efforts, particularly when resources are limited and investments require prioritisation, warrants such detailed evaluation.

LD4D Livestock Fact Check Series

This series of factsheets aims to clarify the provenance of popular livestock facts often used in environmental, economic and social discussions. We support the use of evidence-based facts, by revealing the data, methods and context behind the numbers.

The factsheets are produced by the Livestock Data for Decisions (LD4D) community of practice. We thank collaborators for their assistance. Every effort has been made to trace and report this fact, and related information, accurately. LD4D welcome any comments of further questions (email ld4d@ed.ac.uk).

This research was supported by the Supporting Evidence Based Interventions project, University of Edinburgh (grant number R83537).

The series of factsheets, and additional information, are available to download at:

<http://ld4d.org/portfolio/livestock-fact-check>

In text references

- 1 Rich, K. et al. 2011.
- 2 Rich, K. et al. 2014.
- 3 Normile, D. 2008.
- 4 FAOSTAT. 2018.
- 5 Catley, A. et al. 2005.

For full references scan the QR code or visit:
<http://hdl.handle.net/1842/30117>



This publication is licensed for use under the Creative Commons Attribution 4.0 International Licence. You may reuse and quote from this publication with proper attribution.