



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Is multidisciplinary teamwork the key? A qualitative study of the development of respiratory services in the UK

Citation for published version:

Pinnock, H, Huby, G, Tierney, A, Hamilton, S, Powell, A, Kielmann, T & Sheikh, A 2009, 'Is multidisciplinary teamwork the key? A qualitative study of the development of respiratory services in the UK', *Journal of the Royal Society of Medicine*, vol. 102, no. 9, pp. 378-390. <https://doi.org/10.1258/jrsm.2009.080356>

Digital Object Identifier (DOI):

[10.1258/jrsm.2009.080356](https://doi.org/10.1258/jrsm.2009.080356)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Publisher's PDF, also known as Version of record

Published In:

Journal of the Royal Society of Medicine

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.





Is multidisciplinary teamwork the key? A qualitative study of the development of respiratory services in the UK

Hilary Pinnock¹ • Guro Huby² • Alison Tierney³ •
 Sonya Hamilton⁴ • Alison Powell¹ • Tara Kielmann¹ •
 Aziz Sheikh¹

¹ Allergy & Respiratory Research Group, Centre for Population Health Sciences: GP Section, University of Edinburgh, 20 West Richmond St, Edinburgh EH8 9DX

² Centre for Integrated Healthcare Research, School of Health in Social Science, University of Edinburgh, Teviot Place, Edinburgh EH8 9AG

³ Department of Social Medicine, University of Bristol, Canynge Hall, 39 Whatley Road, Bristol BS8 2PS

⁴ SE Region Long-term Conditions Partnership Project Team, D Block Western General Hospital, Crewe Road South, Edinburgh EH4 2XU

Correspondence to: Hilary Pinnock. E-mail: hilary.pinnock@ed.ac.uk

DECLARATIONS

Competing interests

HP is a member of the education committee of the General Practice Airways Group and the joint British Thoracic Society and General Practice Airways group IMPRESS initiative. Both these organizations promote the role of clinicians in developing respiratory services. AS is a recent chair of the Science and Research Committee of the British Thoracic Society and was also a member of its Council and Executive; he is a member of the

Summary

Objectives Using frameworks, such as the long-term conditions pyramid of healthcare, primary care organizations (PCOs) in England and Wales are exploring ways of developing services for people with long-term respiratory disease. We aimed to explore the current and planned respiratory services and the roles of people responsible for change.

Setting A purposive sample of 30 PCOs in England and Wales.

Design Semi-structured telephone interviews with the person responsible for driving the reconfiguration of respiratory services. Recorded interviews were transcribed and coded, and themes identified. The association of the composition of the team driving change with the breadth of services provided was explored using a matrix.

Results All but two of the PCOs described clinical services developed to address the needs of people with respiratory conditions, usually with a focus on preventing admissions for chronic obstructive pulmonary disease (COPD). Although the majority identified the need to develop a strategic approach to service development and to meet educational needs of primary care professionals, relatively few described clearly developed plans for addressing these issues. Involvement of clinicians from both primary and secondary care was associated with a broad multifaceted approach to service development. Teamwork was often challenging, but could prove rewarding for participants and could result in a fruitful alignment of objectives. The imminent merger of PCOs and overriding financial constraints resulted in a 'fluid' context which challenged successful implementation of plans.

Conclusions While the majority of PCOs are developing clinical services for people with complex needs (principally in order to reduce admissions),

Research Committee
of the General
Practice Airways
Group and an
associate editor of
the *JRSM*

Funding

National Institute for
Health Research
Service Delivery and
Organisation
Programme.
SDO/99/2005. HP is
supported by a
Primary Care
Research Career
Award from the
Chief Scientist's
Office, Scottish
Government.
The views and
opinions expressed
herein are those of
the authors and do
not necessarily
reflect those of the
Department of
Health

Ethical approval

Ethics approval was
granted by
South-East
multicentre research
ethics committee
(05/MRE01/109).
Research
governance
approval was
granted by all
relevant primary
care organizations

relatively few are addressing the broader strategic issues and providing for local educational needs. The presence of multidisciplinary teams, which integrated primary and secondary care clinicians with PCO management, was associated with more comprehensive service provision addressing the needs of all respiratory patients. Future research needs to provide insight into the structures, processes and inter-professional relationships that facilitate development of clinical, educational and policy initiatives which aim to enhance local delivery of respiratory care.

Introduction

The care of people with long-term conditions is universally recognized as a major challenge to healthcare services.^{1,2} Chronic obstructive pulmonary disease (COPD) is predicted to become a leading cause of morbidity and mortality worldwide by 2020.³ In the UK, respiratory disease is already the third most common long-term condition. It is responsible for more primary care consultations than any other type of illness, is the major contributory factor in the winter bed crises and accounts for 13% of emergency hospital admissions at an annual cost to the National Health Service (NHS) of approximately £3 billion a year.^{4,5} Primary care organizations (PCOs), charged with commissioning primary and secondary care services for local populations in England and Wales, are responding to this challenge by exploring innovative models to provide cost-effective respiratory care to meet local need.^{2,6,7}

The long-term conditions pyramid (LTC pyramid) of healthcare (Figure 1), cited in UK policy as an appropriate framework for designing care for people with long-term conditions, defines three levels of need: (1) supported self-management encouraging low-risk patients to take an active role in managing their own care; (2) disease manage-


ment with multidisciplinary teams providing high quality, evidence-based care to those at greater risk; and (3) case management involving the proactive care of people with high-risk, complex needs.²

In a recent discussion paper, Gask suggested that although specialists (usually consultants in managed care organizations in the United States on which she builds her argument) traditionally provide clinical services for the minority of patients with complex needs, they also have responsibility for improving the quality of care at all levels of the LTC pyramid.⁸ Important aspects of the specialist role, therefore, include addressing education and training needs, and adopting a leadership role in the strategic development of integrated services. Within the UK, healthcare professionals other than consultants, such as specialist nurses and General Practitioners with a Special Interest (GPwSIs), are developing specialist skills and may be expected to fulfil some or all of these additional roles.⁹⁻¹¹

Our study aimed to understand how PCOs are reconfiguring their workforces to develop respiratory services with a focus on different professional roles, specifically including respiratory GPwSI services. We describe here the initial phase of the study in which we explored the current and planned respiratory services and the roles of people responsible for driving change in a purposive sample of PCOs in England and Wales offering a spectrum of attitudes to the reconfiguration of respiratory services.

Methods

Our study was undertaken in March–June 2006 with the approval of South East multicentre research ethics committee and research governance approval from all relevant PCOs.¹²



Guarantors

HP and GH

Contributorship

HP initiated the idea for the study and led the development of the protocol and securing of funding with GH and AS. HP, GH, AT and AS contributed to study administration, data analysis, interpretation of results and writing of the paper. SH contributed to the data analysis. All authors reviewed the final manuscript

Acknowledgements

We thank the Independent Steering Committee, chaired by Bonnie Sibbald, for overseeing the project. We acknowledge the contribution of Rosemary Porteous who set up and transcribed interviews, and are grateful to our interviewees and their primary care organizations who gave of their time and expertise

Sampling of PCOs and recruitment of interviewees

Based on findings from a previous survey,¹³ supplemented by a database of trusts who had expressed interest at the time of the publication of the General Practice Airways Group *Respiratory GPwSI resource pack*,¹⁴ we purposively sampled 30 PCOs in England and Wales representing a wide spectrum of attitudes to the reconfiguration of respiratory services (including 'well advanced plans', 'early stage of considering the options', 'have a GPwSI in post', 'prefer alternative models of care', 'no plans for developing respiratory services'). In addition, we ensured a geographic spread with a range of population size and demography. We approached PCOs by letter, followed up by a phone call, requesting a 45-minute telephone interview with the person(s) responsible for driving the reconfiguration of respiratory services or the person responsible for other comparable chronic disease services in PCOs not planning reconfiguration of respiratory services.

Interview schedule

Based on our previous work,^{13,15} and our understanding of the literature relating to the management of long-term conditions^{2,8,16,17} and the evolution of clinical roles,^{10,11,14,18} we devised a semi-structured interview schedule, collecting data on size and demographics of the PCO population, preferred model of care for respiratory disease, key drivers, person(s) responsible for the changes, and proposed management arrangements for new services. Appendix 1 shows the full schedule. Interviews were conducted by one researcher (AT) and we continued to recruit PCOs until no further themes emerged.

Data handling and analysis

Interviews were audio-recorded (excluding interviews 1 and 2 for technical reasons) and extensive notes taken on prestructured forms. Recorded interviews were anonymized and fully transcribed. Data analysis was carried out by two researchers (HP, SH) with discussion regarding emerging frameworks and coding strategies taking place at regular intervals with other members of the team.

Data analysis was iterative and emerging themes were used to inform the subsequent inter-

views. Analysis and consultation of the literature proceeded in parallel and we drew on literature in relation to the role of specialist services,⁸ and the levels of care of people with long-term conditions.² We adopted the thematic approach to analysing qualitative data described by Ziebland *et al.*¹⁹ searching specifically for unanticipated themes and deviant cases. Emergent themes were discussed by all members of the multidisciplinary team during a project workshop.

We devised a matrix to examine further the emerging theme of an association between the nature of teamwork and the breadth of the specialist service provision. The degree of involvement of PCO managers, secondary and primary care clinicians was graded 'no / limited / substantial involvement', and commitment of a specialist service to clinical, strategic and educational roles was graded 'no provision / minimal evidence / specific description / high priority'. Table 2 gives details of the grading. The grading was undertaken by one researcher (HP), in discussion with other members of the team.

Results

From an initial mailed approach to 110 PCOs, 40 considered our request for an interview and, after discussion with their line managers, 30 agreed to participate. Where a reason was given for non-participation, time, workload and lack of alignment with current priorities were cited. The demographic details of the PCOs, professional role of the interviewee, and preferred model of care are given in Table 2.

Functions of the specialist services

All but two of the PCOs described clinical services developed to address the needs of people with respiratory diseases (usually COPD). The majority identified the importance of developing a strategic approach to the provision of care for people with respiratory (and other long-term conditions) and to meet educational needs (especially in primary care), but relatively few described clearly developed plans for addressing these issues. Examples of clinical, educational and strategic roles described by interviewees are given in Table 3.

Table 1**Description of the criteria for grading engagement of key stakeholders and the breadth of the specialist roles described**

<i>Grading</i>	<i>Criterion</i>	<i>Examples</i>
<i>Grading of the involvement of PCO managers, secondary and primary care clinicians in reconfiguring respiratory services</i>		
No involvement	The professionals were not mentioned at all in the interview, or only as users of the service or employees of the service. No description of any contribution to the development of the service	GPs referring patients to the service A respiratory specialist nurse providing clinical care
Limited engagement	The professionals were mentioned as stakeholders in the redesign of the services, but it was unclear what, if anything, they had contributed	A GP committee member who had not attended any meetings An acute trust manager 'copied in' to the minutes of meetings 'Practice respiratory leads' with no described role
Substantial engagement	Specific (often named) individual(s) with specific examples of contribution	Contributing to a local network Championing the cause among colleagues Leading an audit process
<i>Grading of the roles provided by the specialist service</i>		
Services could be clinical (e.g. 'hospital at home' services, pulmonary rehabilitation), educational (e.g. respiratory training for community nurses, mentors working in general practices) or strategic (e.g. development in a respiratory network, designing care pathways)		
No provision	The potential role of the specialist service was not mentioned at all in the interview, or described as non-existent	
Role mentioned	A role was mentioned but with minimal/no corroborative evidence, or described by the interviewee as 'limited'/'inadequate'. Use of an ineffective strategy or evidence of poor engagement	Small scale 'pilot' pulmonary rehabilitation service Dissemination of written guidelines Non-attendance at committee meetings
Role described	Aspects of the service were discussed in more detail with specific examples	Establishment of planned early discharge service In-house training for primary care Active local respiratory network
High-priority role	A well-defined existing/proposed service, usually with development plan and evidence of ongoing commitment to the service. Issues of sustainability were addressed, though not necessarily solved	Secure funding source to maintain a service Well-defined development plan, with a vision for the future Succession planning, training to ensure sustainability

Clinical

Almost exclusively, the clinical services described were designed to meet the needs of patients with the most complex needs who were judged to be at significant risk of hospital admission.

The clinical priority for almost all the PCOs was the reduction in hospital bed-days, though the approach taken varied between localities: commonly a nurse-led intermediate care service, often complemented by community matrons providing case management for a few highly complex patients, though examples of other innovative approaches

were also given (Table 1). For local reasons (e.g. low prevalence of COPD), two PCOs had not prioritized the provision of specialist COPD services.

Pulmonary rehabilitation was universally acknowledged as important, though few interviewees were satisfied with the service they provided. Most described their current service as 'inadequate', or 'a pilot project' with an uncertain future, though hoped that in time they would be able to increase provision.

'We started a community pulmonary rehab programme in addition to the one that the Acute Trust

Table 2**The PCOs: their demography, models of care and role of interviewees**

<i>PCO</i>	<i>Population (to nearest 50,000)</i>	<i>Deprivation, any special features</i>	<i>Role of interviewee</i>	<i>Model of respiratory care</i>
1	250,000 Urban	Some areas of deprivation	Manager (Nursing)	Respiratory specialist nurses, community matrons, GPwSI referral service
2	200,000 Rural/coastal	Some areas of deprivation Elderly population	Manager (Service development)	Community matron
3	150,000 Urban	Some areas of deprivation	Commissioner	GPwSI and specialist nurse, acute trust respiratory nurses, community matrons
4	150,000 Urban	Some areas of deprivation	Manager (Governance)	Respiratory specialist nurses, acute trust respiratory nurses
5	150,000 Urban/rural	Mostly affluent	Manager (Service development)	No respiratory service
6	300,000 Small city	Some areas of deprivation	Commissioner	Respiratory specialist nurses
7	100,000 Urban/rural/remote	Mostly affluent	Manager (Nursing)	Respiratory specialist nurses, community matrons
8	150,000 Urban/rural	Mostly affluent	Manager (Service development)	Respiratory specialist nurses, interested GP
9	200,000 Urban/rural	Some areas of deprivation	Manager (Service development)	Acute trust respiratory nurses, pulmonary rehabilitation, practice leads
10	200,000 Inner city	High levels of deprivation	Manager (Nursing)	Respiratory specialist nurses, community matrons, pulmonary rehabilitation
11	200,000 Urban/rural/remote	Some areas of deprivation	Manager (Service development)	Respiratory specialist nurses, practice leads
12	150,000 Rural	Some areas of deprivation	Manager (Service development)	Acute trust respiratory nurses, community consultant, pulmonary rehabilitation
13	250,000 Urban	Some areas of deprivation	Commissioner	Acute trust respiratory nurses, urgent care centre with community consultant
14	100,000 Urban/rural	Relatively affluent	Respiratory GPwSI	GPwSI and specialist nurse
15	200,000 Rural	Some areas of deprivation	Manager (Service development)	Respiratory specialist nurses, physiotherapist, community matrons, primary care nurse educator
16	150,000 Urban/rural	Some areas of deprivation	Respiratory GPwSI (not in post)	Respiratory specialist nurses, potential GPwSI
17	300,000 Rural/coastal	Some areas of deprivation Elderly population	Respiratory GPwSI	GPwSI, respiratory specialist nurses, physiotherapist, nurse educator in primary care
18	150,000 Urban/rural	Some areas of deprivation	Commissioner	Respiratory specialist nurses, community matrons
19	200,000 Urban/rural	Relatively affluent	Manager (Service development)	Acute trust respiratory nurses, pulmonary rehabilitation
20	150,000 Rural/remote	High levels of deprivation Ex-mining community	Manager (Nursing)	Respiratory specialist nurse
21	100,000 Inner city	High levels of deprivation	Manager (Service development)	Respiratory specialist nurses, community matrons, pulmonary rehabilitation, specialist primary care support
22	250,000 Inner city	Some areas of deprivation	Manager (Service development)	Acute trust respiratory nurses, consultant outreach clinics, pulmonary rehabilitation
23	200,000 Suburban	Mixed affluence/deprivation	Manager (Nursing)	Respiratory specialist nurses, telemedicine
24	100,000 Urban	Mixed affluence/deprivation	Manager (Nursing)	Respiratory specialist nurse and physiotherapist, community matrons
25	300,000 Rural	Some areas of deprivation	Commissioner	Respiratory specialist nurse and physiotherapist, community matrons
26	100,000 Rural	High levels of deprivation Ex-mining community	Manager (Nursing)	Community matrons
27	100,000 Rural	Mostly affluent Elderly population	Manager (Service development)	Upskilling primary care, pulmonary rehabilitation
28	150,000 Urban/rural	Mixed affluence/deprivation	Manager (Nursing and social services)	Acute trust respiratory nurses
29	150,000 Urban/coastal	High levels of deprivation Ex-mining community	Manager (Service development)	Acute trust respiratory nurses, physiotherapist, consultant outreach clinics
30	250,000 Urban	High levels of deprivation	Commissioner	Acute trust respiratory nurses, pulmonary rehabilitation, GPwSI

Table 3
Examples of specialist services described by the PCOs

Role	Examples
Clinical service provision	'Hospital at home' services including early supported discharge Community matrons, some with respiratory training GPwSI referral service Community-based pulmonary rehabilitation Community-based consultant Palliative care services Urgent care centre and links with ambulance service Telemedicine Meteorological Office forecasting Community-based oxygen services Expert patient programme
Education and quality improvement	Spirometry training for practice nurses General COPD training for general practice, study days COPD management toolkit for the practices Respiratory training for community nurses Education, mentoring and support to primary care clinicians Specialist nurse facilitator Respiratory locally enhanced services Audit review and education and training programme
Strategic planning	PCT wide pathways and services Patient involvement in pathway development Integrated clinical and social care, community beds Local respiratory networks Long-term conditions planning – addressing co-morbidity Liaison with respiratory teams in neighbouring PCOs

runs but the funding runs out for that at the end of March. So, at the moment, my responsibility is trying to ensure that we get the funding to continue that through practice-based commissioning.' (PCO 9: Respiratory nurse team; Interviewee: PCO manager)

Other clinical services described were isolated examples of innovative practice (e.g. referral management, oxygen services, telemonitoring, Meteorological Office health forecasting, palliative care services for people with COPD). Services for respiratory conditions other than COPD, or for children with respiratory disease, were rarely mentioned.

'I think there's always been an aspiration that the team would move on from COPD as well, that COPD would be its main focus to begin with then as services are established and skills and expertise in that area generally across the health community kind of increased that other respiratory diseases would kind of come into being such as asthma and so on, but again there are no definite plans for that to happen at this point in time.' (PCO 21: Respiratory nurse and community matron team; Interviewee: Service development manager)

Educational

The need to raise standards of respiratory care in primary care was widely acknowledged, though only a minority of PCOs had well-developed plans in place for how this was to be achieved. While a few PCOs used audit tools and support strategies such as in-house mentoring to work with practices, others relied on educational methods known to be ineffective at changing practice (e.g. lectures, distributing local guidelines).²⁰ Plans for training nurses were often described in clearer terms than strategies to improve GPs skills.

'What we try to do is we work with a longer pathway so we have for example, we work with practices and we send in, we have what we call our [specialist nurse], who's a nurse who basically just goes in and works with practices to set up systems of identification and better management and order etc ... But she specifically works with primary care to develop services within primary care.' (PCO 17: GPwSI-led service; Interviewee: GPwSI)

'So the respiratory team have outlined, we have a CDM [chronic disease management] monthly newsletter, so it's gone out in the newsletter about what work up should happen for patients, what's expected so we've been really clear about that. What tests and blood tests, etc. need to be done before they go to a clinic.' (PCO 11: Respiratory nurse service; Interviewee: Service development manager)

Some PCOs were developing a 'competency-based' approach to defining training needs, particularly in the context of community nursing, as district nurses, specialist respiratory nurses and community matrons all contributed to the care of people with COPD.

'I think, very much in terms of defining the care pathways very carefully. All the ones like mapping the service and then deciding who needs to fit in where within that mapping and then the competencies for each of those to be utilized and based on any kind of national competency framework.' (PCO 4: Respiratory specialist nurses; Interviewee: Governance manager)

Strategic

The LTC pyramid (Figure 1) was widely cited and, for most PCOs, was the basis of their strategic planning, though many acknowledged that, at the moment, their focus was primarily 'looking at the top of the triangle for those most vulnerable patients' with less clarity about how to address the needs of the majority of patients at the lower levels of the pyramid. Some PCOs had a respiratory strategy that was embedded 'in the context of the long-term conditions agenda', potentially 'connecting up' care for people with co-morbidity and dovetailing with 'expert patient' programmes to 'help people take control of their own health'. At one end of the spectrum there were PCOs with well-developed teams, often given a name and a clear identity, with a phased programme of development. By contrast other PCOs were yet to develop a strategy.

'Our programme for long-term conditions within this PCO is known collectively as [team name] and in phase one of the programme we established a community respiratory service, a community rapid response service which was linked to intermediate care, the development of community matrons and the further expansion of community beds. So while they are all individual service developments they are all connected together really to deliver an overall impact, if you like, in terms of the development of services for improved management of people with long-term conditions and particularly older people in that first phase.' (PCO 21: Respiratory nurses and community matrons; Interviewee: Service development manager)

Mindful of the impending reorganization of PCOs, some trusts were already discussing with colleagues from neighbouring PCOs how their strategies might align in the event of a merger, potentially enhancing services and sustainability. For many others, however, uncertainty about the

future structures, and their own personal role within the reorganized trusts, was expressed in terms of 'confusion', 'frustration', 'instability' with a resultant sense of inertia making it 'very, very, very difficult to plan anything'. Financial restrictions, often linked with the reorganization, were a major factor impeding development.

Teamwork

Teamwork between managers and representatives from primary and secondary sectors emerged as a key factor in the effective development of services with stakeholders perceived as offering diverse perspectives and complementary skills. Some interviewees offered enthusiastic descriptions of coherent teams driving change.

'What was very unique about our project team was the fact that we had clinicians and managers working very closely together across primary, secondary care. And I think that established the right team structure to actually get things done.' (PCO 17: GPwSI-led service; Interviewee: GPwSI)

Roles within the team

PCO managers were seen as having an important facilitatory role, often providing an essential drive 'at the start of the programme' by focusing attention on the need to develop pathways to prevent 'inappropriate' admissions. The majority of PCOs turned naturally to the acute sector for their clinical advice in setting up 'Hospital at Home' services especially in the absence of interest from GPs. Lack of 'buy-in' from GPs was cited as a significant threat to implementation of services.

'Yes and there is a bit of a change I suppose within the PCO, about well, there's no point in us doing this if this isn't going to be owned by the practices, you know, it needs to come from them really now, every service development now really should have the support of the practices behind it.' (PCO 21: Respiratory nurses and community matrons; Interviewee: Service development manager)

Clinicians from primary or secondary care sometimes fulfilled the role of a champion, being described as 'very, very committed to developing the service' and people who 'have a passion to move things on'. It was thought that to be effective,

clinical leaders should be knowledgeable, visionary, enthusiastic and tenacious, locally respected clinicians who were good at building relationships and were supportive mentors who could set standards.

If natural leaders were not forthcoming, PCOs often sought ways to encourage clinical engagement, for example by obtaining a 'specific nominated lead in each GP practice for respiratory disease'. Practice-based commissioning (PBC) was widely seen as a potential mechanism for increased involvement of clinicians.

'I mean we see it [PBC] as the real drive to get them much more in a leadership position to say "Well, you know, this isn't right, how can we provide it differently?" So I would say, you know, we anticipate it having a huge impact on influencing where resources are going and their referral patterns, etc.' (PCO 10: Respiratory nursing team; Interviewee: Nursing manager)

The importance of relationships

Tensions could arise between the PCO managers' need to achieve financial savings and the clinicians' broader vision of improved services. Relationships between primary and secondary care, or between respiratory nurse specialists and community matrons, were sometimes fraught. Candid discussion between all stakeholders could allow diverse perspectives to be appreciated and objectives aligned.

'I think the PCO driving force is the economic side of things ... so I do feel that I'm basically trying to drive through a clinical area but obviously understand that you will only achieve these things if you satisfy other people's aims as well.' (PCO 14: GPwSI service; Interviewee: GPwSI)

Entrenched professional attitudes (variously described as 'obstinate', 'resistant', 'territorial', 'prejudiced') could block effective engagement of clinicians, though some interviewees attributed obstructive attitudes to 'a lack of understanding' which might respond to 'an evolutionary approach'.

'Correct, it's a little bit about protectionism and a little bit about he loses control and a little bit about actually does the evidence base support that these services can be developed safely, to be safe and

indeed effective.' (PCO 12: Respiratory nurse team; Interviewee: Service development manager)

'No I don't think it's being obstinate I mean don't get me wrong there are probably some individuals who are obstinate I think you'll find that in all walks of life ... I think generally it's about understanding and you know what the ability of community and primary care can do.' (PCO 19: Respiratory nurse service; Interviewee: Service development manager)

Professional involvement and roles of specialist service

Table 4 describes the nature of the association between increasing teamwork between PCO management and clinicians from both primary and secondary care and the approach to clinical, educational and strategic aspects of respiratory service development.

Discussion

The services currently being developed by PCOs are aimed at the immediate goal of reducing COPD admissions and are therefore focussed on the care of people with high-risk, complex needs. Despite universal awareness of the LTC pyramid, only a minority of the PCOs had a coherent strategy to ensure that the majority of patients with less complex needs also had access to high quality respiratory care. The specialist services – most commonly nurse-led intermediate care – had a limited remit to provide education for primary care and few were actively involved in the strategic planning of services.

PCOs commonly turned to specialists in the acute trust for expert advice on developing 'hospital at home' services, but active involvement of clinicians from both primary and secondary care was less common. Teamwork with more explicit engagement of clinicians was associated with the provision of specialist services with a broader remit embracing not only the clinical needs of patients with a more diverse range of diseases and severity, but also strategic and educational roles. Where successful teamwork was achieved it was valued and resulted in a fruitful alignment of objectives, while in other PCOs, the challenge of

Table 4

Association between increasing engagement of key stakeholders (PCO manager, primary and secondary care clinicians) and the breadth of the specialist roles described (clinical, strategic and educational)

	PCO number	Degree of engagement			Role provided by specialist service		
		PCO	Secondary care	Primary care	Clinical role	Strategic role	Education role
No clinical involvement	2				✓		
	5						
	18	++					✓
	20	++			✓		
	26	++	+		✓✓		
Either primary or secondary care clinical involvement	6	++	++		✓✓	✓✓	
	7	++	++		✓✓	✓	
	21	++	++		✓✓✓	✓✓✓	✓✓✓
	22	++	++		✓✓		
	25	++	++		✓✓		
	28	++	++		✓		
	29	++	++		✓✓		
	1	++		++	✓✓		
	16	++		++	✓✓		
	Some involvement of both primary and secondary care	12	++	++	+	✓	✓
13		++	++	+	✓✓	✓	✓
23		++	++	+	✓✓	✓	✓
24		++	++	+	✓✓	✓	✓✓
30		++	++	+	✓✓		✓
3		++	+	++	✓✓✓	✓✓	✓
9		++	+	++	✓✓		✓✓
Active involvement of both primary and secondary care	10	++	+	++	✓✓	✓✓✓	✓✓✓
	4	++	++	++	✓✓	✓✓✓	✓✓✓
	8	++	++	++	✓✓	✓✓	
	11	++	++	++	✓✓	✓	✓
	14	++	++	++	✓✓✓	✓✓✓	✓✓✓
	15	++	++	++	✓✓	✓✓	✓✓
	17	++	++	++	✓✓✓	✓✓✓	✓✓✓
	19	++	++	++	✓		
27	++	++	++	✓✓✓	✓✓✓	✓✓✓	

Involvement of PCO managers, secondary and primary care clinicians are illustrated in the first three columns, the number of symbols reflects the degree of engagement. Table 1 shows details of grading

- + Limited engagement
- ++ Substantial engagement

Roles provided by the specialist service are illustrated in the second three columns, the number of symbols reflects the priority, and depth of the service provided

- No provision
- ✓ Role mentioned, but with minimal corroborative evidence
- ✓✓ Role described, with some specific examples
- ✓✓✓ High priority given to role

overcoming lack of interest, antagonism, and entrenched attitudes could prove to be insurmountable. The imminent merger of PCOs, and financial

constraints resulted in a 'fluid' context which further challenged successful implementation of plans.

Limitations and strengths

Our purposive sample of 30 PCOs may not have encompassed the full range of contexts in PCOs throughout England and Wales, and is likely to have favoured PCOs with an interest in respiratory services. However, we achieved a good geographic spread with a range of population size and demography and we continued to recruit until saturation was reached, specifically including two PCOs with no plans to develop respiratory care. Our data about each PCO are derived from one informant who may not have been fully aware of the situation in their PCO. Although we standardized our requests to PCOs, asking to speak to the person responsible for driving the reconfiguration of respiratory services, as expected the interviewees held diverse managerial and/or clinical roles. This flexible approach may have reduced the comparability of the reports we obtained, but enabled us to accommodate the diverse organizational models operating in PCOs. We recognize that they will have described the services from their perspective which may not be shared by other stakeholders in the trust. Interviewees may have omitted to mention some topics or services, though we used a structured topic guide to ensure that we asked specifically about relevant issues.

The idea that there might be an association between clinical engagement and breadth of service provision emerged during the analysis, so although our topic guide covered all the relevant issues, we did not systematically request information about this relationship. Importantly, our qualitative methodology limits inference about the direction of this observed relationship and the impact of confounding factors.

Although the analysis presented in this paper was led by one researcher (HP) potentially biasing interpretation of emerging themes, other members of the team (SH, GH) worked with the same data,²⁰ and the findings were discussed and agreed. A major strength is the multidisciplinary expertise (clinical, health service management, anthropological) available within the study team, ensuring balanced conclusions.

Interpretation of findings in relation to previously published work

Gask argues that a specialist (a consultant physician, or possibly a specialist nurse) should not

only address the clinical needs of those with severe or complex illness, but also has a responsibility to 'improve the quality of care for those who don't need specialist care'.⁸ The evolution of the GPwSI concept reflects this broadening of emphasis as the initial description of a GP undertaking a specific clinical task²² has been challenged in subsequent discussions,¹⁰ and official guidance now recognizes the potential contribution GPwSIs can make to strategic development of services and raising standards in primary care.^{18,23} Previous surveys and qualitative work have endorsed this broader remit for GPwSIs.^{13,15,24} Our findings suggest that, at least in some PCOs, these roles may be incorporated into the design of a specialist service, with different professionals fulfilling clinical, educational and strategic roles to ensure a comprehensive service.

The importance of collaboration between clinicians and managers to improve local services, and the need for effective clinical leaders has recently been highlighted.²⁵ The challenges of working collaboratively, however, are well recognized,²⁶ and echoed by our interviewees who at times struggled to build effective teams against a background of financial constraints and reorganization.²⁰ Our data, however, suggest that involvement of both primary and secondary care clinicians may be important in ensuring that the needs of patients with long-term conditions at all levels of the pyramid are met. We thus provide support for the concerns expressed by Ham in his recent discussion paper that services for chronic disease are best served by 'clinically integrated groups' overseen by PCOs rather than by a 'quasi market' in which contracted services lack the flexibility to respond to complex clinical and social needs of people with long-term conditions.²⁷ Practice-based commissioning was in its infancy at the time of our study, but many of our interviewees supported the policy, believing that it had the potential to improve primary care clinical engagement.²⁸

An unresolved question is the organizational level at which teamwork operates most effectively. We investigated development at the level of the small pre-merger PCOs, while current English NHS policy recommends that networks should be established at the higher Strategic Health Authority level.²⁵ By comparison, in Scotland, Managed Clinical Networks advise on healthcare provision at a level intermediate between these

two extremes.^{29,30} Since our interviews, the merger is likely to have impacted on the dynamics within the PCOs and further work will be needed to understand whether strong teamwork helped overcome the disruption of reorganization, or whether the new organizational structures damaged existing teams.

NHS policy is actively promoting clinical leadership.³¹ Our observed association between teamwork involving primary and secondary care professionals with PCO managers and successful development of services may be seen to support a hypothesis that clinical engagement is a prerequisite for service improvement. This would, however, be too simplistic: clinical engagement may be necessary, but was not sufficient. Our interviewees offered examples of clinicians providing valued leadership, but also of obstructing progress. Established teams could be undermined by PCO reorganization and their plans thwarted by financial constraints. We also saw examples where clinicians were able to compensate for lack of engagement from another sector. In one PCO, lack of primary care involvement was balanced by a consultant working in the community; in another a GPwSI provided specialist expertise instead of a reluctant consultant. Exploration of these complex dynamics could yield an understanding of how clinical engagement and teamwork can be facilitated to support the effective reconfiguration of services.

Conclusions

While the majority of PCOs are developing clinical services for people with complex needs (principally in order to reduce admissions) relatively few are addressing the broader strategic issues and providing for local educational needs. The presence of multidisciplinary teams, which integrated primary and secondary care clinicians with PCO management, appears to be associated with comprehensive service provision addressing the needs of a wide range of respiratory patients. Future research needs to provide insight into the structures, processes and inter-professional relationships that facilitate development of clinical, educational and policy initiatives which aim to enhance local delivery of respiratory care.

References

- 1 World Health Organization. *Innovative care for chronic conditions: building blocks for action*. Geneva: WHO; 2002
- 2 Department of Health. *Improving chronic disease management*. London: DOH; 2004
- 3 Murray CJ, Lopez AD. Alternative projections of mortality and disability by cause 1990–2020: Global burden of disease study. *Lancet* 1997;**349**:1498–1504
- 4 British Thoracic Society. *The Burden of Lung Disease*. 2nd edn. London: BTS; 2006
- 5 Damiani M, Dixon J. *Managing the pressure. Emergency Hospital Admissions in London 1997–2001*. London: The Kings Fund; 2002
- 6 NHS Modernisation Agency. *Learning Distillation of Chronic Disease Management in the UK*. London: Matrix Research and Consultancy; 2004
- 7 Ram FSF, Wedzicha JA, Wright J, Greenstone M. Hospital at home for patients with acute exacerbations of chronic obstructive pulmonary disease: systematic review of evidence. *BMJ* 2004;**329**:315–18
- 8 Gask L. Role of specialists in common chronic diseases. *BMJ* 2005;**330**:651–3
- 9 Sibbald B, Shen J, McBride A. Changing the skill-mix of the health care workforce. *J Health Serv Res Policy* 2004;**9** (Suppl. 1):28–38
- 10 Williams S, Ryan D, Price D, Langley C, Fletcher M, Everden P. General practitioners with a special clinical interest: a model for improving respiratory disease management. *Br J Gen Pract* 2002;**52**:838–43
- 11 Royal College of Physicians of London, Royal College of General Practitioners, NHS Alliance. *Clinicians, services and commissioning in chronic disease management in the NHS: the need for co-ordinated management programmes*. London: RCP; 2004
- 12 Kielmann T, Tierney A, Porteous R, Huby G, Sheikh A, Pinnock H. The Department of Health's Research Governance Framework remains an impediment to multi-centre studies: findings from a national descriptive study. *J R Soc Med* 2007;**100**:234–8
- 13 Pinnock H, Netuveli G, Price D, Sheikh A. General Practitioners with a Special Interest in respiratory medicine: national survey of primary care organisations. *BMC Health Services Research* 2005;**5**:40
- 14 General Practice Airways Group. *GPwSI Resource Pack: Learning from the experience of GPs and other practitioners with a special interest in respiratory medicine*. London: GPAG; 2005
- 15 Moffat M, Sheikh A, Price D, et al. Can a GP be a generalist and a specialist? Stakeholders views on a respiratory General Practitioner with a special interest service in the UK. *BMC Health Services Research* 2006;**6**:62
- 16 Department of Health. *Supporting People with Long Term Conditions. An NHS and Social Care Model to support local innovation and integration*. London: DOH; 2005
- 17 Audit Commission. *Quicker treatment closer to home: Primary care trusts' success in redesigning care pathways*. London: Audit Commission; 2004
- 18 Department of Health. *Guidelines for the appointment of General Practitioners with Special Interests in the delivery of clinical services: Respiratory Medicine*. London: DOH; 2003. See http://www.dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_4009510 (last accessed November 2008)
- 19 Ziebland S, McPherson A. Making sense of qualitative data analysis: an introduction with illustration from DIPEX personal experiences of health and illness. *Med Education* 2006;**40**:405–14

- 20 Hamilton S, Huby G, Tierney A, *et al.* Mind the gap between policy imperatives and service provision: a qualitative study of the process of respiratory service development in England and Wales. *BMC Health Services Research* 2008;**8**:248
- 21 O'Brien MA, Freemantle N, Oxman AD, Wolf F, Davis DA, Herrin J. Continuing education meetings and workshops: effects on professional practice and health care outcomes. *Cochrane Database of Systematic Reviews* 2001, Issue 1. Art. No.: CD003030
- 22 Department of Health. *The NHS Plan: a plan for investment, a plan for reform.* London: The Stationery Office; 2000
- 23 Department of Health. *Implementing care closer to home: Convenient quality care for patients.* London: DOH; 2007
- 24 Boggis AR, Cornford CS. General Practitioners with special clinical interests: A qualitative study of the views of doctors, health managers and patients. *Health Policy* 2007;**80**:172–8
- 25 Department of Health. *Our NHS Our future: NHS next stage review – interim report.* London: DOH; 2007
- 26 Edwards N. Doctors and managers: building a new relationship. *Clin Med* 2005;**5**:577–9
- 27 Ham C. Competition and integration in the English National Health Service. *BMJ* 2008;**336**:805–7
- 28 NHS Alliance. *The future of clinical leadership in primary care and PCTs.* Retford: NHS Alliance, 2006
- 29 NHS Scotland. *Our National Health: A plan for action, a plan for change.* Edinburgh: Scottish Executive; 2000
- 30 NHS Scotland. *Managed Clinical Networks.* See <http://www.mcns.nhsscotland.com> (last accessed 23 May 2009)
- 31 NHS Confederation. *The challenges of leadership in the NHS.* London: NHS Confederation; 2007

Appendix 1 Topic guide for the interviews

Schedule for the initial semi-structured screening interview with the person responsible for driving the reconfiguration of respiratory services in up to 50 PCOs (Workforce 1 – PCO screening, Interview schedule v1. 2.10.05):

Background information

Size of PCO:

Demographics: urban, semi-urban, rural, remote: areas of deprivation

Workforce issues: GP vacancies, consultant vacancies, nurse/physio availability

Any specific local issues (unemployment levels, significant local employers competing for potential employees, local availability of training –university/colleges, etc.)

Plans for PCO reconfiguration: which are the proposed 'partner PCOs'

What are the key priorities for service redesign in your PCO?

[Specific prompts: Key issues that affect service re-design, PCOs approach to the management of long-term diseases, How do respiratory services fit in with the overall strategy]

Does your PCO have any plans to develop services for people with respiratory disease?

If yes:

Please outline what service development is being considered or is already underway

[Specific prompts: respiratory GPwSI, respiratory specialist nurse, Evercare/other managed care project, COPD Primary Care Collaborative, developing existing primary care/supporting GMS contract, secondary care outreach, Hospital at Home scheme, Providing specific services (spirometry, pulmonary rehabilitation, palliative care for COPD allergy)]

Why are the PCO considering these changes?

[Specific prompts: pressure on secondary care, primary care collaborative, strategic development of care for long-term conditions, pressure from a primary/secondary care respiratory champion, pressure from patient groups, SHA/national pressures]

[Any local information driving these decisions: referrals, waiting times, asthma and COPD admissions, prescribing costs]

[Any evidence informing these decisions: published literature, NatPact/BTS/NRTC/GPIAG/other resources, experience in neighbouring PCOs]

What are the priorities to be addressed by the reconfigured service?

[Specific prompts: reducing admissions, raising quality of primary care, reducing outpatient referrals, providing spirometry/pulmonary rehabilitation/palliative care for COPD/allergy services]

Who is responsible for driving changes (if any) in the provision of respiratory care, and/or other chronic disease areas?

[Specific prompts: PCO manager, primary/secondary care clinician]

[Other key players?]

What workforce changes will be needed to realize the planned development?

[Specific prompts: new appointments (GPwSI, specialist nurse/physio/other, healthcare assistants) new skills for existing staff (extending the skills of nurses/physios/healthcare assistants/other)]

What training is planned for this reconfigured workforce?

[Specific prompts: formal training (MSC, degree level, diploma level course, mentoring with local primary/secondary care clinicians, NRTC/RETC/ other accredited training organizations/pharmaceutical sponsored training]

[Basis on which appropriate training was identified/chosen: formal needs analysis, clinician's own preference, managerial decision, personal recommendation, official requirement]

[Accreditation/appraisal arrangements: local arrangements, following national guidance]

What are the barriers?

[Specific prompts: lack of suitable candidate(s) for new respiratory GPwSI/respiratory specialist nurse/physio/other posts, no funding for the new post, no funding to support training, opposition from primary/secondary, clinicians/PCO management/patients, competition with other priorities]

What sources of information and support have been accessed?

[Specific prompts: published literature, web-based advice e.g. NatPact/BTS, etc., informal advice from colleagues]

What monitoring is planned?

[Specific prompts: COPD/asthma admissions/bed days, outpatient referrals, A&E attendances, PACT data, quality and outcome framework returns from the practices, referrals to new services]

What effect will the planned PCO reconfiguration have on these plans?

[Specific prompts: existing services/plans/respiratory champions in 'partner' PCOs, effect of uncertainties due to the reconfiguration]

Any other comments?

If no:

Please outline why reconfiguration of respiratory services is not a priority in your PCO

[Specific prompts: existing primary/secondary service is very good, addressing the issues in other ways (what other models – e.g. generic CDM nurses) other priorities (what are these priorities and why?), no identified local need (what is this based on?), no local interest from clinicians]

[Factors that would change the priority attached to respiratory care: local data suggesting there was a problem, national/SHA directives, local interest/availability of specialists, identifiable funding stream]

What sources of information and support do you regularly access to help you develop services?

[Specific prompts: published literature, web-based advice, e.g. NatPact, informal advice from colleagues]

What monitoring of respiratory services is routinely undertaken or planned?

[Specific prompts: COPD/asthma admissions/bed days, outpatient referrals, A&E attendances, PACT data, quality and outcome framework returns from the practices]

What effect will the planned PCO reconfiguration have on these plans?

[Specific prompts: existing services/plans/respiratory champions in 'partner' PCOs, effect of uncertainties due to the reconfiguration]

Any other comments?

Thank you for helping with our research

The information you have given us will help us understand how respiratory care is being developed around the country. In the next phase of this project we will be recruiting six PCOs who are planning different models of care to take part in an in-depth case-study over the next year. If we think that your PCO would be a particularly useful example for our study, please may we approach you again to see if you would be interested?