THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Beyond communication

Citation for published version:

Vardaman, JM, Cornell, P, Gondo, MB, Amis, JM, Townsend-Gervis, M & Thetford, C 2012, 'Beyond communication: The role of standardized protocols in a changing health care environment', *Health Care Management Review*, vol. 37, no. 1, pp. 88-97. <https://doi.org/10.1097/HMR.0b013e31821fa503>

Digital Object Identifier (DOI):

[10.1097/HMR.0b013e31821fa503](https://doi.org/10.1097/HMR.0b013e31821fa503)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

Health Care Management Review

Publisher Rights Statement:

© Vardaman, J. M., Cornell, P., Gondo, M. B., Amis, J. M., Townsend-Gervis, M., & Thetford, C. (2012). Beyond communication: The role of standardized protocols in a changing health care environment. *Health Care Management Review*, 37(1), 88-97. 10.1097/HMR.0b013e31821fa503

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

**BEYOND COMMUNICATION: THE ROLE OF SBAR IN A CHANGING HEALTH
CARE ENVIRONMENT**

**James M. Vardaman
Mississippi State University**

**Paul Cornell
Healthcare Practice Transformation**

**Maria B. Gondo
University of New Mexico**

**John M. Amis
University of Memphis**

**Mary Townsend-Gervis
Baptist Memorial Hospital**

**Carol Thetford
Baptist Memorial Hospital**

BEYOND COMMUNICATION: THE ROLE OF SBAR IN A CHANGING HEALTH CARE ENVIRONMENT

Abstract

Background: Communication errors have grave consequences in a health care setting. The Situation-Background-Assessment-Recommendation (SBAR) protocol has been theorized to improve communication by creating a common language between nurses and physicians in acute care situations. This practice is gaining acceptance across the healthcare field. However, as yet, there has been little investigation of the ways in which SBAR may have an impact on how health care professionals operate beyond the creation of a common language.

Purpose: The purpose of the study was to explore the implementation of SBAR and investigate the potential impact of SBAR on the day-to-day experiences of nurses through the conceptual lens of social capital theory.

Methods: We performed a qualitative case study of two hospitals that were implementing the SBAR protocol. We collected data from 80 semi-structured interviews with nurses, nurse managers and physicians, observation of activities, and documents that pertained to the implementation of SBAR. Data were analyzed using a thematic approach.

Findings: Our analysis revealed four dimensions of impact that SBAR has beyond its use as a communication tool: schema formation, development of legitimacy, development of social capital, and reinforcement of dominant logics. These dimensions reflected the extended impact of the protocol beyond the creation of a common language between nurses and physicians.

Practice Implications: The results indicate that SBAR may function as more than a tool to standardize communication among nurses and physicians. Rather, the findings indicate that SBAR aids in schema development that allows rapid decision making by nurses, provides social capital and legitimacy for less-tenured nurses, and reinforces a move toward standardization in the nursing profession. The findings further suggest that standardized protocols such as SBAR may be a cost-effective method for hospital managers and administrators to accelerate the socialization of nurses, particularly new hires.

Key Words: SBAR, communication errors, nursing, social capital

Introduction

Communication errors in the health care setting often have severe consequences. These mistakes are estimated to lead to 98,000 deaths, and cost the industry in excess of \$17 billion, annually (Sutcliffe, Lewton, & Rosenthal, 2004). Communication errors also lead to other negative outcomes, such as increased length of stay and decreased patient satisfaction (Pronovost, Berenholtz, Dorman, Lipsett, Simmonds, & Haraden, 2003). The causes and characteristics of communication errors in health care are myriad and complex (Manning, 2006; Sutcliffe et al., 2004), with the situation often complicated by hierarchical, gender, and ethnic differences, especially in communication between physicians and nurses (Haig, Sutton & Whittington, 2006; Monroe, 2006). Nurse-physician communication is further impeded by differences in training and reporting expectations (Thomas, Bertram, & Johnson, 2009).

The dire consequences associated with these errors make effective communication among health care workers essential. Accordingly, health care professionals have sought to implement practices that aid in the reduction of communication errors. One practice that has recently been adopted in health care settings is the SBAR (Situation-Background-Assessment-Recommendation) protocol. A standardized communication tool, SBAR was first developed by the U.S. Navy as a means to create a scripted language that would reduce miscommunication incidents that often result in catastrophic events (Doucette, 2006). In the health care setting, SBAR was first introduced at Kaiser Permanente in 2003 as a framework for structuring conversations between doctors and nurses about situations requiring immediate attention (Thomas et al., 2009). From its introduction, SBAR was perceived by health care administrators as being able to provide predictable, concise and essential information, and thus improve the accuracy and efficiency of communication in various health care settings. Thus, SBAR has been

positioned as a tool to facilitate understanding between people who interact frequently or infrequently, but might not communicate in the same way.

SBAR may improve communication by creating a common protocol for clinicians. Research suggests that SBAR helps establish a common language and an expectation of what will be communicated (Haig et al., 2006; Hohenhaus, Powell & Hohenhaus, 2006). As such, it may serve to mitigate the influence of hierarchy and differences in training (Sutcliffe et al., 2004; Manning, 2006). When studied as a tool for improving communication, use of the SBAR protocol in critical situations has been shown to increase communication satisfaction among nurses, as well as nurse perceptions that communication is precise (Woodhall, Vertacnik, & McLaughlin, 2008).

While SBAR was originally implemented in health care settings with the intent of improving physician-nurse communication in acute-care situations, its use has also been advocated in structuring communication during shift 'hand-offs' (Monroe, 2006; Woodhall et al., 2008), medication discussions (Powell, 2007), post-surgery conferences (Ascano-Martin, 2008) and rehabilitation meetings (Velji, Baker, Fancott, Andreoli, Boaro, Tardif, Aimone & Sinclair, 2009). However, despite SBAR's widespread appeal as a means for structuring communication in multiple health care situations, little is known about its benefits beyond creating a common language. Because new practices often have unintended consequences once they are implemented (Balogun & Johnson, 2004), it stands to reason that SBAR's impact may go beyond simply reducing miscommunication between health care professionals. Understanding this extended impact is particularly important because SBAR's use is becoming more widespread and the protocol is being promoted for use in an increasing number of clinical situations (Pope, Rodzen, & Spross, 2009).

Thus, the purpose of this paper is to examine the additional outcomes that may derive from the implementation of SBAR. With insights gleaned from research on individual social capital in organizations, and drawing upon data compiled through a 9-month longitudinal study of 2 hospitals in the mid-south region of the United States, our findings suggest that the implementation of SBAR has additional impact beyond structuring discourse between health care professionals and reducing communication errors. Specifically, we detail how SBAR aids in nurse schema development, facilitates the accumulation of social capital and legitimacy among nurses, and is helping to reinforce a shift in the nursing profession from a logic of autonomy to one of standardization.

SBAR Protocol

The Navy first employed SBAR in high-reliability situations, those in which errors may have disastrous consequences, including loss of life (Baker, Day, & Salas, 2006; Doucette, 2006; Kalisch & Lee, 2009; see also Weick & Roberts, 1993). The success of the tool, particularly at standardizing communication in high-stress environments, led to its adoption in other settings, including health care. This makes sense because nurses, physicians, and other health care workers often find themselves in situations requiring rapid but very accurate communication while under extreme stress, such as in medical/surgical, obstetric, and neo-natal units (Woodhall et al., 2008). Problems arise when messages are not clearly delivered by the sender or are misunderstood by the recipient. Differences in communication styles between health care workers may contribute to a breakdown in communication and negative patient outcomes (Arford, 2005). SBAR was positioned as a solution to these problems.

SBAR structures communication around four components (Woodhall et al., 2008). The first component communicated is the *situation*, which includes communicating the sender's

name and the current status or problem of the patient. Next, the *background* is communicated. This provides information about the patient's admission diagnosis, pertinent medical history, treatment to date, and change in condition since admission. Communicated third is the *assessment*, which includes the patient's vital signs, whether the patient is on oxygen, the patient's pain level, and any change in the assessment since the most recent communication. Finally, the *recommendation* is communicated, providing information about what action the sender suggests be taken, and specifies precisely when the next communication will take place. Additionally, SBAR dictates that the nurse compile the patient's chart, list of medications, laboratory test results, and code status before engaging in communication.

When SBAR is used, the sender communicates the patient's condition in a concise manner by delivering each of the components of the protocol in sequential order and without extraneous detail. This provides the receiver with an expected framework for communication, fosters preparation on the part of the sender, and reduces the likelihood of errors of omission (Marini, 2005). In this way, SBAR "allows for an easy and focused way to set expectations for what will be communicated and how between members of the team, which is essential for developing teamwork and fostering a culture of patient safety" (Kaiser Permanente, 2010). Because of its preliminary success, SBAR is becoming more widely adopted at hospitals across the U.S., especially in acute care situations (Pope et al., 2009).

Conceptual Underpinnings

While our examination of the additional impact of SBAR on nurses was exploratory, our analysis was not without theoretical underpinnings. In the following sections,

Social Capital

Social capital, the sum total of the standing and trust that develops from an individual's network of relationships (Lin, 2001), allows individuals to access resources, gain trust and belonging, and mobilize action within the work unit (Coleman, 1988). Individuals acquire social capital through relations with others, indicating that social capital is a product of the quality and nature of connections employees develop with each other (Tsai & Ghoshal, 1998). Social capital has been linked to important individual outcomes, such as power acquisition, mobility, performance, and reductions in job tension and emotional exhaustion (Chang, Gotcher, & Chan, 2006). Social capital has also been linked to better information exchange, which is vital for reducing errors in high-reliability settings such as health care. Further, social capital reinforces identity. Being assured and recognized for one's worthiness as an individual and member of a social group provides emotional support and self efficacy, which in turn increases performance and group cohesion (Lin, 2001). Thus, engaging in communication practices that facilitate the accumulation of social capital is likely to build trust and legitimacy for the individual, as well as foster better communication in the work group.

Schema

Schema are the mental models held by individuals that impact the way individuals respond to situations and how (Balogun & Johnson, 2004). They act as "templates against which members can match organizational experiences and thus determine what they mean" (Poole, Gioia, & Gray, 1989: 272). Schemas provide a categorization mechanism for individuals who might be bombarded with a large amount of stimuli. Schemas are in this way data reduction devices that allow individuals to make decisions rapidly in the face of large amounts of information (McVee, Dunsmore, & Gavelek, 2005). Through practice and interaction, individuals develop these categorization schemes as cognitive short cuts to enable them to make

decisions based on mountainous amounts of data without weighing every piece of data separately. Thus, schemas are vital in nursing due to the demands on nurses to make quick decisions even when bombarded with multiple pieces of data.

Dominant Logics

We also drew upon the idea of dominant professional logics in understanding the additional impact of SBAR (Prahalad & Bettis, 1986). Professional logics are thought templates that guide the cognition of actors within a field or profession by defining the norms, values, and beliefs that structure the cognition of actors in organizations and provide a collective understanding of how...decisions are formulated” (Thornton, 2002: 82). Logics create a mindset that defines which tools and practices are appropriate in the profession, and how work should take place (Prahalad & Bettis, 1986). Hence, logics underpin the cognitive processes of individuals embedded in a profession, and serve as an overarching interpretive scheme for those professionals. This concept was particularly useful given the professionalized nature of nursing, and the importance of norms and socialization in defining how nurses practice. Logics shape the identity of members in the profession, and the practices that members view as legitimate (Thornton & Ocasio, 2008). However, while the dominant logic of the profession shapes which practices are adopted, the practices that professionals engage in on a regular basis reinforces the thoughts that underpin the prevailing logic, suggesting that logics and practices may be mutually reifying. This idea, along with the notions of social capital and schema, proved apposite during our data analysis.

Methods

We used a case study design that employed qualitative data collection methods and theme analysis (Yin, 2003). This approach was used to allow the details of protocol implementation in a

complex setting to emerge, permitting us to identify any ways in which SBAR influenced the day-to-day experiences of nurses beyond simple communication. Given that our intent here was to explore the effects of a standard protocol on workers' activities, using a longitudinal in-depth qualitative approach seemed the most logical course of action (Lee, Mitchell, & Sabylnski, 1999). Furthermore, because we examined a dynamic process, the implementation of a communication protocol, a qualitative approach allowed us to gain insight into finer-grained aspects of the protocol's influence beyond its stated purpose.

Sample and Data Collection

Our investigation took place in medical/surgical units spread over 4 floors in 2 hospitals. One location is a 339-bed acute care hospital, the other is a 140-bed women's hospital. Both are in suburban settings and are part of a larger regional health care system. The hospitals were in the early stages of implementing SBAR at the time of our investigation. Nurses had received basic training in SBAR for use primarily in communication with physicians. Other SBAR-based protocols were being implemented idiosyncratically on a floor-by-floor basis, mostly for case conferences between nurses at shift change. This context was useful for two reasons: first, it provided a setting in which the principal actors had a working familiarity with SBAR; second, it allowed us to examine the ways in which health care professionals enacted SBAR in their day-to-day activities.

The primary method of data collection comprised of semi-structured interviews with nurses (n=66), nurse managers (n=9), and doctors (n=5). The interviews took place during work time and were conducted on-site. The interviews occurred in two stages. The first consisted of 28 interviews (5 doctors, 9 nurse managers, and 14 staff nurses). These interviews typically lasted about an hour and were used to gain an understanding of how SBAR was used and its

broad effects on nurses' communication and other activities. The second stage was used to refine our initial findings, and consisted of 52 staff nurse interviews. These interviews usually lasted about 10 minutes. Most of the interviews were recorded and later transcribed verbatim; where recording was not possible, we relied upon extensive field notes during the interview sessions. Although we modified the protocol to take advantage of emerging themes, the interview protocols commonly asked about the participant's knowledge of SBAR, perceptions of SBAR's value in the unit, how SBAR is used, and the influence that it is having on health care activities in the hospital. These data were supplemented with non-participant observation and archival analysis. The non-participant observation allowed us to view first-hand how SBAR was being used, and provided insight into SBAR's effects in the unit. The archival analysis provided us with background on the rationale for SBAR's implementation.

Data Analysis

Data analysis proceeded in three major steps. In step one, we identified statements regarding our participant's thoughts on SBAR via open coding (Glaser & Strauss, 1967). In step two, we related these codes to others via a combination of inductive and deductive thinking, a process known as axial coding (Strauss & Corbin, 1990). Thus, in step two we created theoretical categories. In step three, we aggregated the theoretical categories into aggregate dimensions that formed the basis for our identification of additional impact of SBAR. Figure 1 summarizes the process that we used, and shows our first-order categories, theoretical categories, and aggregate theoretical dimensions (Corley & Gioia, 2004). Although we describe these linearly, in reality, we moved back and forth between the different stages as our emerging insights informed subsequent data collection and vice versa.

Insert figure 1 about here

Findings

As we analyzed the data, two findings became clear. First, SBAR was thought of by our participants strictly as a communication protocol that was intended to reduce errors that are a result of miscommunication. However, despite this, our second finding was that SBAR actually had a far more reaching effect than just being a communication tool. As can be seen in table 1, four themes emerged from our data: schema formation, development of legitimacy, development of social capital, and the reinforcement of dominant logics. In the sections that follow, we detail the influence of SBAR in each of these areas.

Insert table 1 about here

Schema Formation

Apparent early on in our investigation was the value nurses placed on the importance of schema in the rapid decision-making process that nursing requires. The nurses acknowledged that many interpretations and decisions are made rapidly. In order to make those rapid decisions, nurses rely upon schema, intuitive and subconscious knowledge structures developed from past experience that are used to organize and structure new information and facilitate understanding (McVee, Dunsmore & Gavelek, 2005). A nurse manager described how schemas were vital in identifying patient distress even when quantitative data from technology does not detect it:

It's that intuitive part of it, and you can't take that away, you can't take away from any practitioner, nurses, physicians, there's an ability for the patient to give you data that's not numerical, that's not cultured, and technology isn't getting those.

This idea was supported by a nurse manager describing a mother in labor:

So [physicians] can pull up the [data] strip from home. So then, you know, Renee's the nurse sitting there with the mom and everything, all the vital signs she's been looking at, all the stuff that she's seen, her hours taken in, and she's called the doctor and said I'm concerned about Mary and her baby, and the doctor says, 'Well let me pull up [the data]' and he takes a look [and says], 'No, no, no, it's alright.' That's what we're worried about—that [technology] will take away the intuitive part of it.

Another nurse manager detailed how technology had reduced the intuitive element of care:

We've actually been programmed to actually look at the physical [condition] of someone before we put a pulse oximeter on to see if O₂ SAT is down. Your body communicates a ton of information just with color, turgor, I mean, that's scary if we quit looking at that and just go to those numbers that technology gives us. Those data give a delayed response, because you get signs prior to numbers showing up.

Given the importance of schema, an interesting finding was that nurses reported that SBAR helped to aid this development. For instance, a nurse at one of the hospitals detailed how SBAR assisted her in developing schema.

I was first trained on SBAR when I was at Central Hospital¹, and now when I hear the situation, background, and assessment I just know. Things just click. It took some time but now when I hear things I can really make sense of it fast.

Another nurse at a different hospital offered a similar opinion:

I need a framework to think in. SBAR kind of is that framework. I guess I'd say I can think in SBAR (laughter). It gives me sort of a structure for my thoughts and helps me when I'm trying to figure out what might be going on with the patient.

This illustrates how SBAR serves not only as a communication protocol, but also a mental model that undergirds how patient evaluation takes place. By drawing on the common language that SBAR provides, nurses are able to create knowledge structures that allow them to make sense of the situation and undertake a timely evaluation.

Development of Legitimacy

Beyond being a communication tool, we observed that SBAR might also function as a legitimating practice for nurses. Legitimacy, the demonstration of adherence to appropriate norms and standards in an organization, profession, or field, is important for professionals because it establishes credibility on the part of the practitioner (Suchman, 1995). Particularly

¹ All names used in the paper are pseudonyms.

among inexperienced nurses, we observed that legitimacy was an important attribute that facilitates communication with doctors and other nurses. One nurse, who had graduated from nursing school less than six months previously, spoke to this issue: “Sometimes when they don’t know you, the doctors don’t want to listen to you...not disrespectful or anything, but they listen to the [nurses] that have been around a while.”

Further, nurses spoke about the importance of social support in the care environment, and how legitimacy was gained by demonstrating competence during interaction with other nurses and physicians. A nurse manager explained: “The [nurses] that have been here a while, they want to see if you get it before they trust you to do it...it’s the same with the doctors.” Indeed, the value of social support was evident as nurses, particularly less-experienced nurses, reported that input from others was very useful in managing the day-to-day duties of being a nurse. As a nurse manager reported: “The new [nurses] need that time with the [nurses] that have been here a while. They need it. It helps them get it.”

However, this interaction was limited by situations in both hospitals. Both hospitals had recently adopted a policy of updating patient charts in the room rather than in the common area of the floor, reducing the amount of time that nurses had to interact in common areas, and the physical layout at one of the hospitals made interaction difficult. One nurse lamented the lack of social support and interaction that was now available in the hospital.

A big problem is that we don’t congregate anymore in the center core. We used to go there to document but now we document in the rooms, so you lose a lot of the interaction with other nurses that you need to keep you going.

Given the diminishment of social interaction as a learning mechanism, SBAR may provide a legitimating crutch for those who master its use. SBAR may afford such legitimacy because it provides a common language that nurses can share with each other, as well as with

doctors. This is evidence by a nurse discussing late night phone calls to physicians when they have a concern about a patient: “At least [when I use] SBAR, [doctors] will listen. They may still disagree and tell me to wait and see, but they at least listen...that’s been an improvement.” This was supported by a nurse manager:

[With SBAR] they have that real professional kind of communication back and forth of tell me exactly what you’re kind of seeing, so that they can see if they can get a good grasp for what the 12 hours will look like or whatever. Dr. Smith was talking about one of the new nurses on step down. He said that she is awesome...the doctors don’t love SBAR...they think it wastes time...but that never would have happened without SBAR. It would have taken years for him to trust her like that.

This illustrates how adherence to appropriate behaviors and practice places individuals in a position of good standing within the field in which they operate. Nurses gained credibility by using the standardized SBAR protocol. Thus, using SBAR may confer legitimacy to nurses who are new to the profession, or new to a particular hospital.

Development of Social Capital

The use of SBAR in nurse-to-doctor communication is intended to reduce errors of omission and make the communication more concise (Hohenhaus et al., 2006). However, it also emerged from our data that SBAR can contribute to the development of long-term social capital for nurses. Social capital (Coleman, 1988; Lin, 2001) is highly valued by nurses because it provides a sense of self-efficacy which in turn reinforces the confidence nurses have when dealing with other nurses and doctors.

There are nurses and physicians that have great collaboration and communication, and that’s kind of like...they’ve developed a relationship that I know that you’re a good nurse and that you’re on top of things and you’re not going to call me unless there’s really a need, and you’re going to have your data and your thoughts together...and SBAR can work so nurses like that get the respect (Nurse Manager).

Nurses typically do not have the amount of face-to-face contact with physicians necessary to establish relationships through direct experience and interaction, as evidenced in the following quotes from two nurses.

We've discussed that our physicians are not employed physicians and they have their own practices out there. So they're busy all day long, and like the time of day that patients and families would like to communicate and have some conversation with them, they're not here.

Physicians come in and need to get rounds done. They have an office practice, they round between 8:00 and 8:30, and then he's (sic) gone. Then he comes back in the evening and does a quick round of whoever he needs to see, some results or something, and he's gone again.

In such dynamic hospital settings, social capital is difficult to establish among staff. Our findings suggest that SBAR's potential value in building social capital comes from its creation of a platform that allows trust to develop based on the delivery of timely and appropriate information. This was illustrated by a nurse manager speaking about how SBAR has assisted less experienced nurses in their interactions with doctors:

With SBAR, when I call a doctor in the middle of the night, when I talk to that doctor, I can talk confidently, I don't stumble around. He knows what I'm going to tell him. I start out on stronger footing right from the beginning.

Reinforcement of Dominant Logics

Another theme that emerged was that SBAR was part of a larger bundle of practices that was facilitating a logics shift in the nursing field. Institutional logics are essentially sets of informal rules, sanctions, and norms that govern institutions (Thornton & Ocasio, 2008). In our case, the institution in question is the nursing profession. Our interviews elicited comments about how the profession has fundamentally changed:

If you go back to the 70's and the 80's, when I was here, the pace was slower. The outpatient procedures, such as a tonsillectomy, that we now do and we send you home, used to be [put the patient] up there [on the ward] and [have them eat] popsicles for a

week. And the staffing ratio, if you told me you needed some more staff, I said. ‘Ok that’s good, have another nurse.’ Well, all that got changed as well. (Nurse Manager)

We uncovered a sense that the broader health care industry was evolving, and that the nursing profession was changing along with the industry. SBAR was perceived, often negatively, by nurses as part of a trend that is removing the flexibility that nurses have enjoyed. This is reflected in a statement from a staff nurse:

One lawsuit in the OB [obstetrics] arena is millions of dollars. [Obstetrics]...is the highest litigated...and it pays out the most money. So with that situation, we have to do things that make it not like it used to be...SBAR is kind of a part of that. We have to follow protocol all the time now. It can’t be like it used to be.

This indicates that SBAR may be reflective of, and contributing to, a shift in the logic of the nursing profession, from one in which flexibility and individual decision-making were prioritized in order to best meet the individual needs of a patient, to one where standardization of service delivery and clear documentation of procedure is emphasized. As a nurse detailed to us, the use of a SBAR protocol that required documentation during shift handoffs reinforced a logic of standardization.

SBAR is just part of it, because of the huge amount of information that we’re required to document now. I don’t see how anyone has time to see it, and I don’t see how they have time to do the things that they do. I mean it’s unbelievable, the amount of documentation that’s required.

SBAR is perceived to be part of a bundle of increasingly standardized practices that are diffusing across the health care industry. The practice of SBAR thus seems to be reinforcing this shift from autonomy to standardization in nursing.

Practice Implications

Our findings have several implications for practice. The first comes from our finding that SBAR may shape schema formation among nurses. Most interesting about this finding is that a

standardized protocol went beyond simply providing a common language for doctor-nurse communication, but also facilitated the development of schemas that aid nurses in intuitive decision-making. This finding suggests that beyond reducing the incidence of costly communication errors, SBAR may also impact patient care and hospital efficiency by increasing the accuracy of decision-making among nurses. Of course, the corollary to this is that a standardized device may also have a negative effect, if, for example, it decreases scrutiny of decisions or substitutes for supervision, and thus leads to practice errors.

We also found that SBAR was effective at standardizing communication, as it was intended. However, SBAR also served to integrate personnel, in our case nurses, into the organization. Because SBAR standardized the way communication was done, its presence allowed newly-hired nurses to more quickly acquire social capital and gain legitimacy with co-workers. Considering the wave of retirements that is expected in the nursing profession (Goodin, 2003), this finding is important because it shows how SBAR might help overcome the often difficult transition period that accompanies socializing new workers (Cable & Parsons, 2001). Because SBAR can provide nurses with a means to accumulate social capital, the implementation of the protocol may prove to be a cost-effective way for hospital administrators to provide an integration mechanism for newly-hired nurses.

Work on socialization in organizations has highlighted the importance of the attainment of legitimacy for new employees. Employee acceptance has been linked to important individual outcomes such as attachment to the organization, task-mastery, and self efficacy (e.g., Allen, 2006; Bauer & Green, 1998; Feldman, 1976). The results from this case show are interesting in that they show that the simple use of a common practice may be enough for an individual to gain essential credibility. Indeed, our finding that something as simple as the use of a standardized

protocol can provide legitimacy to an individual is useful because it suggests that organizations may reduce some of the problems associated with newly hired employees by standardizing the way that communication takes place. This effort might serve to reduce the power distance between veteran and recently hired employees and foster greater productivity and collaboration.

These findings also have broader implications for the nursing profession. From an institutional perspective, our finding that SBAR is contributing to a logics shift in the nursing profession indicates that institutions are indeed reified by the practices that underpin them, a finding that is consistent with extant findings in the broader institutional theory literature (Rao, Durand & Monin, 2005; Thornton, 2002). In this case, the use of SBAR serves to support the shift in nursing from a logic of individual autonomy to one of standardization and formalization in the profession.

Conclusion

In this paper, we have offered insights into the impact that SBAR, ostensibly a device intended to improve communication, is having on nurses and the broader nursing profession. We found four primary impacts that SBAR is having beyond enhanced communication: it facilitates schema development, contributes to the accumulation of social capital, provides legitimacy for less-socialized or recently hired nurses, and reinforces a logic shift in the broader fields of nursing and health care. As SBAR and similar protocols diffuse throughout the field, future research might consider the value of SBAR for other health care practitioners, including technicians, orderlies, social workers, and administrators. It seems likely that our findings regarding SBAR's effect on schema formation, developing social capital, and bestowing legitimacy to new employees will be transferrable to other functional areas beyond nursing. Future work might also compare the differences in effect of standardized communication

protocols across different functional areas, and consider how such impacts can be attributed to differences in role characteristics.

As with any study, our work is not without its limitations. The most significant of these is that our findings are gleaned from a case study of two hospitals. While most studies on the implementation of new practices are completed via a case study approach (e.g. Hinings & Greenwood, 1988), the generalizability of our findings to other health care settings might be called into question. However, the hospitals that were at the center of our inquiry were large facilities that do not appear to differ significantly from other medical centers. Further, because of the highly regulated nature of the health care industry, it is likely that variance in implementation of SBAR, as well as in the effects of that implementation, will be minimal, suggesting that our findings should be transferrable. Finally, many studies employing a case-study approach have shed significant light on implementation processes. For example, Hinings and Greenwood's (1988) research on local government in the UK, Tolbert and Zucker's (1983) work on civil service reform, and Pettigrew, Ferlie, and McKee's (1992) examination of the British National Health Service have made notable contributions to understanding how changes in practice take place. Our work is in keeping with this tradition.

In sum, this study suggests that the SBAR protocol has implications beyond structuring verbal discourse and reducing communication errors. SBAR may also facilitate other possible outcomes for nurses and reify changes occurring in the broader nursing profession. We of course would welcome work that would test our suppositions in other health care settings, and beyond.

References

- Allen, D. 2006. Do organizational socialization tactics influence newcomer embeddedness and turnover? *Journal of Management*, 32, 237-256.
- Arford, P.H. (2005). Nurse-physician communication: An organizational accountability. *Nursing Economics*, 23, 72-77.
- Ascano-Martin, F. (2008). Shift report and SBAR: Strategies for clinical post conference. *Nurse Educator*, 33(5), 190-191.
- Balogun, J., & Johnson, G. (2004). Organizational restructuring and middle manager sensemaking. *Academy of Management Journal*, 47: 523-549.
- Bauer, T.N., & Green, S.G. (1998). Testing the combined effects of newcomer information seeking and manager behavior on socialization. *Journal of Applied Psychology*, 83, 72-83.
- Cable, D. M., & Parsons, C. K. (2001). Socialization tactics and person-organization fit. *Personnel Psychology*, 54, 1-23.
- Chang, K., Gotcher, D., & Chan, M. (2006). Does social capital matter when medical professionals encounter the SARS crisis in a hospital setting. *Health Care Management Review*, 31, 26-33.
- Coleman, J.S. (1988). Social capital and the creation of human capital. *American Journal of Sociology*, 94, S95-S120.
- Corley, K. G., & Gioia, D. A. (2004). Identity ambiguity and change in the wake of a corporate spin-off. *Administrative Science Quarterly*, 49, 173-208.
- Czarniawska, B. & Joerges, B. 1996. Travels of Ideas. In B. Czarniawska, & G. Sevón (Eds.), *Translating Organizational Change*, 13-48. New York: Walter De Gruyter.

- DiMaggio, P. J., & Powell, W. W. 1983. The iron cage revisited: Institutional isomorphism and collective rationality in organizational fields. *American Sociological Review*, 48, 147-160.
- Doucette, J. (2006). View from the cockpit: What the aviation industry can teach us about patient safety. *Nursing*, 36(11), 50-53.
- Feldman, D.C. (1976). The contingency theory of socialization. *Administrative Science Quarterly*, 21, 433-452.
- Glaser, B. G., & Strauss, A. (1967). *The discovery of grounded theory: Strategies for qualitative research*. Chicago: Aldine.
- Gioia, D. A., & Thomas, J. B. 1996. Identity, image, and issue interpretation: Sensemaking during strategic change in academia. *Administrative Science Quarterly*, 41, 370-403.
- Goodin, H.J. (2003). The nursing shortage in the United States of America: An integrative review of the literature. *Journal of Advanced Nursing*, 43(4), 335-350.
- Greenwood, R. & Hinings, C.R. (2006). Radical organizational change. In S. Clegg, C. Hardy, W.W. Nord, & T. Lawrence (Eds.), *The Sage handbook of organization studies* (2nd ed.), 814-842. Thousand Oaks: CA: Sage.
- Haig, K., Sutton, S., & Whittington, J. (2006). SBAR: A shared mental model for improving communication between clinicians. *Journal of Quality and Patient Safety*, 32(3), 167-175.
- Hinings, C.R., & Greenwood, R. (1988). *The dynamics of strategic change*. Oxford: Blackwell.
- Hohenhaus, S., Powell, S., & Hohenhaus, J. (2006). Enhancing patient safety during hand-offs. *American Journal of Nursing*, 106(8), 72A-72C.
- Kaiser Permanente (2010). *SBAR technique for communication: A situational briefing model*. Retrieved July 31, 2010 at <http://www.ihl.org/IHI/Topics/PatientSafety/SafetyGeneral/Tools/SBARTechniqueforCommunicationASituationalBriefingModel.htm>.

- Kalisch, B.J., & Lee, H. (2009). Nursing teamwork, staff characteristics, work schedules, and staffing. *Health Care Management Review, 34*(4), 323-333.
- Lee, T.W., Mitchell, T.R., & Sablinski, C.J. (1999). Qualitative research in organizational and vocational psychology, 179-1999. *Journal of Vocational Behavior, 55*, 161-187.
- Lin, N. (2001). *Social capital*. Cambridge University Press: Cambridge.
- Locke, K. (2001). *Grounded theory in management research*. Thousand Oaks, CA: Sage.
- Manning, M. (2006). Improving clinical communication through structured conversation. *Nursing Economics, 24*(5), 268-271.
- Marini, V. (2005). The SBAR technique: Improves communication, enhances patient safety. *Joint Commission Perspectives on Patient Safety, 5*, 1-12.
- McVee, M., Dunsmore, K., & Gavelek, J. (2005). Schema theory revisited. *Review of Educational Research, 75*(4), 531-566.
- Monroe, M. (2006). SBAR: A structured human factors communication technique. *Healthbeat: American Society of Safety Engineers, 5*(3), 1-24.
- Pettigrew, A.M., Ferlie, E., & McKee, L. (1992). *Shaping strategic change: Making change in a large organizations: The case of the National Health Service*. London: Sage.
- Pope, B., Rodzen, L., & Spross, G. (2009). Raising the SBAR: How better communication improves patient outcomes. *Nursing, 38*(3), 41-43.
- Poole, P., Gioia, D. A., & Gray, B. (1989). Influence modes, schema change, and organizational transformation. *Journal of Applied Behavioral Science, 25*, 271-289.
- Powell, S. (2007). SBAR - It's not just another communication tool. *Professional Care Management, 12*(4), 195-196.

- Prahalad, C.K., & Bettis, R.A. (1986). The dominant logic: a new linkage between diversity and performance. *Strategic Management Journal*, 7, 485-501.
- Pronovost, P., Berenholtz, S., Dorman, T., Lipsett, P.A., Simmonds, T., & Haraden, C. (2003). Improving communication in the ICU using daily goals. *Journal of Critical Care*, 18, 71-75.
- Rao, H., Monin, P., & Durand, R. (2005). Institutional change in Toque Ville: Nouvelle cuisine as an identity movement in French gastronomy. *American Journal of Sociology*, 108, 795-843.
- Strauss, A., & Corbin, J. (1990). *Basics of qualitative research: Grounded theory procedures and techniques*. Newbury Park, CA: Sage.
- Suchman, M.C. (1995). Managing legitimacy: Strategic and institutional approaches. *Academy of Management Review*, 20(3), 571-610.
- Sutcliffe, K., Lewton, E & Rosenthal, M. (2004). Communication failures: An insidious contributor to medical mishaps. *Academic Medicine*, 79(2), 186-194.
- Thomas, C, Bertram, E., & Johnson, D. (2009). The SBAR communication technique: Teaching nursing students professional communication skills. *Nurse Educator*, 34(4), 176-180.
- Thornton, P. (2002). The rise of the corporation in a craft industry: Conflict and conformity in institutional logics. *Academy of Management Journal*, 45, 81-101.
- Thornton, P., & Ocasio, W. (2008). Institutional logics. In R. Greenwood, C. Oliver, K. Sahlin-Andersson & R. Suddaby (Eds.), *The handbook of organizational institutionalism*. Thousand Oaks, CA: Sage.

- Tolbert, P. S., & Zucker, L. G. (1983). Institutional sources of change in the formal structure of organizations: The diffusion of civil service reform, 1880–1935. *Administrative Science Quarterly*, 28, 22–39.
- Tsai, W., & Ghoshal, S. (1998). Social capital and value creation: The role of intrafirm networks. *Academy of Management Journal*, 41, 764-767.
- Velji, K., Baker, G., Fancott, C., Andreoli, A., Boaro, N., Tardif, G., Aimone, E., & Sinclair, L. (2009). Effectiveness of an adapted SBAR communication tool for a rehabilitation setting. *Healthcare Quarterly*, 11, 72-79.
- Woodhall, L, Vertacnik, L & McLaughlin, M. (2008). Implementation of the SBAR communication technique in a tertiary center. *Journal of Emergency Nursing*, 34(4), 314-317.
- Yin, R.K. (2009). *Case study research: Design and methods*. Thousand Oaks, CA: Sage.

Figure 1**Data Structure**

Table 1

Additional Outcomes Derived via the Implementation of SBAR