THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Exploration of stable stoichiometries, physical properties and hardness in the Rh–Si system: a first-principles study

Citation for published version:

Wang, J-J, Hermann, A, Kuang, X-Y, Jin, Y-Y, Lu, C, Zhang, C-Z, Ju, M, Si, M-T & Litaka, T 2015, 'Exploration of stable stoichiometries, physical properties and hardness in the Rh–Si system: a first-principles study', *RSC Advances*, vol. 5, no. 66, pp. 53497-53503. <https://doi.org/10.1039/C5RA08476H>

Digital Object Identifier (DOI):

[10.1039/C5RA08476H](https://doi.org/10.1039/C5RA08476H)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

RSC Advances

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

RSC Advances

This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. This *Accepted Manuscript* will be replaced by the edited, formatted and paginated article as soon as this is available.

You can find more information about *Accepted Manuscripts* in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.

Exploration of stable stoichiometries, physical properties and hardness in the Rh-Si system: A first-principles study

Jing-Jing Wang,^a Andreas Hermann,^b Xiao-Yu Kuang,^{a,*} Yuan-Yuan Jin,^a Cheng Lu,^{c,*} Chuan-Zhao Zhang,^a Meng Ju,^a Meng-Ting Si^c and Toshiaki Iitaka^{d,*}

Received 00th May 2015,
Accepted 00th May 2015

DOI: 10.1039/x0xx00000x

www.rsc.org/

To understand the structural stability, physical properties, and hardness of the Rh-Si system, we have performed systematic first-principles crystal structure searches for various stoichiometries of rhodium silicides, utilizing the particle swarm optimization method. A new stable stoichiometry, Rh₄Si₅ with space group *P2₁/m*, has been found at atmospheric pressure, complementing the three well-known rhodium silicides of Rh₂Si (*Pnma*), Rh₅Si₃ (*Pbam*), and RhSi (*Pnma*). Our calculations of the structural and mechanical properties of the known phases are in excellent agreement with the available experimental data and similar theoretical calculations. The elastic, electronic, and hardness properties of the Rh-Si stoichiometries are discussed. Our results suggest that the new rhodium silicide Rh₄Si₅ (*P2₁/m*) is a potentially hard material with the hardness of 20.1 GPa.

I. INTRODUCTION

Binary intermetallic compound of transition metals and silicon constitute an important and diverse family of inorganic solids. They have been extensively investigated both experimentally and theoretically in recent years, due to their hardness, resistance to oxidation, useful electronic properties, and compatibility with silicon-based microelectronics. They find application in many fields, which include the use as high temperature structural materials for rocket- and jet-engine parts, for furnace construction, i.e. Super Kanthal, as temperature sensors in turbine engines, in manufacturing of ceramic materials and in the production of high-temperature coatings.^{1–6} Rhodium is a hard and chemically inert 4d transition metal. In line with its position in the periodic table of elements and its electronic structure, it is found to be a fast diffusing impurity in Si. In these contexts, the exploration

of stable stoichiometries of rhodium silicides is of interest both to confirm the role of transition metal Rh in Si, and to understand the basic physical behaviors of transition metal silicides.

Many studies have explored the crystal structures and physical properties of rhodium silicides and a broad range of stoichiometries, including Rh₂Si, Rh₅Si₃ and RhSi, have been synthesized and characterized by various experimental methods.^{6–8} Great efforts have been made and opened up an interdisciplinary research field. Engström carried out a detailed X-ray powder and single crystal diffraction (XRD) analysis of metal-rich phases in Rh-Si system and reported the crystal structure refinements of Rh₂Si and Rh₅Si₃.⁷ Finnie and Searcy presented XRD measurements on the high-temperature CsCl structure of RhSi, and described its preparation by heating rhodium and an excess of silicon (atomic ratio 1:3), in finely divided form, for one hour at 1200 °C and then for one-half hour at 1550 °C.⁸ To investigate the influence of silicon on the chemical composition and the crystallinity of these crystals, Marot et al. conducted comparative measurements on rhodium/silicon films of Rh₂Si, Rh₅Si₃, RhSi and Rh₃Si₄ at room temperature using X-ray and ultraviolet photoelectron spectroscopy (XPS), ultraviolet photoemission spectroscopy (UPS), scanning electron microscope (SEM) and XRD techniques. The formation of Rh₂Si at 300 °C, Rh₅Si₃ at 500 °C and 600 °C, RhSi as well as Rh₅Si₃ at 800 °C and 900 °C was reported.⁶ In order to gain a deeper insight into the Rh-Si system, Nirajan performed calculations on the structural, electronic and elastic properties of RhSi both in the cubic and orthorhombic phase, and found that relatively strong three centre (Rh-Si-Rh)

^a Institute of Atomic and Molecular Physics, Sichuan University, Chengdu, 610065, China.

^b Centre for Science at Extreme Conditions and SUPA, School of Physics and Astronomy, The University of Edinburgh, Edinburgh EH9 3JZ, United Kingdom

^c Department of Physics, Nanyang Normal University, Nanyang, 473061, China.

^d Computational Astrophysics Laboratory, RIKEN (The Institute of Physical and Chemical Research) 2-1 Hirosawa, Wako, Saitama 351-0198, Japan.

Electronic mail: scu_kuang@163.com, lucheng@calypso.cn, tiitaka@riken.jp.

† Electronic Supplementary Information (ESI) available: [details of crystal structure and hardness of Rh_xSi_y. See DOI: 10.1039/x0xx00000x]

ARTICLE

RSC Advances

directional bonds are formed in both phases due to the hybridization between Rh-4d orbitals and Si-3p orbitals.⁹ However, there have been several open questions for rhodium silicides: (i) do other stable or metastable stoichiometries in the Rh-Si system exist, besides the already known stoichiometries? (ii) What are their structural and mechanical properties? (iii) Are these metallic phases or, unusually, insulators?

To address these issues, we present here a comprehensive theoretical study on binary rhodium silicide with various stoichiometries, based on the recently developed particle swarm optimization (PSO) technique as implemented in the CALYPSO (crystal structure analysis by particle swarm optimization) code. We study the Rh-Si system by a systematic combination of first-principles calculations. In a first step, the stable structures for a range of chemical compositions are identified by global crystal structure prediction. Subsequently, relevant candidate phases are re-optimized and their properties studied in more detail. These calculations are performed using density functional theory within generalized gradient approximation of the exchange-correlation energy functional. In a final step, we combine the ground state enthalpies of formation and dynamic stabilities to confirm the possible stoichiometries that can be synthesized.

II. COMPUTATIONAL DETAILS

The search for stable structures of the Rh-Si system was based on global minimization of free energy surfaces using ab initio total energy calculations and the particle-swarm-optimization scheme as implemented in the CALYPSO (Crystal structure AnaLYsis by Particle Swarm Optimization) code.¹⁰⁻¹² It has been successful in correctly predicting structures for various systems including elements, binary and ternary compounds.¹³⁻¹⁵ The structure searches were performed at ambient pressure, with a simulation cell consisting of one to four formula units. Each generation contains 30 structures, 60% of which are generated from previous low-energy structures following the particle swarm method, while 40% will be

generated randomly. We optimized 50 generations to achieve a thorough sampling of the crystal configuration space. The stoichiometries that were considered are listed in Table S1 (in the Supporting Information). The total energy calculations and structural relaxations were carried out with the Cambridge Serial Total Energy Package (CASTEP) plane-wave code, ultrasoft pseudopotentials and the Perdew–Burke–Ernzerhof (PBE) generalized gradient approximation functional.¹⁶⁻¹⁸ The crystal structure parameters, formation enthalpy, and electronic properties are also checked by the LDA+U (local density approximation) method.^{19,20} The ultrasoft pseudopotentials include $4d^85s^1$ and $3s^23p^2$ as the valence space for the Rh and Si atoms, respectively. A cutoff energy of 500 eV for the expansion of the wave function into plane waves and sufficiently fine Monkhorst-Pack k-point sampling meshes²¹ were chosen to ensure that all the enthalpy calculations are converged to better than 1 meV/atom. Phonon frequencies were calculated by the finite displacement method.²²

III. RESULTS AND DISCUSSION

In order to explore potential binary structures of the Rh_xSi_y rhodium silicides, we first focused on structure searches of Rh_2Si , Rh_5Si_3 and $RhSi$, using only the respective chemical compositions as input information. The crystal structure searches readily reproduced the experimental structures of Rh_2Si (*Pnma*), Rh_5Si_3 (*Pbam*) and $RhSi$ ($P2_1/c$, *Pnma*, $P2_13$ and *Pm-3m*) as the lowest ground state energy phases.^{7,8,22} This gives us confidence in the applicability of our method to this and other transition metal silicides. The crystal structure information of the lowest energy structures for each stoichiometry considered at GGA level is presented in Table 1, along with the theoretical values and available experimental data of the rhodium silicides Rh_2Si (*Pnma*), Rh_5Si_3 (*Pbam*) and $RhSi$ (*Pnma*).^{7,23,24} Complete crystal structure information for the considered phases of Rh_xSi_y are listed in Tables S1 and S2 (in the Supporting Information). The energetic stability of

Table 1. Calculated relative enthalpy of formation ΔH per atom; lattice parameters, a , b , and c ; volume per atom; and mass

Phase	Space group	ΔH (eV)	a (Å)		b (Å)		c (Å)		V	ρ			
			Expt.	Theor.	Expt.	Theor.	Expt.	Theor.					
Rh ₃ Si	<i>Pnma</i>	−0.56	5.36		7.99		5.27		14.12	9.90			
Rh ₅ Si ₂	<i>P4₁2₁2</i>	−0.51	9.53		9.53		8.80		14.25	9.50			
Rh ₂ Si	<i>Pnma</i>	−0.82	5.58	5.41 ^a	3.99	3.93 ^a	7.40	7.38 ^a	13.72	9.44			
Rh ₅ Si ₃	<i>Pbam</i>	−0.86	5.45	5.32 ^a	10.32	10.13 ^a	3.90	3.90 ^a	13.72	9.06			
Rh ₃ Si ₂	<i>Cmc2₁</i>	−0.68	13.29		11.43		7.50		14.25	8.50			
RhSi	<i>Pnma</i>	−0.91	5.60	5.56 ^b	5.60 ^c	3.11	3.70 ^b	3.11 ^c	6.45	6.38 ^b	6.45 ^c	14.05	7.74
Rh ₄ Si ₅	<i>P2₁/m</i>	−0.82	12.47		3.55		6.01		14.53	7.01			
Rh ₃ Si ₄	<i>Pnma</i>	−0.56	20.57		4.45		4.50		14.71	6.79			
Rh ₂ Si ₃	<i>P6₃/mmc</i>	−0.62	3.76		3.76		12.5		15.36	6.27			
Rh ₃ Si ₅	<i>P2₁/c</i>	−0.65	6.48		14.24		11.6		14.99	6.22			
RhSi ₂	<i>Cmce</i>	−0.55	6.98		6.98		8.09		15.46	5.70			
RhSi ₃	<i>P6₃mc</i>	−0.03	4.81		4.81		6.36		15.95	4.87			
^a Ref. 7, ^b Ref. 21, ^c Ref. 22.													

^a Ref. 7, ^b Ref. 21, ^c Ref. 22.

density for various rhodium silicides, compared with experimental and other theoretical data.

Rh_xSi_y stoichiometries can be quantified by constructing the ground state convex hull, which is constructed from the formation enthalpy per atom of the most stable structures at each stoichiometry: $\Delta H = \{E(\text{Rh}_x\text{Si}_y) - x \cdot E(\text{Rh}) - y \cdot E(\text{Si})\} / (x + y)$. Here ΔH is the relative ground state enthalpy of formation per atom and E is the calculated enthalpy per formula unit for each stoichiometry. Any structure with an enthalpy on the convex hull is energetically stable towards decomposition into other unary or binary phases, and thus experimentally accessible.²⁴ The convex hull of Rh-Si phases at ambient pressure, with the optimized lowest energy structures of Rh_xSi_y is presented in Fig. 1. From Fig. 1, it is clearly seen that the convex hull is composed of four stable phases denoted as Rh_2Si (*Pnma*), Rh_5Si_3 (*pbam*), RhSi (*pnma*) and Rh_4Si_5 ($P2_1/m$); their structures are shown in Fig. 2 and 3. Under well-controlled experimental conditions (e.g. regarding relative stoichiometries), these could be synthesized and confirmed by experiments. In order to check the reliability of our calculations, we recalculate the crystal structure parameters and formation enthalpies of Rh-Si system using LDA+U method (see Fig. S1 in the Supporting Information). The calculated crystal structure parameters and formation enthalpies of the four stable stoichiometries are listed in Table S3 (in the Supporting Information). We clearly note that the LDA+U calculated results are in good agreement with the GGA-PBE calculations, providing important support for the reliability of present GGA-PBE calculations. Interestingly, several new metastable structures of rhodium silicides with various silicon concentrations have also been found (see Fig. S2 in the Supporting Information).

Fig. 1. Relative enthalpies of formation for rhodium silicides at GGA level. The solid line denotes the ground state convex hull.

Fig. 2. Experimental observed structures of rhodium silicides at 1 atm: (a) Rh_2Si (*Pnma*), (b) Rh_5Si_3 (*Pbam*), and (c) RhSi (*Pnma*). The green and red spheres represent rhodium and silicon atoms, respectively.

Fig. 3. Predicted crystal structure and electron localization function (ELF) of Rh_4Si_5 ($P2_1/m$). The green and red spheres represent rhodium and silicon atoms, respectively. The ELF isosurfaces value is 0.8.

In fact, three phases have already been synthesized, while our structure searches uncovered a new stable Rh_4Si_5 phase, of monoclinic $P2_1/m$ symmetry, with two Rh_4Si_5 formula units per unit cell ($a = 12.47 \text{ \AA}$, $b = 3.55 \text{ \AA}$, $c = 6.01 \text{ \AA}$, and $\beta = 100.1^\circ$). This new phase is stable by 10.3 meV/atom with respect towards decomposition into RhSi and pure Si. The structure contains four Rh atoms on the 2e Wyckoff sites (0.0499, 1/4, 0.2091), (0.2731, 1/4, 0.1070), (0.5001, 1/4, 0.2994) and (0.7308, 1/4, 0.2866), and five Si atoms also 2e at (0.6350, 1/4, 0.6385), (0.4221, 1/4, 0.8933), (0.2237, 1/4, 0.4649), (0.9229, 1/4, 0.4876) and (0.1395, 3/4, 0.97903). Each Si atom in the Rh_4Si_5 ($P2_1/m$) structure is surrounded by 4 or 6 Rh atoms, which is similar to the *Pnma* structure of RhSi. Intriguingly, Rh atoms in the $P2_1/m$ structure of Rh_4Si_5 exhibit mixed six and seven-fold coordination to Si atoms (see Fig. 3), with Rh-Si separations in the range of 2.324 to 2.687 $\text{\AA}$. These are significantly longer than the bond length in gas-phase RhSi (2.12 $\text{\AA}$).²⁵ Rhodium polyhedra in rhodium silicides, such as Rh octahedra in RhSi and Rh_5Si_3 type structures, are known. However, to the best of our knowledge, Rh atoms with a seven-fold coordination to Si atoms, have not been seen in rhodium silicides. Remarkably, upon comparing the coordination environments of Rh atoms in the new Rh_4Si_5 ($P2_1/m$) compound with those of the most stable known Rh_2Si (*Pnma*), Rh_5Si_3 (*Pbam*) and RhSi (*Pnma*) rhodium silicides, it can be clearly observed that the coordination of Rh atoms with Si atoms change from four-fold coordinated (Rh_2Si) to six-fold coordinated (Rh_5Si_3 and RhSi) and further, mixed six- and seven-fold coordinated (Rh_4Si_5) with the increased Si content.

ARTICLE

RSC Advances

To compare the structural parameters of the calculated rhodium silicides with those seen experimentally, we calculated the powder X-ray diffraction (XRD) patterns of the different structures. Schematic X-ray stick spectra, together with the available experimental data, are shown in Fig. 4. The overall agreement between simulated and measured spectra by Engström et al.^{7,23} is very satisfactory, demonstrating the validity of the structure search approach. We also show the simulated XRD patterns of the Rh_4Si_5 ($P2_1/m$) structure in Fig. 4. While no experimental spectra on this phase have been reported, the XRD pattern is sufficiently distinct from those of the hitherto known phases, that it should be easily identifiable in a successful synthesis experiment; further experimental studies are necessary. To study the dynamical stability of the Rh_xSi_y phases, the phonon dispersion curves of the new phase Rh_4Si_5 ($P2_1/m$) as well as of the known crystalline structures Rh_2Si ($Pnma$), Rh_5Si_3 ($Pbam$) and RhSi ($Pnma$) were calculated and shown in Fig. 5, respectively. The new phase Rh_4Si_5 ($P2_1/m$) is dynamically stable, as there are no imaginary phonon frequencies detected in the whole Brillouin zone. The previously proposed phases, Rh_2Si ($Pnma$), Rh_5Si_3 ($Pnam$) and RhSi ($Pnma$), are also found to be dynamically stable in the calculations.

Fig. 4. Simulated X-ray diffraction pattern of (a) Rh_2Si ($Pnma$), (c) Rh_5Si_3 ($Pbam$), (e) RhSi ($Pnma$), and (g) Rh_4Si_5 ($P2_1/m$), while (b), (d), (f) show the experimental data for Rh_2Si ($Pnma$), Rh_5Si_3 ($Pbam$), and RhSi ($Pnma$), respectively.

Fig. 5. Calculated phonon spectra of (a) Rh_2Si ($Pnma$), (b) Rh_5Si_3 ($Pbam$), (c) RhSi ($Pnma$), and (d) Rh_4Si_5 ($P2_1/m$).

Table 2. Calculated elastic constants (GPa) of various rhodium silicides.

	Rh_2Si ($Pnma$)	Rh_5Si_3 ($Pbam$)	RhSi ($Pnma$)		Rh_4Si_5 ($P2_1/m$)
C_{11}	246.4	268.8	416.2	416.5 ^a	417.3 ^b
C_{22}	331.4	256.7	228.7	227.6 ^a	230.1 ^b
C_{33}	332.5	357.9	358.0	315.5 ^a	359.9 ^b
C_{44}	86.1	102.4	110.2	100.7 ^a	116.2 ^b
C_{55}	73.6	124.0	112.8	114.0 ^a	114.8 ^b
C_{66}	123.0	91.9	87.7	86.4 ^a	95.4 ^b
C_{12}	173.6	164.8	113.8	110.7 ^a	130.9 ^b
C_{13}	216.6	185.8	142.2	139.3 ^a	145.9 ^b
C_{23}	194.1	184.1	161.6	162.1 ^a	165.1 ^b
C_{15}	□	□	□		−1.4
C_{25}	□	□	□		4.4
C_{35}	□		□		−5.8
C_{46}	□	□	□		4.1

^a Ref.22, ^b Ref. 9

In order to further establish the mechanical stability of the various Rh-Si phases, we have calculated the elastic constants by a direct method, i.e. ab initio stress-strain relations.²⁷ There, stress is calculated as a function of strain, with the internal coordinates optimized under each strain application, and the elastic constants are found as derivatives of the stress with respect to the strain.²⁸ The calculation of the elastic constants is straightforward and the calculated results together with the experimental values and similar theoretical calculations are summarized in Table 2. The key criteria for mechanical stability of a crystal are that the strain energy must

be positive. For orthorhombic lattices, the elastic constants should satisfy the following inequalities:²⁹

$$\begin{aligned} C_{11} > 0, C_{22} > 0, C_{33} > 0, C_{44} > 0, C_{55} > 0, C_{66} > 0, \\ [C_{11} + C_{22} + C_{33} + 2(C_{12} + C_{13} + C_{23})] > 0, \end{aligned} \quad (1)$$

$$(C_{11} + C_{22} - 2C_{12}) > 0, (C_{11} + C_{33} - 2C_{13}) > 0, (C_{22} + C_{33} - 2C_{23}) > 0.$$

For the monoclinic crystals, the corresponding mechanical stability criterion is more complex:²⁷

$$\begin{aligned} C_{11} > 0, C_{22} > 0, C_{33} > 0, C_{44} > 0, C_{55} > 0, C_{66} > 0, \\ (C_{22} + C_{33} - 2C_{23}) > 0, (C_{33}C_{55} - C_{35}^2) > 0, (C_{44}C_{66} - C_{46}^2) > 0, \\ [C_{11} + C_{22} + C_{33} + 2(C_{12} + C_{13} + C_{23})] > 0, \\ [C_{22}(C_{33}C_{55} - C_{35}^2) + 2C_{23}C_{25}C_{35} - C_{23}^2C_{55} - C_{25}^2C_{33}] > 0, \end{aligned} \quad (2)$$

$$\begin{aligned} 2[C_{15}C_{25}(C_{33}C_{12} - C_{13}C_{23}) + C_{15}C_{35}(C_{22}C_{13} - C_{12}C_{23}) \\ + C_{25}C_{35}(C_{11}C_{23} - C_{12}C_{13})] - [C_{15}^2(C_{22}C_{33} - C_{23}^2) \\ + C_{25}^2(C_{11}C_{33} - C_{13}^2) + C_{35}^2(C_{11}C_{22} - C_{12}^2)] + gC_{55} > 0, \\ g = C_{11}C_{22}C_{33} - C_{23}^2C_{11} - C_{13}^2C_{22} - C_{12}^2C_{33} + 2C_{12}C_{13}C_{23}. \end{aligned}$$

The $P2_1/m$ structure of Rh_4Si_5 satisfies all twelve criteria in Eq. (2) and it follows, in conjunction with the phonon calculations presented above, that Rh_4Si_5 rhodium silicide in the $P2_1/m$ structure is mechanically stable.

The bulk modulus (B) and shear modulus (G) are directly derived from the calculated elastic constants by using the Voigt-Reuss-Hill method,³⁰ and the results are tabulated in Table 3. The Young's modulus (E) and the Poisson's ratio (ν) can also be calculated from B and G using the following formulae:²⁹

$$E = \frac{9BG}{3B + G} \quad \nu = \frac{3B - 2G}{2(3B + G)} \quad (3)$$

In general, the bulk modulus B characterizes a material's resistance against volume change, while the shear modulus G estimates a material's ability to resist shear strain, and Young's modulus E denotes the resistance against longitudinal tensions.³¹ It is worth noting that, among the four phases, Rh_4Si_5 ($P2_1/m$) has the lowest value of bulk modulus and the second largest shear modulus, revealing that it is the most compressible while being able to withstand shear strain to a large extent. In order to evaluate the ductility of the material, the B/G values are calculated and summarized in Table 3. The critical value of B/G , which separates ductile and brittle materials, is about 1.75.³² The B/G ratio of all Rh-Si phases are all larger than 1.75, reflecting their ductile nature, with the new found Rh_4Si_5 phase being the most brittle. Poisson's ratio is an important parameter to describe the degree of directionality of the covalent bonding.³¹ The smallest Poisson's ratio of 0.28 for Rh_4Si_5 ($P2_1/m$) suggests its strong degree of covalent bonding. It is also worth noting that the large shear modulus and Young's modulus E , together with the smallest value of the B/G ratio and Poisson's ratio ν for Rh_4Si_5 ($P2_1/m$), entails the potential of high hardness.

One of the standard methods for calculating the Debye temperature Θ_D , is from elastic constants, since in Debye's approximation the vibrations of the solid are considered as elastic waves. The Debye temperature can be estimated from the average sound velocity v_m , by using the following expressions:²⁸

$$\Theta_D = \frac{h}{k_B} \left(\frac{3nN_A}{4\pi} \right)^{1/3} v_m^{-1/3} \quad (4)$$

where

$$v_m = \left[\frac{1}{3} \left(\frac{2}{v_t^3} + \frac{1}{v_l^3} \right) \right]^{-1/3} \quad (5)$$

and h is Planck's constant, k_B is Boltzmann's constant, N_A is Avogadro's number. Using the Voigt-Reuss-Hill method, the calculated Θ_D , together with v_m , v_t and v_l for the considered structures of rhodium silicides are listed in Table 3. In general, a higher Debye temperature indicates a larger thermal conductivity and microhardness. Thus, Rh_4Si_5 ($P2_1/m$), owing the highest Θ_D (526.4 K), promises to show the largest thermal conductivity and microhardness amongst the rhodium silicides.

Table 3. Calculated bulk modulus B (GPa), shear modulus G (GPa), Young's modulus E (GPa), Poisson's ratio ν , and Debye temperature Θ_D (K) of various rhodium silicides.

	Rh_2Si ($Pnma$)	Rh_5Si_3 ($Pbam$)	$RhSi$ ($Pnma$)		Rh_4Si_5 ($P2_1/m$)
B_V	231.0	217.0	204.2	202.2 ^a	210.1 ^b
B_R	222.0	209.5	190.2	188.6 ^a	196.4 ^b
G_V	78.3	86.9	101.2	99.1 ^a	102.9 ^b
G_R	65.4	77.4	93.2	90.9 ^a	94.3 ^b
B	226.5	213.2	197.2	195.4 ^a	203.3 ^b
G	71.8	82.2	97.2	95.0 ^a	98.6 ^b
B/G	3.15	2.60	2.03		1.98
E	194.9	218.4	250.4	254.3 ^a	254.7 ^b
ν	0.36	0.33	0.29		0.28
v_t	2.76	3.01	3.54		4.72
v_l	5.84	5.97	6.50		8.60
v_m	3.11	3.38	3.95		5.26
Θ_D	409.3	439.0	487.6	482.3 ^a	490.5 ^b
H_v	11.9	12.0	14.7	14.8 ^a	20.1

^a Ref.22, ^b Ref. 9

ARTICLE

RSC Advances

Fig. 6. Calculated total and partial DOSs of (a) Rh₂Si (*Pnma*), (b) Rh₅Si₃ (*Pbam*), (c) RhSi (*Pnma*), and (d) Rh₄Si₅ (*P2₁/m*) at GGA level. The Fermi level is at 0 eV.

Fig. 7. Calculated Band structures of (a) Rh₂Si (*Pnma*), (b) Rh₅Si₃ (*Pbam*), (c) RhSi (*Pnma*), and (d) Rh₄Si₅ (*P2₁/m*). The Fermi level is at 0 eV.

We now turn to the rhodium silicides' electronic structures. Total and partial densities of states (DOS) were calculated and shown in Fig. 6. As seen there, all phases are found to be metallic, with a finite electronic DOS at the Fermi level. The projected density of states reveals that the states just below the Fermi energy are mainly Rh *4d*, whereas the states just above the Fermi energy consists of more Si *3p* orbitals. It is worth mentioning that, for all the phases, the Rh *4d* orbital hybridizes significantly with the Si *3p* orbital, indicating a strong Rh-Si covalent bonding nature. The strong covalent bonding between Rh and neighboring Si atoms can also be seen from the electron localized function (ELF), as illustrated for the Rh₄Si₅ phase in Fig. 3 and S5 (in the Supporting Information). Although the localization of the electrons is not very strong in those metallic phases, it still indicates significant covalent bonding between neighboring Rh and Si atoms.

From the discussion above, regarding the large shear modulus *G* and Young's modulus *E*, and the small values for the *B/G* ratio and Poisson's ratio *ν*, together with the strong covalent bonding of Rh₄Si₅ (*P2₁/m*), a potential of high hardness is recognizable. Thus, we estimated the theoretical hardness of rhodium silicides using the semiempirical method by Dai et al.³³ The expression of the hardness for a multi-component compound can be written as^{34,35}

$$H_v = \left[\prod_{\mu} \left(740(P^{\mu} - P')V_b^{\mu-5/3}n^{\mu} \right)^{1/\sum n^{\mu}} \right] = \left[\prod_{\mu} (h_v^{\mu})^{n^{\mu}} \right]^{1/\sum n^{\mu}} \quad (6)$$

Where

$$P' = \frac{n_{free}}{V} \quad (7)$$

$$n_{free} = \int_{E_F}^{E_F} N(E)dE \quad (8)$$

$$v_b^{\mu} = (d^{\mu})^3 / \sum_{\nu} [(d^{\nu})^3 N_b^{\nu}] \quad (9)$$

and P_{μ} is the Mulliken overlap population, V is the volume, n^{μ} is the number of chemical bonds of type μ , d^{μ} the respective bond length, and N_b^{ν} the number of bonds of type μ per unit volume. P' is the metallic population, n_{free} is the number of free electrons per unit cell, V is the volume of the cell, and E_F is the Fermi energy. The calculated hardness values for all phases are listed in Table 3, and the detailed bond parameters of hardness calculations can be found in Table S4 (in the Supporting Information). As shown in Table 3, the values of the hardness for the considered structures increase with increasing Si contents, in the order Rh₂Si (*Pnma*) < Rh₅Si₃ (*Pbam*) < RhSi (*Pnma*) < Rh₄Si₅ (*P2₁/m*). It also reveals that the predicted hardness of the Rh₄Si₅ (*P2₁/m*) phase is approximately 20.1 GPa, which is obviously larger than the hardness of the pure Si in *Fd-3m* phase (11.1 GPa), implying it is a potential hard material at ambient conditions (see Table. S3 in the Supporting Information).

Conclusions

In summary, the structural, dynamical, and electronic properties as well as the hardness of various stoichiometric rhodium silicides have been studied from unbiased CALYPSO structure searches in conjunction with first-principles calculations. Our calculations find an unusual monoclinic rhodium silicide, Rh₄Si₅ with the space group *P2₁/m*, to be stable at 1 atm. Our results on the known Rh-Si binary phases are consistent with available experimental data and previous calculations, and fall in line with the trends expected in the transition metal silicides. Based on a detailed analysis of the chemical bonds and by employing a semi-empirical model, the Vickers hardness of all stable rhodium silicides is estimated. Amongst those, the newly proposed stable compound, the *P2₁/m* structure Rh₄Si₅, is the hardest material, with a hardness of about 20.1 GPa. Experimental synthesis and characterization efforts would greatly complement the theoretical considerations presented in this paper, and allow for a more complete picture of the binary Rh-Si phase diagram.

Acknowledgements

This work was supported by the National Natural Science Foundation of China (Nos. 11274235 and 11304167), Postdoctoral Science Foundation of China (Nos. 20110491317 and 2014T70280), Program for Science & Technology Innovation Talents in Universities of Henan Province (No. 15HASTIT020), Open Project of State Key Laboratory of Superhard Materials (No. 201405), and Young Core Instructor

Foundation of Henan Province (No. 2012GGJS-152). The results presented here were computed by using supercomputers at RIKEN.

References

- 1 X. Chen, J. Guan, G. Sha, Z. Gao, C. T. Williams and C. Liang, *RSC Adv.*, 2014, **4**, 653–659.
- 2 R. Hao, X. Y. Zhang, J. Q. Qin, S. H. Zhang, J. L. Ning, N. Sun, M. Z. Ma and R. P. Liu, *RSC Adv.*, 2015, **5**, 36779–36786.
- 3 P. K. Dutta, S. Panda, D. Chaudhuri and S. S. Zade, *RSC Adv.*, 2014, **4**, 33955 – 33957.
- 4 C. M. Fang, R. S. Koster, W. F. Li and M. A. van Huis, *RSC Adv.*, 2014, **4**, 7885 – 7899.
- 5 Y. K. Shi, X. J. Hu, B. L. Zhu, S. R. Wang, S. M. Zhang and W. P. Huang, *RSC Adv.*, 2014, **4**, 62215 – 62222.
- 6 L. Marot, R. Schoch, R. Steiner, V. Thommen, D. Mathys and E. Meyer, *Nanotechnology*, 2010, **21**, 365707–1–6.
- 7 I. Engström, *Acta Chem. Scand.*, 1963, **17**, 775–784.
- 8 L. N. Finnie and A. W. Searcy, *Acta Cryst.*, 1959, **12**, 260–260.
- 9 M. K. Niranjani, *Intermetallics*, 2012, **26**, 150–156.
- 10 J. Lv, Y. C. Wang, L. Zhu and Y. M. Ma, *J. Chem. Phys.*, 2012, **137**, 084104–1–8.
- 11 Y. C. Wang, J. Lv, L. Zhu, and Y. M. Ma, *Comput. Phys. Commun.*, 2012, **183**, 2063–2070.
- 12 Y. C. Wang, J. Lv, L. Zhu, and Y. M. Ma, *Phys. Rev. B*, 2010, **82**, 094116–1–8.
- 13 Y. C. Wang, M. S. Miao, J. Lv, L. Zhu, K. T. Yin, H. Y. Liu and Y. M. Ma, *J. Chem. Phys.*, 2012, **137**, 224108–1–6.
- 14 L. Zhu, H. Y. Liu, C. J. Pickard, G. T. Zou and Y. M. Ma, *Nature. Chem.*, 2014, **6**, 644–648.
- 15 S. H. Lu, Y. C. Wang, H. Y. Liu, M. S. Miao and Y. M. Ma, *Nature. Commun.*, 2014, **5**, 3666–1–6.
- 16 MATERIALS STUDIO, version 4.1, Accelrys Inc.: C. A. San Diego, 2006 PP. 11–25.
- 17 J. P. Perdew, K. Burke and M. Ernzerhof, *Phys. Rev. Lett.*, 1996, **77**, 3865–3868.
- 18 D. Vanderbilt, *Phys. Rev. B*, 1990, **41**, 7892–7895.
- 19 V. I. Anisimov, F. Aryasetiawan and A. I. Lichtenstein, *J. Phys.: Condens. Matter*, 1997, **9**, 767–808.
- 20 P. Guss, M. E. Foster, B. M. Wong, F. P. Doty, K. Shah, M. R. Squillante, U. Shirwadkar, R. Hawrami, J. Tower, and D. Yuan, *J. Appl. Phys.*, 2014, **115**, 034908–1–10.
- 21 H. J. Monkhorst and J. D. Pack, *Phys. Rev. B*, 1976, **13**, 5188–5192.
- 22 M. T. Yin and M. L. Cohen, *Phys. Rev. B*, 1982, **26**, 3259–3272.
- 23 K. Göransson, I. Engström and B. Nörlang, *J. Alloy. Compd.*, 1995, **219**, 107–110.
- 24 J. J. Wang, X. Y. Kuang, Y. Y. Jin, C. Lu and X. F. Huang, *J. Alloy. Compd.*, 2014, **592**, 42–47.
- 25 G. Ghosh, A. van de Walle and M. Asta, *Acta Mater.*, 2008, **56**, 3202–3221.
- 26 Z. Y. Ren, R. Hou, P. Guo, J. K. Gao, G. H. Du and Z. Y. Wen, *Chin. Phys. B*, 2008, **17**, 2116–2123.
- 27 J. P. Poirier, *Introduction to the Physics of the Earth's Interior*, Cambridge University Press, Cambridge, 2000.
- 28 C. Lu, X. Y. Kuang, S. J. Wang, Y. R. Zhao and X. M. Tan, *Europhys. Lett.*, 2010, **91**, 16002–1–6.
- 29 Z. J. Wu, E. J. Zhao, H. P. Xiang, X. F. Hao, X. J. Liu and J. Meng, *Phys. Rev. B*, 2007, **76**, 054115–1–15.
- 30 J. H. Dai, Y. Song, W. Li, R. Yang, and L. Vitos, *Phys. Rev. B*, 2014, **89**, 014103–1–9.
- 31 C. Z. Fan, J. Li and L. M. Wang, *Sci. Rep.*, 2014, **4**, 6786–1–11.
- 32 M. M. Zhong, X. Y. Kuang, Z. H. Wang, P. Shao, L. P. Ding and X. F. Huang, *J. Phys. Chem. C*, 2013, **117**, 10643–10652.
- 33 C. Z. Fan, Y. Jin, J. Li and Xu Dong, *Sci. Rep.*, 2014, **4**, 6993–1–11.
- 34 F. M. Gao, J. L. He, E. D. Wu, S. M. Liu, D. L. Yu, D. C. Li, S. Y. Zhang and Y. J. Tian, *Phys. Rev. Lett.*, 2003, **91**, 015502–1–4.
- 35 F. M. Gao, *Phys. Rev. B*, 2006, **73**, 132104–1–4.